

Table of Contents

1.	LOCAL SERVICE REQUEST (LSR) _____	4
1.1	INTRODUCTION _____	4
1.2	LOCAL SERVICE REQUEST ADMINISTRATIVE SECTION _____	5
1.	CCNA - Customer Carrier Name Abbreviation _____	5
2.	PON - Purchase Order Number _____	6
3.	BOPI – Bulk/Batch Order Package Identifier _____	7
4.	VER - Version Identification _____	8
5.	LSR NO - Local Service Request Number _____	9
6.	LOCQTY - Location Quantity _____	10
7.	HTQTY - Hunt Group Quantity _____	11
8.	AN - Account Number _____	12
9.	ATN - Account Telephone Number _____	13
10.	AAN – Associated Account Number _____	14
11.	NATN – New Account Telephone Number _____	15
12.	NAN – New Account Number _____	16
13.	SC - Service Center _____	17
14.	SC1 - Service Center 1 _____	18
15.	SC2 - Service Center 2 _____	19
16.	PG_of_ - Page _ of _ _____	20
17.	RESID - Response Identifier _____	21
18.	D/TSENT - Date and Time Sent _____	22
19.	DSPTCH - Dispatch Required _____	23
20.	DDD - Desired Due Date _____	24
21.	APPTIME - Appointment Time _____	25
22.	DDDO - Desired Due Date Out _____	26
23.	NOR - Number of Requests _____	27
24.	APPTIME - Appointment Time _____	28
25.	DFDT - Desired Frame Due Time _____	29
26.	DFDTO - Desired Frame Due Time Out _____	30
27.	PROJECT - Project Identification _____	31
28.	PROJINDR - Project Indicator _____	32
29.	LSCP - Local Service Provider Change Prohibited _____	33
30.	CHC - Coordinated Hot Cut _____	34
31.	REQTYP - Requisition Type and Status _____	35
32.	P - Product Arrangement _____	37
33.	SLI - Sub-loop Indicator _____	38
34.	ACT – Activity _____	39
35.	ADET – Activity Detail _____	41
36.	MI – Migration Indicator _____	42
37.	RL – Reuse Loop _____	43
38.	SUP - Supplement Type _____	44
39.	EXP – Expedite _____	46
40.	ER - Expedite Reason _____	47
41.	AFO – Additional Forms _____	48
42.	RVER - Release Version _____	50
43.	MEU - Multiple End User Functions _____	51
44.	RTR - Response Type Requested _____	52
45.	CC - Company Code _____	53

46.	RCC – Related Company Code _____	55
47.	PID – Personal Identifier _____	56
48.	NNSP - New Network Service Provider Identification _____	57
49.	ONSP - Old Network Service Provider Identification _____	58
50.	OCCNA – Old Customer Carrier Name Abbreviation _____	60
51.	OCC – Old Company Code _____	61
52.	AENG - Additional Engineering _____	62
53.	ALBR - Additional Labor _____	63
54.	SCA - Special Construction Authorization _____	64
55.	AGAUTH - Agency Authorization Status _____	65
56.	DATED - Date of Agency Authorization _____	66
57.	AUTHNM - Authorization Name _____	67
58.	PORTTYP - Port Type _____	68
59.	ACTL - Access Customer Terminal Location _____	69
60.	SACTL - Secondary Access Customer Terminal Location _____	71
61.	AI - Additional Point of Termination Indicator _____	72
62.	APOT - Additional Point of Termination _____	73
63.	LST - Local Service Termination _____	75
64.	LSO - Local Service Office _____	76
65.	TOS - Type of Service _____	77
66.	SPEC - Service and Product Enhancement Code _____	82
67.	NC - Network Channel Code _____	85
68.	PBT - Pot Bay Type _____	87
69.	NCI - Network Channel Interface Code _____	88
70.	CHAN - Channel Code _____	91
71.	SECNCI - Secondary Network Channel Interface Code _____	92
72.	RPON - Related Purchase Order Number _____	95
73.	RORD - Related Order Number _____	96
74.	LSP AUTH - Local Service Provider Authorization _____	97
75.	LSP AUTH DATE - Local Service Provider Authorization Date _____	98
76.	LSP AUTH NAME - Local Service Provider Authorization Name _____	99
77.	LSPAN - LSP's Authorization Number _____	100
78.	CIC - Carrier Identification Code _____	101
79.	CUST - Customer Name _____	102
80.	NPDI - Number Portability Direction Indicator _____	103
81.	TNE – Telephone Number Environment _____	106
82.	FA - Feature Activity _____	107
83.	AFEATURE - Account Feature Codes _____	108
84.	AFEATURE DETAIL - Account Feature Detail _____	109
85.	DLQTY - Directory Listings Quantity _____	110
86.	MCSI = Move with Change of Service Indicator _____	111
87.	CTEST Tel No _____	112
88.	DSUP – Directory Supplement _____	113
89.	PREQUAL# - Pre-Qualification Number _____	114
90.	CONDITIONING OPT - Conditioning Options _____	115
91.	CONDITION \$ - Conditioning Cost _____	116
92.	CONDITIONING REMARKS - Conditioning Remarks _____	117
93.	COMPLEX – Complex Indicator _____	118
94.	DSPTCH – Dispatch Indicator _____	119
1.3	LOCAL SERVICE RECORD BILL SECTION _____	120
95.	BI1 - Billing Account Number Identifier 1 _____	120
96.	BAN1 - Billing Account Number 1 _____	121

97.	BI2 - Billing Account Number Identifier 2 _____	122
98.	BAN2 - Billing Account Number 2 _____	123
99.	ACNA - Access Customer Name Abbreviation _____	124
100.	EBD - Effective Bill Date _____	125
101.	CNO - Case Number _____	126
102.	NRI - Negotiated Rate Indicator _____	127
103.	BILLNM - Billing Name _____	128
104.	SBILLNM - Secondary Bill Name _____	129
105.	TE - Tax Exemption _____	130
106.	EBP - Extended Billing Plan _____	131
107.	STREET - Street Address _____	132
108.	FLOOR - Floor _____	133
109.	ROOM/ MAIL STOP - Room/Mail Stop _____	134
110.	CITY - City _____	135
111.	STATE - State/Province _____	136
112.	ZIP - ZIP/Postal Code _____	137
113.	BILLCON - Billing Contact _____	138
114.	BSPRAO - Billing Service Provider Revenue Accounting Office Code _____	139
115.	TEL NO - Telephone Number _____	140
116.	VTA - Variable Term Agreement _____	141
1.4	LOCAL SERVICE RECORD CONTACT SECTION _____	142
117.	INIT - Initiator Identification _____	142
118.	TEL NO - Telephone Number _____	143
119.	EMAIL - Electronic Mail Address _____	144
120.	FAX NO - Facsimile Number _____	145
121.	STREET - Street Address _____	146
122.	FLOOR - Floor _____	147
123.	ROOM/MAIL STOP - Room/Mail Stop _____	148
124.	CITY - City _____	149
125.	STATE - State/Province _____	150
126.	ZIP - ZIP/Postal Code _____	151
127.	IMPCON - Implementation Contact _____	152
128.	TEL NO - Telephone Number _____	153
129.	PAGER - Pager Number _____	154
130.	ALT IMPCON - Alternate Implementation Contact _____	155
131.	TEL NO - Telephone Number _____	156
132.	PAGER - Pager Number _____	157
133.	DSGCON - Design/Engineering Contact _____	158
134.	DRC - Design Routing Code _____	159
135.	TEL NO - Telephone Number _____	160
136.	FAX NO - Facsimile Number _____	161
137.	EMAIL - Electronic Mail Address _____	162
138.	STREET - Street Address _____	163
139.	FLOOR - Floor _____	164
140.	ROOM/MAIL STOP - Room/Mail Stop _____	165
141.	CITY - City _____	166
142.	STATE - State/Province _____	167
143.	ZIP - ZIP/Postal Code _____	168
144.	REMARKS - Remarks _____	169
145.	SOE REMARKS - Remarks _____	170
146.	CLEC CUST NAME – CLEC Customer Name _____	171

1. LOCAL SERVICE REQUEST (LSR)

1.1 INTRODUCTION

1. All information required for administrative, billing and contact details is provided for in the various fields contained within the LSR Section.
2. This section describes the Local Service Request (LSR) entries. The LSR Form may be associated with an End User Information (EU) Form; additionally, most ordering activities will require a service specific form necessary for the provisioning of this request.

1.2 LOCAL SERVICE REQUEST ADMINISTRATIVE SECTION

1. CCNA - Customer Carrier Name Abbreviation

Identifies the COMMON LANGUAGE IAC code for the customer.

USAGE: This field is not supported by Sprint LTD.

2. PON - Purchase Order Number

Identifies the customer's unique purchase order or requisition number that authorizes the issuance of this request or supplement.

Interface	Field Name
IRES	PON
FTP	PON

NOTE 1: The purchase order number can not be reused.

USAGE: See usage strip below.

ACTIVITIES											
R E Q U E S T T Y P E		N	C	D	T	V	W	S	B	L	P
	A	R	R	R	R	R	R	P	P	P	R
	B/LNP	P	P	P	P	R	P	P	P	P	P
	B/INP	P	P	R	P	R	P	P	P	P	P
	C/LNP	P	P	P	P	R	P	P	P	P	P
	C/INP	P	P	R	P	R	P	P	P	P	P
	D	P	P	R	P	P	P	P	P	P	P
	E	R	R	R	R	R	R	R	R	R	P
	F	R	R	R	R	R	R	P	P	P	P
	J	R	R	R	P	P	P	P	P	P	P
	K	R	R	R	R	R	R	P	P	P	P
	M	R	R	R	R	R	P	R	R	P	P
	N	R	R	R	R	R	R	P	P	P	P
P	R	R	R	R	R	R	R	R	R	P	

NOTE 1: For usage related to FTP, refer to Sprint FTP SIBR and supporting documentation.

DATA CHARACTERISTICS: 16 alphanumeric characters

EXAMPLE: | 8 | 2 | 4 | Z | 9 | | | | | | | | | | | | | |

3. BOPI – Bulk/Batch Order Package Identifier

Identifies the customer's unique bulk package ID that authorizes the issuance of this bulk request or supplement.

USAGE: This field is not supported by Sprint LTD.

4. VER - Version Identification

Identifies the customer’s version number.

Interface	Field Name
IRES	VER
FTP	Not applicable

USAGE: See usage strip below.

ACTIVITIES												
R E Q U E S T T Y P E		N	C	D	T	V	W	S	B	L	P	
	A	R	R	R	R	R	R	R	P	P	P	R
	B/LNP	P	P	P	P	R	P	P	P	P	P	P
	B/INP	P	P	R	P	R	P	P	P	P	P	P
	C/LNP	P	P	P	P	R	P	P	P	P	P	P
	C/INP	P	P	R	P	R	P	P	P	P	P	P
	D	P	P	R	P	P	P	P	P	P	P	P
	E	R	R	R	R	R	R	R	R	R	R	P
	F	R	R	R	R	R	R	R	P	P	P	P
	J	R	R	R	P	P	P	P	P	P	P	P
	K	R	R	R	R	R	R	R	P	P	P	P
	M	R	R	R	R	R	R	P	R	R	P	P
	N	R	R	R	R	R	R	R	P	P	P	P
P	R	R	R	R	R	R	R	R	R	R	P	

NOTE 1: The VER is auto-populated by IRES.

NOTE 2: IRES will increment the VER field by 1 when a SUP is submitted.

DATA CHARACTERISTICS: 2 numeric characters

EXAMPLES:

1	2
---	---

8	
---	--

5. LSR NO - Local Service Request Number

Identifies the number that may be generated by the Sprint LTD's mechanized systems, preassigned to the customer by Sprint LTD or manually assigned by Sprint LTD to identify a customer's request for service.

USAGE: This field is not supported by Sprint LTD.

6. LOCQTY - Location Quantity

Identifies the number of service locations for the service requested.

USAGE: This field is not supported by Sprint LTD.

7. HTQTY - Hunt Group Quantity

Identifies the quantity of hunt groups associated with this service request.

USAGE: This field is not supported by Sprint LTD.

8. AN - Account Number

Identifies the main account number assigned by the NSP.

Interface	Field Name
IRES	Not Applicable
FTP	Not Applicable

USAGE: Refer to individual sections.

9. ATN - Account Telephone Number

Identifies the account telephone number assigned by the NSP.

Interface	Field Name
IRES	Not Applicable
FTP	Not Applicable

USAGE: Refer to individual sections.

10. AAN – Associated Account Number

Identifies related accounts for the same end user at the same or different address(s).

USAGE: This field is not supported by Sprint LTD.

11. NATN – New Account Telephone Number

Identifies the new account telephone number.

USAGE: This field is not supported by Sprint LTD.

12. NAN – New Account Number

Identifies the main account number.

USAGE: This field is not supported by Sprint LTD.

13. SC - Service Center

Identifies the code used to represent the organization that processes a customer's request for service.

USAGE: This field is not supported by Sprint LTD.

14. SC1 - Service Center 1

Identifies the code used to represent the organization that processes a customer's request for service.

USAGE: This field is not supported by Sprint LTD.

15. SC2 - Service Center 2

Identifies the code used to represent the organization which processes a customer's request for Directory Assistance (DA) listings.

USAGE: This field is not supported by Sprint LTD.

16. PG_of_ - Page _ of _

Identifies the page number and total number of pages contained in this request.

Interface	Field Name
IRES	Not Applicable
FTP	Not Applicable

USAGE: See usage strip below.

ACTIVITIES												
R E Q U E S T T Y P E		N	C	D	T	V	W	S	B	L	P	
	A	R	R	R	R	R	R	P	P	P	P	R
	B/LNP	P	P	P	P	R	P	P	P	P	P	P
	B/INP	P	P	R	P	R	P	P	P	P	P	P
	C/LNP	P	P	P	P	R	P	P	P	P	P	P
	C/INP	P	P	R	P	R	P	P	P	P	P	P
	D	P	P	R	P	P	P	P	P	P	P	P
	E	R	R	R	R	R	R	R	R	R	R	P
	F	R	R	R	R	R	R	P	P	P	P	P
	J	R	R	R	P	P	P	P	P	P	P	P
	K	R	R	R	R	R	R	P	P	P	P	P
	M	R	R	R	R	R	R	P	R	R	P	P
N	R	R	R	R	R	R	R	P	P	P	P	
P	R	R	R	R	R	R	R	R	R	R	P	

DATA CHARACTERISTICS: 4 numeric characters

EXAMPLE: PG 1 of 2

17. RESID - Response Identifier

Identifies the response number assigned by Sprint LTD to relate associated transactions.

USAGE: This field is not supported by Sprint LTD.

18. D/TSENT - Date and Time Sent

Identifies the date and time the transaction is sent.

Interface	Field Name
IRES	Not Applicable
FTP	Not Applicable

VALID ENTRIES:

U.S. Standard

- Two digit month (01-12)
- Two digit day (01-31)
- Two digit century (00-99)
- Two digit year (00-99)
- Two digit hour (01-12)
- Two digit minute (00-59)
- AM or PM

USAGE: See usage strip below.

ACTIVITIES											
R E Q U E S T T Y P E		N	C	D	T	V	W	S	B	L	P
	A	R	R	R	R	R	R	P	P	P	R
	B/LNP	P	P	P	P	R	P	P	P	P	P
	B/INP	P	P	R	P	R	P	P	P	P	P
	C/LNP	P	P	P	P	R	P	P	P	P	P
	C/INP	P	P	R	P	R	P	P	P	P	P
	D	P	P	R	P	P	P	P	P	P	P
	E	R	R	R	R	R	R	R	R	R	P
	F	R	R	R	R	R	R	P	P	P	P
	J	R	R	R	P	P	P	P	P	P	P
	K	R	R	R	R	R	R	P	P	P	P
	M	R	R	R	R	R	P	R	R	P	P
N	R	R	R	R	R	R	P	P	P	P	
P	R	R	R	R	R	R	R	R	R	P	

DATA CHARACTERISTICS: 17 alphanumeric characters (including 3 hyphens)

EXAMPLES: | 0 | 5 | - | 2 | 2 | - | 1 | 9 | 9 | 6 | - | 1 | 1 | 1 | 5 | A | M |

19. DSPTCH - Dispatch Required

Indicates a dispatch is required.

Interface	Field Name
IRES	DSPTCH Checkbox
FTP	Not applicable

VALID ENTRIES:

Y = Yes

USAGE: This field is prohibited.

ACTIVITIES												
R E Q U E S T T Y P E		N	C	D	T	V	W	S	B	L	P	
	A	P	P	P	P	P	P	P	P	P	P	P
	B/LNP	P	P	P	P	P	P	P	P	P	P	
	B/INP	P	P	P	P	P	P	P	P	P	P	
	C/LNP	P	P	P	P	O	P	P	P	P	P	
	C/INP	P	P	O	P	O	P	P	P	P	P	
	D	P	P	O	P	P	P	P	P	P	P	
	E	P	P	P	P	P	P	P	P	P	P	
	F	P	P	P	P	P	P	P	P	P	P	
	J	P	P	P	P	P	P	P	P	P	P	
	K	P	P	P	P	P	P	P	P	P	P	
	M	P	P	P	P	P	P	P	P	P	P	
	N	P	P	P	P	P	P	P	P	P	P	
P	P	P	P	P	P	P	P	P	P	P		

NOTE 1: Field will be systematically populated by IRES when it is determined that a dispatch is required.

NOTE 2: Sprint LTD verifies facilities to determine if a dispatch to the end user site is necessary.

DATA CHARACTERISTICS: 1 alpha character.

EXAMPLES: |Y|

20. DDD - Desired Due Date

Identifies the customer's desired due date.

NOTE 1: On disconnect requests, this date represents the date billing is to stop on the involved service and can be no earlier than the date the request is received by Sprint LTD.

Interface	Field Name
IRES	DDD
FTP	DDD

VALID ENTRIES:

U.S. Standard

Two digit month (01-12)

Two digit day (01-31)

Two digit century (00-99)

Two digit year (00-99)

USAGE: See usage strip below.

ACTIVITIES												
R E Q U E S T T Y P E		N	C	D	T	V	W	S	B	L	P	
	A	R	R	R	R	R	R	R	P	P	P	R
	B/LNP	P	P	P	P	R	P	P	P	P	P	P
	B/INP	P	P	R	P	R	P	P	P	P	P	P
	C/LNP	P	P	P	P	R	P	P	P	P	P	P
	C/INP	P	P	R	P	R	P	P	P	P	P	P
	D	P	P	R	P	P	P	P	P	P	P	P
	E	R	R	R	R	R	R	R	R	R	R	P
	F	R	R	R	R	R	R	R	P	P	P	P
	J	R	R	R	P	P	P	P	P	P	P	P
	K	R	R	R	R	R	R	R	P	P	P	P
	M	R	R	R	R	R	R	P	R	R	P	P
N	R	R	R	R	R	R	R	P	P	P	P	
P	R	R	R	R	R	R	R	R	R	R	P	

NOTE 1: For usage related to FTP, refer to Sprint FTP SIBR and supporting documentation.

DATA CHARACTERISTICS: 10 numeric characters

EXAMPLES: | 0 | 3 | - | 2 | 2 | - | 1 | 9 | 9 | 6 |

21. APPTIME - Appointment Time

Identifies the time period during which the end user's service will be established and/or a technician is scheduled to visit the end user's premises with regard to Desired Due Date.

Interface	Field Name
IRES	APPT
FTP	APPTIME

VALID ENTRIES:

AM or PM

USAGE: See usage strip below.

ACTIVITIES												
R E Q U E S T T Y P E		N	C	D	T	V	W	S	B	L	P	
	A	O	O	O	O	O	P	P	P	P	P	P
	B/LNP	P	P	P	P	C	P	P	P	P	P	
	B/INP	P	P	C	P	C	P	P	P	P	P	
	C/LNP	P	P	P	P	C	P	P	P	P	P	
	C/INP	P	P	C	P	C	P	P	P	P	P	
	D	P	P	O	P	P	P	P	P	P	P	
	E	O	O	O	O	O	O	P	P	P	P	
	F	O	O	O	O	O	O	P	P	P	P	
	J	P	P	P	P	P	P	P	P	P	P	
	K	O	O	O	O	O	O	P	P	P	P	
	M	O	O	O	O	O	P	P	P	P	P	
	N	O	O	O	O	O	O	P	P	P	P	
P	O	O	O	O	O	O	P	P	P	P		

NOTE 1: For usage related to FTP, refer to Sprint FTP SIBR and supporting documentation.

NOTE 2: When this field usage is conditional (C), it will be prohibited if TDT field is populated, otherwise optional.

DATA CHARACTERISTICS: 2 alpha characters

EXAMPLES:

A	M									
---	---	--	--	--	--	--	--	--	--	--

22. DDDO - Desired Due Date Out

Identifies the customer's desired due date for suspension or disconnection of service.

USAGE: This field is not supported by Sprint.

23. NOR - Number of Requests

Identifies this local service request and the total quantity of local service requests within a related group of orders being submitted.

USAGE: This field is not supported by Sprint LTD.

24. APPTIME - Appointment Time

Identifies the time period during which the end user's service will be established and/or a technician is scheduled to visit the end user's premises with regard to Desired Due Date Out.

USAGE: This field is not supported by Sprint LTD.

25. DFDT - Desired Frame Due Time

Identifies desired frame cutover time.

Interface	Field Name
IRES	DFDT
FTP	DFDT

VALID ENTRIES:

Two digit hour (01-12)/Two digit minute (00-59)/ AM or PM

NOTE 1: Indicates the window for cutover time when the CHC field is not populated.

NOTE 2: Indicates the desired specific cutover time when the CHC field is populated and applies to both central office work and work at the end user’s location.

NOTE 3: The time will reflect the local time of the end user location(s).

USAGE: See usage strip below.

ACTIVITIES											
R E Q U E S T T Y P E		N	C	D	T	V	W	S	B	L	P
	A	O	P	P	O	O	P	P	P	P	P
	B/LNP	P	P	P	P	C	P	P	P	P	P
	B/INP	P	P	C	P	C	P	P	P	P	P
	C/LNP	P	P	P	P	C	P	P	P	P	P
	C/INP	P	P	C	P	C	P	P	P	P	P
	D	P	P	P	P	P	P	P	P	P	P
	E	P	P	P	P	P	P	P	P	P	P
	F	P	P	P	P	P	P	P	P	P	P
	J	P	P	P	P	P	P	P	P	P	P
	K	P	P	P	P	P	P	P	P	P	P
	M	P	P	P	P	P	P	P	P	P	P
N	P	P	P	P	P	P	P	P	P	P	
P	P	P	P	P	P	P	P	P	P	P	

NOTE 1: For usage related to FTP, refer to Sprint FTP SIBR and supporting documentation.

NOTE 2: When this field usage is conditional (C), it will be prohibited if TDT field is populated, otherwise optional.

DATA CHARACTERISTICS: 6 alphanumeric characters

EXAMPLES: | 1 | 0 | 1 | 5 | P | M |

26. DFDTO - Desired Frame Due Time Out

Identifies desired frame cutover time when disconnecting service.

USAGE: This field is not supported by Sprint LTD.

27. PROJECT - Project Identification

Identifies the project to which the request is to be associated.

Interface	Field Name
IRES	PROJECT
FTP	PROJECT

NOTE 1: Examples of the use of this field would be relating multiple service requests, previously negotiated orders, etc.

NOTE 2: Sprint LTD will provide the project identification number to the customer who will populate the field when submitting a service request.

USAGE: See usage strip below.

ACTIVITIES												
R E Q U E S T T Y P E		N	C	D	T	V	W	S	B	L	P	
	A	O	O	O	O	O	P	P	P	P	P	O
	B/LNP	P	P	P	P	O	P	P	P	P	P	
	B/INP	P	P	O	P	O	P	P	P	P	P	
	C/LNP	P	P	P	P	O	P	P	P	P	P	
	C/INP	P	P	O	P	O	P	P	P	P	P	
	D	P	P	O	P	P	P	P	P	P	P	
	E	O	O	O	O	O	O	O	O	O	O	P
	F	O	O	O	O	O	O	P	P	P	P	
	J	O	O	O	P	P	P	P	P	P	P	
	K	O	O	O	O	O	O	P	P	P	P	
	M	O	O	O	O	O	P	O	O	P	P	
	N	O	O	O	O	O	O	P	P	P	P	
P	O	O	O	O	O	O	O	O	O	O	P	

NOTE 1: For usage related to FTP, refer to Sprint FTP SIBR and supporting documentation.

DATA CHARACTERISTICS: 16 alphanumeric characters

EXAMPLE: |M|S|7|3|6|1|1|9| | | | | | | | |

28. PROJINDR - Project Indicator

Identifies that the project is either a customer or provider project.

USAGE: This field is not supported by Sprint LTD.

29. LSCP - Local Service Provider Change Prohibited

Identifies that the end user has requested the option of prohibiting the change of their current service provider or removing the option.

Interface	Field Name
IRES	S&E CODE
FTP	FEATURE

USAGE: Refer to individual sections.

30. CHC - Coordinated Hot Cut

Identifies that the customer is requesting near seamless cutover activity.

Interface	Field Name
IRES	CHC
FTP	CHC

NOTE 1: This field may require manual intervention and coordination between the customer/provider.

VALID ENTRIES:

Y = Yes

NOTE 1: An entry in this field requires a single time entry in the DFDT field.

NOTE 2: This field is a checkbox in IRES located on the Service Tab.

USAGE: See usage strip below.

ACTIVITIES												
R E Q U E S T T Y P E		N	C	D	T	V	W	S	B	L	P	
	A	O	O	O	O	O	P	P	P	P	P	P
	B/LNP	P	C	P	P	C	P	P	P	P	P	
	B/INP	P	P	C	P	C	P	P	P	P	P	
	C/LNP	P	C	P	P	C	P	P	P	P	P	
	C/INP	P	P	C	P	C	P	P	P	P	P	
	D	P	P	P	P	O	P	P	P	P	P	
	E	P	P	P	P	P	P	P	P	P	P	
	F	P	P	P	P	P	P	P	P	P	P	
	J	P	P	P	P	P	P	P	P	P	P	
	K	P	P	P	P	P	P	P	P	P	P	
	M	P	O	O	O	O	P	P	P	P	P	
N	P	P	P	P	P	P	P	P	P	P		
P	P	P	P	P	P	P	P	P	P	P		

NOTE 1: For usage related to FTP, refer to Sprint FTP SIBR and supporting documentation.

NOTE 2: When this field usage is conditional (C), it will be prohibited if TDT field is populated, otherwise optional.

DATA CHARACTERISTICS: 1 alpha character

EXAMPLE:

Y

31. REQ TYP - Requisition Type and Status

Identifies the type of service being requested and the status of the request.

Interface	Field Name
IRES	REQ TYP
FTP	REQTYP

NOTE 1: A request may be issued as a firm order.

NOTE 2: The first character of REQ TYP specifies the type of service.

NOTE 3: The second character of REQ TYP specifies the status of the request. This is only supported via FTP process.

VALID ENTRIES:

First Character

A	= Loop
B	= Loop with number portability
C	= Number portability
D	= Retail/Bundled
E	= Resale
F	= Unbundled local switching (Port)
G	= Directory assistance
H	= Directory listings
J	= Directory listings and assistance
K	= Resale private line
L	= Resale frame relay
M	= Combined loop and unbundled local switching (Port)
N	= DID/DOD/PBX
P	= CENTREX resale
Q	= ISDN

NOTE 1: Entries of "G," "H," "L," and "Q" are not supported.

NOTE 2: Valid entries of "J" should only be used when requesting stand-alone directory service(s).

NOTE 3: When the first position of the REQ TYP field is "D", the ACT field entry must be "D".

Second Character

- A = Service inquiry
- B = Firm order

NOTE 1: “A” as second character is not supported for FTP.

USAGE: See usage strip below.

ACTIVITIES												
R E Q U E S T T Y P E		N	C	D	T	V	W	S	B	L	P	
	A	R	R	R	R	R	R	R	P	P	P	R
	B/LNP	P	P	P	P	R	P	P	P	P	P	P
	B/INP	P	P	R	P	R	P	P	P	P	P	P
	C/LNP	P	P	P	P	R	P	P	P	P	P	P
	C/INP	P	P	R	P	R	P	P	P	P	P	P
	D	P	P	R	P	P	P	P	P	P	P	P
	E	R	R	R	R	R	R	R	R	R	R	P
	F	R	R	R	R	R	R	R	P	P	P	P
	J	R	R	R	P	P	P	P	P	P	P	P
	K	R	R	R	R	R	R	R	P	P	P	P
	M	R	R	R	R	R	R	P	R	R	P	P
	N	R	R	R	R	R	R	R	P	P	P	P
P	R	R	R	R	R	R	R	R	R	R	P	

NOTE 1: For usage related to FTP, refer to Sprint FTP SIBR and supporting documentation.

DATA CHARACTERISTICS: 2 alpha characters

EXAMPLE: | A | B |

32. P - Product Arrangement

Identifies the arrangement for the product ordered.

USAGE: This field is not supported by Sprint LTD.

33. SLI - Sub-loop Indicator

Identifies the type of sub-loop the customer is requesting.

USAGE: This field is not supported by Sprint LTD.

34. ACT – Activity

Identifies the activity involved in this service request.

Interface	Field Name
IRES	ACT
FTP	ACT

NOTE 1: On a supplement to a request this field carries the original activity type.

VALID ENTRIES:

- N = New installation and/or account
- C = Change an existing account, e.g., rearrangement, partial disconnect or addition
- D = Disconnection
- M = Inside move of the physical termination within a building
- T = Outside move of end user location
- R = Record activity is for ordering administrative changes
- V = Conversion of service to new LSP as specified
- W = Conversion as is
- S = Suspend
- B = Restore
- L = Seasonal suspension
- Y = Deny
- H = Short term suspension
- P = Loop Pre-Qualification

NOTE 1: Entries of “M”, “R,” “Y” and “H” are not supported.

USAGE: See usage strip below.

ACTIVITIES												
R E Q U E S T T Y P E		N	C	D	T	V	W	S	B	L	P	
	A	R	R	R	R	R	R	R	P	P	P	R
	B/LNP	P	P	P	P	R	P	P	P	P	P	
	B/INP	P	P	R	P	R	P	P	P	P	P	
	C/LNP	P	P	P	P	R	P	P	P	P	P	
	C/INP	P	P	R	P	R	P	P	P	P	P	
	D	P	P	R	P	P	P	P	P	P	P	
	E	R	R	R	R	R	R	R	R	R	R	P
	F	R	R	R	R	R	R	R	P	P	P	P
	J	R	R	R	P	P	P	P	P	P	P	P
	K	R	R	R	R	R	R	R	P	P	P	P
	M	R	R	R	R	R	R	P	R	R	P	P
	N	R	R	R	R	R	R	R	P	P	P	P
	P	R	R	R	R	R	R	R	R	R	R	P

NOTE 1: For usage related to FTP, refer to Sprint FTP SIBR and supporting documentation.

NOTE 2: When REQ TYP=A and 2nd TOS=R, only ACT=N is valid.

DATA CHARACTERISTICS: 1 alpha character

EXAMPLE:

N

35. ADET – Activity Detail

Identifies the activity detail that will occur for a specific request.

USAGE: This field is not supported by Sprint LTD.

36. MI – Migration Indicator

Identifies the type of account level activity when lines/numbers are converting from one LSP to another LSP.

Interface	Field Name
IRES	CHANGE SERVICE OPTION Check Box
FTP	Not Applicable

USAGE: See usage strip below.

ACTIVITIES												
R E Q U E S T T Y P E		N	C	D	T	V	W	S	B	L	P	
	A	C	P	P	P	P	P	P	P	P	P	P
	B/LNP	P	P	P	P	P	P	P	P	P	P	P
	B/INP	P	P	P	P	P	P	P	P	P	P	P
	C/LNP	P	P	P	P	P	P	P	P	P	P	P
	C/INP	P	P	P	P	P	P	P	P	P	P	P
	D	P	P	P	P	P	P	P	P	P	P	P
	E	C	P	P	P	P	P	P	P	P	P	P
	F	C	P	P	P	P	P	P	P	P	P	P
	J	P	P	P	P	P	P	P	P	P	P	P
	K	C	P	P	P	P	P	P	P	P	P	P
	M	C	P	P	P	P	P	P	P	P	P	P
	N	C	P	P	P	P	P	P	P	P	P	P
P	C	P	P	P	P	P	P	P	P	P	P	

NOTE 1: Preorder must have been completed on the address and there must be working service at that address.

NOTE 2: ACT = N only valid activity

DATA CHARACTERISTICS: 1 alpha character

EXAMPLE:

37. RL – Reuse Loop

Identifies the customers desire to reuse the loop from an existing service arrangement for this request.

USAGE: This field is not supported by Sprint LTD.

38. SUP - Supplement Type

A supplement is any new iteration of a local service request. The entry in the SUP field identifies the reason the supplement is being issued.

Interface	Field Name
IRES	SUP
FTP	SUP

VALID ENTRIES:

- 1 = Cancel
- 2 = New desired due date
- 3 = Other
- 4 = New facility assignment
- 5 = New NC/NCI/SECNCI codes

1 = Cancel - Indicates that the pending order is to be canceled in its entirety.

NOTE 1: If the pending order was already completed as ordered, a disconnect request must be sent instead of the supplement.

NOTE 2: Valid for firm orders whether or not they have been through the response phase.

2 = New desired due date - Indicates that the pending order requires only a change of desired due date.

NOTE 1: A request for a change in desired due date in conjunction with other changes to a pending order should be submitted with a "3" in the SUP field.

NOTE 2: The new date is specified in the DDD field.

3 = Other - Any other change to the request.

NOTE 1: This may affect the previously agreed upon due date.

NOTE 2: Partial cancellations should also be entered with a "3" in the SUP field.

NOTE 3: A request for a change in desired due date in conjunction with other changes to a pending order should be submitted with a "3" in the SUP field.

4 = New facility assignment – Indicates the customer is requesting a change to the facility assignment(s) originally provided.

NOTE 1: This value is not supported by Sprint LTD.

5 = New NC/NCI/SECNCI codes – Indicates the customer is requesting a change only to the NC, NCI and SECNCI codes originally provided.

NOTE 1: This value is not supported by Sprint LTD.

USAGE: This field is conditional.

ACTIVITIES												
R E Q U E S T T Y P E		N	C	D	T	V	W	S	B	L	P	
	A	C	C	C	C	C	C	P	P	P	P	P
	B/LNP	P	P	P	P	C	P	P	P	P	P	
	B/INP	P	P	C	P	C	P	P	P	P	P	
	C/LNP	P	P	P	P	C	P	P	P	P	P	
	C/INP	P	P	C	P	C	P	P	P	P	P	
	D	P	P	C	P	P	P	P	P	P	P	
	E	C	C	C	C	C	C	P	P	C	P	
	F	C	C	C	C	C	C	P	P	P	P	
	J	C	C	C	P	P	P	P	P	P	P	
	K	C	C	C	C	C	C	P	P	P	P	
	M	C	C	C	C	C	C	P	P	P	P	
	N	C	C	C	C	C	C	P	P	P	P	
P	C	C	C	C	C	C	P	P	P	P		

NOTE 1: For usage related to FTP, refer to Sprint FTP SIBR and supporting documentation.

NOTE 2: Prohibited on initial requests.

NOTE 3: Prohibited when changing service type, which results in a change to the first position of the REQTYP field.

NOTE 4: IRES will disable any fields which are prohibited from SUP changes.

DATA CHARACTERISTICS: 1 numeric character

EXAMPLE: 3

39. EXP – Expedite

Indicates that expedited treatment is requested and any charges generated in provisioning this request (e.g., additional engineering charges or labor charges if applicable) will be accepted.

USAGE: This field is not supported by Sprint LTD.

40. ER - Expedite Reason

Indicates reason for the expedite request.

USAGE: This field is not supported by Sprint LTD.

41. AFO – Additional Forms

Indicates which additional forms are being submitted with this request.

Interface	Field Name
IRES	Not Supported
FTP	AFO

NOTE 1: For manual processing, the customer should populate the appropriate character position(s) to indicate which additional form(s) is attached.

VALID ENTRIES:

Character Position	Valid Entry	Attached Form(s)
1	Y	End user information form
2	Y	Directory assistance
3	Y	Directory listings
4	Y	Directory listings assistance
5	Y	Hunt group information form

NOTE 1: Character Positions 1, 2, 3 and 5 are not supported for FTP.

USAGE: This field is conditional.

ACTIVITIES												
R E Q U E S T T Y P E		N	C	D	T	V	W	S	B	L	P	
	A	C	C	C	C	C	C	P	P	P	P	C
	B/LNP	P	P	P	P	C	P	P	P	P	P	
	B/INP	P	P	C	P	C	P	P	P	P	P	
	C/LNP	P	P	P	P	C	P	P	P	P	P	
	C/INP	P	P	C	P	C	P	P	P	P	P	
	D	P	P	C	P	P	P	P	P	P	P	
	E	C	C	C	C	C	C	P	P	P	P	
	F	C	C	C	C	C	P	P	P	P	P	
	J	C	C	C	P	P	P	P	P	P	P	
	K	C	C	C	C	C	C	P	P	P	P	
	M	C	C	C	C	C	P	C	C	P	P	
	N	C	C	C	C	C	C	P	P	P	P	
P	C	C	C	C	C	C	P	P	P	P		

NOTE 1: For usage related to FTP, refer to Sprint FTP SIBR and supporting documentation.

NOTE 2: Required when the associated request form(s) is applicable and sent, otherwise prohibited.

DATA CHARACTERISTICS: 5 alpha characters

EXAMPLE:

Y				
---	--	--	--	--

42. RVER - Release Version

Identifies Sprint LTD's version of a release the customer is using for this local service request.

USAGE: This field is not supported by Sprint LTD.

43. MEU - Multiple End User Functions

Identifies the function associated with the existence of multiple end user locations.

USAGE: This field is not supported by Sprint LTD.

44. RTR - Response Type Requested

Identifies the type of local response requested by the customer.

Interface	Field Name
IRES	Not Applicable
FTP	Not Applicable

VALID ENTRIES:

- C = Confirmation
- D = Confirmation and DLR
- E = Errors only
- F = Facility confirmation
- G = Confirmation, DLR and errors
- H = Confirmation and errors
- N = No response requested

NOTE 1: “D”, “F” and “G” are not valid for directory services only orders.

NOTE 2: “E”, “G” and “H” are only valid on orders that include directory service requests.

USAGE: See usage strip below.

ACTIVITIES												
R E Q U E S T T Y P E		N	C	D	T	V	W	S	B	L	P	
	A	R	R	R	R	R	R	R	P	P	P	R
	B/LNP	P	P	P	P	R	P	P	P	P	P	
	B/INP	P	P	R	P	R	P	P	P	P	P	
	C/LNP	P	P	P	P	R	P	P	P	P	P	
	C/INP	P	P	R	P	R	P	P	P	P	P	
	D	P	P	R	P	P	P	P	P	P	P	
	E	R	R	R	R	R	R	R	R	R	R	P
	F	R	R	R	R	R	R	R	P	P	P	P
	J	R	R	R	P	P	P	P	P	P	P	P
	K	R	R	R	R	R	R	R	P	P	P	P
	M	R	R	R	R	R	R	P	R	R	P	P
	N	R	R	R	R	R	R	R	P	P	P	P
P	R	R	R	R	R	R	R	R	R	R	P	

DATA CHARACTERISTICS: 1 alpha character

EXAMPLE: N

45. CC - Company Code

Identifies the exchange carrier initiating the transaction.

Interface	Field Name
IRES	CC
FTP	CC

NOTE 1: The format and structure of this field is defined by ANSI in document T1.251, Identification of Telecommunications Service Provider Codes for the North American Telecommunications System.

VALID ENTRIES:

- **COMMON LANGUAGE EC Code** – A four alpha character code, which identifies providers in North America, maintained by Telcordia Technologies.
- **COMMON LANGUAGE EC Code** – A two alpha character code, which identifies the former Bell companies maintained by Telcordia Technologies.
- **Company Code** – A four alphanumeric character code, which identifies providers in the United States and certain U.S. territories, maintained by NECA.

NOTE 1: Valid EC codes are outlined in Telcordia Technologies document BR 751-100-112.

NOTE 2: Valid Company Codes are available from NECA.

USAGE: See usage strip below.

ACTIVITIES												
R E Q U E S T T Y P E		N	C	D	T	V	W	S	B	L	P	
	A	R	R	R	R	R	R	R	P	P	P	R
	B/LNP	P	P	P	P	R	P	P	P	P	P	
	B/INP	P	P	R	P	R	P	P	P	P	P	
	C/LNP	P	P	P	P	R	P	P	P	P	P	
	C/INP	P	P	R	P	R	P	P	P	P	P	
	D	P	P	R	P	P	P	P	P	P	P	
	E	R	R	R	R	R	R	R	R	R	R	P
	F	R	R	R	R	R	R	R	P	P	P	P
	J	R	R	R	P	P	P	P	P	P	P	P
	K	R	R	R	R	R	R	R	P	P	P	P
	M	R	R	R	R	R	R	P	R	R	P	P
	N	R	R	R	R	R	R	R	P	P	P	P
	P	R	R	R	R	R	R	R	R	R	R	P

NOTE 1: This field is auto-populated in IRES based on login.

NOTE 2: For usage related to FTP, refer to Sprint FTP SIBR and supporting documentation.

DATA CHARACTERISTICS: 4 alphanumeric characters

EXAMPLE:

1	2	A	3
---	---	---	---

46. RCC – Related Company Code

Identifies a related company code for the exchange carrier requesting service.

USAGE: This field is not supported by Sprint LTD.

47. PID – Personal Identifier

Identifies the end user's personal identification number.

NOTE 1: This field may be used when the end user's account has been password protected.

USAGE: This field is not supported by Sprint LTD.

48. NNSP - New Network Service Provider Identification

Identifies the Number Portability Administration Center (NPAC) Service Provider Identifier (SPI) of the new Network Service Provider (NSP).

USAGE: This field is not supported by Sprint LTD.

49. ONSP - Old Network Service Provider Identification

Identifies the NPAC SPI of the current network service provider.

Interface	Field Name
IRES	ONSP
FTP	ONSP

NOTE 1: The format and structure of this field is defined by ANSI in document T1.251, Identification of Telecommunications Service Provider Codes for the North American Telecommunications System.

VALID ENTRIES:

- **COMMON LANGUAGE EC Code** - A four alpha character code, which identifies providers in North America, maintained by Telcordia Technologies.
- **COMMON LANGUAGE EC Code** - A two alpha character code, which identifies the former Bell companies maintained by Telcordia Technologies.
- **Company Code** - A four alphanumeric character code, which identifies providers in the United States and certain U.S. territories, maintained by NECA.

NOTE 1: Valid EC codes are outlined in Telcordia Technologies document BR 751-100-112.

NOTE 2: Valid company codes are available from NECA.

USAGE: See usage strip below.

ACTIVITIES												
R E Q U E S T T Y P E		N	C	D	T	V	W	S	B	L	P	
	A	P	P	P	P	P	P	P	P	P	P	P
	B/LNP	P	P	P	P	P	P	P	P	P	P	P
	B/INP	P	P	P	P	P	P	P	P	P	P	P
	C/LNP	P	P	P	P	P	P	P	P	P	P	P
	C/INP	P	P	P	P	P	P	P	P	P	P	P
	D	P	P	P	P	P	P	P	P	P	P	P
	E	C	C	P	C	C	P	P	P	P	P	P
	F	P	P	P	P	P	P	P	P	P	P	P
	J	P	P	P	P	P	P	P	P	P	P	P
	K	C	C	C	C	C	C	C	C	C	C	P
	M	C	C	P	C	C	P	P	P	P	P	P
	N	C	C	C	C	C	C	C	C	C	C	P
	P	C	C	P	C	C	P	P	P	P	P	P

NOTE 1: Required when the first position of the REQ TYP field is “E,” “K,” “M,” “N,” or “P” and the NPI field is “C”, otherwise optional.

NOTE 2: For usage related to FTP, refer to Sprint FTP SIBR and supporting documentation.

DATA CHARACTERISTICS: 4 alphanumeric characters

EXAMPLE: | 5 | 8 | A | 0 |

50. OCCNA – Old Customer Carrier Name Abbreviation

Identifies the COMMON LANGUAGE IAC code for the previous Local Service Provider.

USAGE: This field is not supported by Sprint LTD.

51. OCC – Old Company Code

Identifies the company code for the outgoing exchange carrier.

USAGE: This field is not supported by Sprint LTD.

52. AENG - Additional Engineering

Indicates that if additional engineering is required, an estimate of the charges is to be forwarded to the initiator of the request.

USAGE: This field is not supported by Sprint LTD.

53. ALBR - Additional Labor

Indicates that additional labor is requested and charges will be accepted in conjunction with this service request, (e.g., Sunday or out of normal business hour installation is being requested).

USAGE: This field is not supported by Sprint LTD.

54. SCA - Special Construction Authorization

Indicates pre-authorization for special construction.

USAGE: This field is not supported by Sprint LTD.

55. AGAUTH - Agency Authorization Status

Indicates that the customer is acting as an end user's agent and has authorization on file.

Interface	Field Name
IRES	LOA
FTP	Not Applicable

VALID ENTRIES:

Y = Authorization on file

USAGE: See usage strip below.

ACTIVITIES												
R E Q U E S T T Y P E		N	C	D	T	V	W	S	B	L	P	
	A	C	P	P	P	R	P	P	P	P	P	P
	B/LNP	P	P	P	P	R	P	P	P	P	P	P
	B/INP	P	P	P	P	R	P	P	P	P	P	P
	C/LNP	P	P	P	P	R	P	P	P	P	P	P
	C/INP	P	P	P	P	R	P	P	P	P	P	P
	D	P	P	R	P	P	P	P	P	P	P	P
	E	P	P	P	P	R	R	P	P	P	P	P
	F	P	P	P	P	R	R	P	P	P	P	P
	J	P	P	P	P	P	P	P	P	P	P	P
	K	P	P	P	P	R	R	P	P	P	P	P
	M	P	P	P	P	R	P	P	P	P	P	P
	N	P	P	P	P	R	R	P	P	P	P	P
P	P	P	P	P	R	R	P	P	P	P	P	

NOTE 1: For usage related to FTP, refer to Sprint FTP SIBR and supporting documentation.

NOTE 2: This field is a checkbox in IRES on the PreOrder/Address Tab.

NOTE 3: If REQ=A, ACT=N and 2nd TOS=R, then LOA is required.

DATA CHARACTERISTICS: 1 alpha character

EXAMPLE: Y

56. DATED - Date of Agency Authorization

Identifies the date appearing on the agency authorization.

USAGE: This field is not supported by Sprint LTD.

57. AUTHNM - Authorization Name

Identifies the end user who signed the authorization.

USAGE: This field is not supported by Sprint LTD.

58. PORTTYP - Port Type

Identifies the type of unbundled port ordered from Sprint LTD.

USAGE: This field is not supported by Sprint LTD.

59. ACTL - Access Customer Terminal Location

Identifies the CLLI Code of the customer facility terminal location or designated collocation area. The CLLI Code will have been previously assigned.

Interface	Field Name
IRES	ACTL
FTP	ACTL

NOTE 1: The format and structure of this field is defined by ANSI in document T1.253, Identification of Location Entities for the North American Telecommunications System. The Location Identifier consists of the following elements:

1. **Geographical Code** - A code that designates a single geographical locality within a state, province, territory, country or distinct region of the world. Valid entries are outlined in Telcordia Technologies document BR 795-100-050 (4 alphanumeric characters).
2. **Geopolitical Code** - A code that designates a state or territory of the United States, a province or territory of Canada, another country having a national federal government or a unique designation. Valid entries are outlined in Telcordia Technologies document BR 795-100-100 (variable length, 1-6 alphanumeric characters).
3. **Network Site Code** - A code designating a structure within a geographical location where there is a need to identify one or more telecommunications equipment entities. Valid entries are outlined in Telcordia Technologies' repository (2 alpha or 2 numeric characters).
4. **Network Site Entity Code** - A functional category of equipment or work center contained within a structure. Equipment categories are associated network sites for purposes of maintaining equipment inventories and for identifying facility and circuit terminations and nodal locations. Valid entries are outlined in Telcordia Technologies document BR 795-100-100 (3 alphanumeric characters).

USAGE: See usage strip below.

ACTIVITIES												
R E Q U E S T T Y P E		N	C	D	T	V	W	S	B	L	P	
	A	R	O	O	R	O	P	P	P	P	P	P
	B/LNP	P	P	P	P	O	P	P	P	P	P	
	B/INP	P	P	O	P	O	P	P	P	P	P	
	C/LNP	P	P	P	P	P	P	P	P	P	P	
	C/INP	P	P	P	P	P	P	P	P	P	P	
	D	P	P	P	P	P	P	P	P	P	P	
	E	P	P	P	P	P	P	P	P	P	P	
	F	P	P	P	P	P	P	P	P	P	P	
	J	P	P	P	P	P	P	P	P	P	P	
	K	P	P	P	P	P	P	P	P	P	P	
	M	P	P	P	P	P	P	P	P	P	P	
	N	P	P	P	P	P	P	P	P	P	P	
	P	P	P	P	P	P	P	P	P	P	P	

NOTE 1: For usage related to FTP, refer to Sprint FTP SIBR and supporting documentation.

DATA CHARACTERISTICS: 11 alphanumeric characters

EXAMPLE: | M | I | L | N | T | N | M | A | W | 0 | 1 |

60. SACTL - Secondary Access Customer Terminal Location

Identifies the CLLI Code of the secondary customer facility terminal location or designated collocation area. The CLLI Code will have been previously assigned.

USAGE: This field is not supported by Sprint LTD.

61. AI - Additional Point of Termination Indicator

Identifies whether the APOT field contains a CLI Code or a narrative.

USAGE: This field is not supported by Sprint LTD.

62. APOT - Additional Point of Termination

Further identifies the physical Access Customer Terminal Location (ACTL) point of termination.

Interface	Field Name
IRES	APOT
FTP	APOT

NOTE 1: This field may be a CLLI Code or any other format to identify a termination location within an ACTL. For example, the customer may pre-assign cross-connect information for its service-to-service order coordination.

NOTE 2: When this field contains a CLLI Code, the format and structure is defined by ANSI in document T1.253, Identification of Location Entities for the North American Telecommunications System, and consists of the following elements:

1. **Geographical Code** - A code that designates a single geographical locality within a state, province, territory, country or distinct region of the world. Valid entries are outlined in Telcordia Technologies document BR 795-100-050 (4 alphanumeric characters).
2. **Geopolitical Code** - A code that designates a state or territory of the United States, a province or territory of Canada, another country having a national federal government or a unique designation. Valid entries are outlined in Telcordia Technologies document BR 795-100-100 (variable length, 1-6 alphanumeric characters).
3. **Network Site Code** - A code designating a structure within a geographical location where there is a need to identify one or more telecommunications equipment entities. Valid entries are outlined in Telcordia Technologies' repository (2 alpha or 2 numeric characters).
4. **Network Site Entity Code** - A functional category of equipment or work center contained within a structure. Equipment categories are associated network sites for purposes of maintaining equipment inventories and for identifying facility and circuit terminations and nodal locations. Valid entries are outlined in Telcordia Technologies document BR 795-100-100 (3 alphanumeric characters).

USAGE: See usage strip below.

ACTIVITIES												
R E Q U E S T T Y P E		N	C	D	T	V	W	S	B	L	P	
	A	O	O	P	O	O	P	P	P	P	P	P
	B/LNP	P	P	P	P	O	P	P	P	P	P	
	B/INP	P	P	P	P	O	P	P	P	P	P	
	C/LNP	P	P	P	P	P	P	P	P	P	P	
	C/INP	P	P	P	P	P	P	P	P	P	P	
	D	P	P	P	P	P	P	P	P	P	P	
	E	P	P	P	P	P	P	P	P	P	P	
	F	P	P	P	P	P	P	P	P	P	P	
	J	P	P	P	P	P	P	P	P	P	P	
	K	P	P	P	P	P	P	P	P	P	P	
	M	P	P	P	P	P	P	P	P	P	P	
	N	P	P	P	P	P	P	P	P	P	P	
	P	P	P	P	P	P	P	P	P	P	P	

NOTE 1: For usage related to FTP, refer to Sprint FTP SIBR and supporting documentation.

DATA CHARACTERISTICS: 11 alphanumeric characters

EXAMPLES: | M | I | L | N | T | N | M | A | F | X | X |

63. LST - Local Service Termination

Identifies the CLLI Code of the end office switch from which service is being requested.

USAGE: This field is not supported by Sprint LTD.

64. LSO - Local Service Office

Identifies the NPA/NXX of the local or alternate serving central office of the customer location or primary location of the end user.

USAGE: This field is not supported by Sprint LTD.

65. TOS - Type of Service

Identifies the type of service.

Interface	Field Name
IRES	TOS
FTP	TOS

NOTE 1: The type of service identifies the end user account as business, residential or coin.

VALID ENTRIES:

First Character (type)

- 1 = Business
- 2 = Residence
- 3 = Government
- 4 = Coin
- 5 = Home office

NOTE 1: “3” and “5” are not supported by Sprint LTD.

USAGE for 1st See usage strip below.

Character:

ACTIVITIES												
R E Q U E S T T Y P E		N	C	D	T	V	W	S	B	L	P	
	A	R	R	R	R	R	P	P	P	P	P	R
	B/LNP	P	P	P	P	R	P	P	P	P	P	P
	B/INP	P	P	R	P	R	P	P	P	P	P	P
	C/LNP	P	P	P	P	R	P	P	P	P	P	P
	C/INP	P	P	R	P	R	P	P	P	P	P	P
	D	P	P	R	P	P	P	P	P	P	P	P
	E	R	R	R	R	R	R	R	R	R	R	P
	F	R	R	R	R	R	R	P	P	P	P	P
	J	R	R	R	P	P	P	P	P	P	P	P
	K	R	R	R	R	R	R	P	P	P	P	P
	M	R	R	R	R	R	P	R	R	P	P	P
	N	R	R	R	R	R	R	R	P	P	P	P
P	R	R	R	R	R	R	R	R	R	R	P	

NOTE 1: When REQ TYP=A, B or C, 1st TOS must equal 1 or 2.

NOTE 2: If the 1st TOS equals 4 (Coin), it will only be supported with REQ TYP = “E,” “K” and “M.”

NOTE 3: When REQ TYP = M, only the 2nd TOS of “A,” “B,” “E” and “J” are allowed.

Second Character (product)

- A = Key Line/Rotary Hunt Groups
- B = Single Line/Multi Lines not in Rotary
- C = Coin
- D = Advanced services
- E = CENTREX
- H = ISDN (BRI)
- J = PBX Trunk
- K = ISDN (PRI)
- L = xDSL
- M = AIN record management
- N = LIDB record management service
- P = Data voice split line
- Q = DID/DOD
- R = Line Share
- S = Coin basic line
- T = Coin smart line
- = Not applicable

NOTE 1: “L”, “M”, “N”, “P”, “Q”, “S”, “T” and “-“ are not supported by Sprint LTD.

NOTE 2: “H” & “K” is supported with REQ TYP = E, K, and M, however field requirements are defined in section 11 - ISDN BRI/PRI.

NOTE 3: J is supported with REQ TYP=E or K, however field requirements are defined in section 10 - DID/DOD/PBX.

NOTE 4: E is supported with REQ TYP = M, field requirements are defined in section 9 – Centrex.

NOTE 5: A and B are supported with REQ TYP = M, field requirements are defined in section 7 – Resale.

USAGE for 2nd See usage strip below.
Character:

ACTIVITIES												
R E Q U E S T T Y P E		N	C	D	T	V	W	S	B	L	P	
	A	R	R	R	R	R	R	P	P	P	P	R
	B/LNP	P	P	P	P	R	P	P	P	P	P	
	B/INP	P	P	R	P	R	P	P	P	P	P	
	C/LNP	P	P	P	P	R	P	P	P	P	P	
	C/INP	P	P	R	P	R	P	P	P	P	P	
	D	P	P	O	P	P	P	P	P	P	P	
	E	R	R	R	R	R	R	R	R	R	R	P
	F	R	R	R	R	R	R	R	P	P	P	P
	J	P	P	P	P	P	P	P	P	P	P	P
	K	R	R	R	R	R	R	R	P	P	P	P
	M	R	R	R	R	R	R	P	R	R	P	P
	N	R	R	R	R	R	R	R	P	P	P	P
	P	R	R	R	R	R	R	R	R	R	R	P

NOTE 1: When REQ TYP=A, the only valid values for the 2nd TOS are “B”, “D” and “R.”

NOTE 2: When REQ TYP=B or C, the only valid values for 2nd TOS are “B” or “D”.

NOTE 3: If the 2nd TOS equals R (Line Share), it will only be supported with REQ TYP = “A” and ACT = “N.”

NOTE 4: When the 1st TOS equals “4”, then the 2nd TOS must equal “C.”

NOTE 5: When 2nd TOS of “E” is chosen, REQ TYP must be equal to “P” or “M.”

Third Character (class)

- M = Measured rate
- F = Flat rate
- G = Message
- H = Pre-pay overtime
- = Not applicable

NOTE 1: “G” and “H” are not supported by Sprint LTD.

USAGE for See usage strip below.
3rd Character:

ACTIVITIES												
R E Q U E S T T Y P E		N	C	D	T	V	W	S	B	L	P	
	A	O	O	O	O	O	P	P	P	P	P	R
	B/LNP	P	P	P	P	O	P	P	P	P	P	
	B/INP	P	P	O	P	O	P	P	P	P	P	
	C/LNP	P	P	P	P	O	P	P	P	P	P	
	C/INP	P	P	O	P	O	P	P	P	P	P	
	D	P	P	O	P	P	P	P	P	P	P	
	E	R	R	R	R	R	R	R	R	R	R	P
	F	R	R	R	R	R	R	R	P	P	P	P
	J	P	P	P	P	P	P	P	P	P	P	P
	K	R	R	R	R	R	R	R	P	P	P	P
	M	R	R	R	R	R	R	P	R	R	P	P
	N	R	R	R	R	R	R	R	P	P	P	P
	P	R	R	R	R	R	R	R	R	R	R	P

Fourth Character (characterization)

- F = Foreign Exchange Service (FXS)
- G = Semi-public
- N = Normal
- P = Prison/Inmate
- R = RCF
- S = 800 Service
- W = WATS
- Y = Hotel/Motel
- Z = Hospital
- = Not applicable

NOTE 1: “S”, “Y” and “Z” are not supported by Sprint LTD.

USAGE for 4th Character: See usage strip below.

ACTIVITIES												
R E Q U E S T T Y P E		N	C	D	T	V	W	S	B	L	P	
	A	O	O	O	O	O	P	P	P	P	P	R
	B/LNP	P	P	P	P	O	P	P	P	P	P	
	B/INP	P	P	O	P	O	P	P	P	P	P	
	C/LNP	P	P	P	P	O	P	P	P	P	P	
	C/INP	P	P	O	P	O	P	P	P	P	P	
	D	P	P	O	P	P	P	P	P	P	P	
	E	R	R	R	R	R	R	R	R	R	R	P
	F	R	R	R	R	R	R	P	P	P	P	
	J	P	P	P	P	P	P	P	P	P	P	
	K	R	R	R	R	R	R	P	P	P	P	
	M	R	R	R	R	R	P	R	R	P	P	
	N	R	R	R	R	R	R	P	P	P	P	
	P	R	R	R	R	R	R	R	R	R	R	

NOTE 1: When 1st TOS = 4 (Coin), the 4th TOS must equal “G”, “N” or “p.”

NOTE 2: If the 2nd TOS = “C” or “E”, then the 4th TOS cannot equal “R”.

GENERAL USAGE: The usage strips are included with each TOS value.

NOTE 1: For usage related to FTP, refer to Sprint FTP SIBR and supporting documentation.

NOTE 2: TOS 1, 3, and 4 may not be pre-populated based on Request Type and Activity selected in IRES.

DATA CHARACTERISTICS: 4 alphanumeric characters

EXAMPLE:

1	A	F	-
---	---	---	---

66. SPEC - Service and Product Enhancement Code

Identifies a specific product or service offering.

Interface	Field Name
IRES	EEL, CTEST, LOOPTAG
FTP	EEL, CTEST, LOOPTAG

NOTE 1: SPEC may be applicable for circuit level features and options other than those already identified by the NC field and NCI field codes.

VALID ENTRIES:

EEL = Extended Enhanced Link
 LoopTag = Loop Tag and Label
 CTEST = Cooperative Testing

NOTE 1: When CTEST is populated, CTEST Tel No. and LoopTag are required.

NOTE 2: When LoopTag is populated, CTEST is optional.

NOTE 3: If CTEST is populated, EEL is prohibited. EEL and CTEST are mutually exclusive.

NOTE 4: When ACT=T, SPEC field is optional when MCSI=Y, otherwise prohibited.

NOTE 5: Multiple iterations are allowed.

USAGE: See usage strip below.

EEL

ACTIVITIES												
R E Q U E S T T Y P E		N	C	D	T	V	W	S	B	L	P	
	A	C	P	P	C	C	P	P	P	P	P	P
	B/LNP	P	P	P	P	C	P	P	P	P	P	P
	B/INP	P	P	P	P	C	P	P	P	P	P	P
	C/LNP	P	P	P	P	P	P	P	P	P	P	P
	C/INP	P	P	P	P	P	P	P	P	P	P	P
	D	P	P	P	P	P	P	P	P	P	P	P
	E	P	P	P	P	P	P	P	P	P	P	P
	F	P	P	P	P	P	P	P	P	P	P	P
	J	P	P	P	P	P	P	P	P	P	P	P
	K	P	P	P	P	P	P	P	P	P	P	P
	M	P	P	P	P	P	P	P	P	P	P	P
	N	P	P	P	P	P	P	P	P	P	P	P
P	P	P	P	P	P	P	P	P	P	P	P	

LoopTag

ACTIVITIES												
R E Q U E S T T Y P E		N	C	D	T	V	W	S	B	L	P	
	A	C	C	P	C	C	P	P	P	P	P	P
	B/LNP	P	P	P	P	C	P	P	P	P	P	P
	B/INP	P	P	P	P	C	P	P	P	P	P	P
	C/LNP	P	P	P	P	P	P	P	P	P	P	P
	C/INP	P	P	P	P	P	P	P	P	P	P	P
	D	P	P	P	P	P	P	P	P	P	P	P
	E	O	O	P	O	O	P	P	P	P	P	P
	F	P	P	P	P	P	P	P	P	P	P	P
	J	P	P	P	P	P	P	P	P	P	P	P
	K	O	O	P	O	O	O	P	P	P	P	P
	M	O	O	P	O	O	P	P	P	P	P	P
	N	O	O	P	O	O	O	P	P	P	P	P
P	O	O	P	O	O	O	P	P	P	P	P	

CTEST

ACTIVITIES												
R E Q U E S T T Y P E		N	C	D	T	V	W	S	B	L	P	
	A	C	O	P	C	C	P	P	P	P	P	P
	B/LNP	P	P	P	P	C	P	P	P	P	P	P
	B/INP	P	P	P	P	C	P	P	P	P	P	P
	C/LNP	P	P	P	P	P	P	P	P	P	P	P
	C/INP	P	P	P	P	P	P	P	P	P	P	P
	D	P	P	P	P	P	P	P	P	P	P	P
	E	P	P	P	P	P	P	P	P	P	P	P
	F	P	P	P	P	P	P	P	P	P	P	P
	J	P	P	P	P	P	P	P	P	P	P	P
	K	P	P	P	P	P	P	P	P	P	P	P
	M	P	P	P	P	P	P	P	P	P	P	P
	N	P	P	P	P	P	P	P	P	P	P	P
	P	P	P	P	P	P	P	P	P	P	P	P

NOTE 1: For usage related to FTP, refer to Sprint FTP SIBR and supporting documentation.

DATA CHARACTERISTICS: 7 numeric characters

EXAMPLE: | E | E | L | | | | |

| L | O | O | P | T | A | G |

| C | T | E | S | T | | |

67. NC - Network Channel Code

Identifies the network channel code for the circuit(s) involved. The network channel code describes the channel being requested.

Interface	Field Name
IRES	NC
FTP	NC

NOTE 1: The format and structure of this field is defined by ANSI in document T1.223, Structure and Representation of Network Channel (NC) and Network Channel Interface (NCI) Codes for the North American Telecommunications System. The Network Channel Code consists of the following elements:

1. **Channel Service Code** – Positions one (1) and two (2) describe the channel service code in an encoded form. The channel service code will typically be specified as the service code of the special service circuit or the transmission grade of the message trunk circuit. (2 alpha or 2 alphanumeric characters).
2. **Optional Feature Code** – Positions three (3) and four (4) represent the option codes available for each channel service code. Standard combinations of this code will allow the customer to enhance the technical performance of the requested channel or to further identify the type of service. It is also used to specify options such as conditioning, effective 4-wire, multiplexing, etc. (2 alpha or 2 alphanumeric characters).

NOTE 2: Channel codes may be used in lieu of NC/NCI codes.

VALID ENTRIES:

NC Codes

NOTE 1: NC codes are outlined in Telcordia Technologies document BR 795-403-100.

USAGE: See usage strip below.

ACTIVITIES												
R E Q U E S T T Y P E		N	C	D	T	V	W	S	B	L	P	
	A	R	P	R	C	R	P	P	P	P	P	R
	B/LNP	P	P	P	P	R	P	P	P	P	P	
	B/INP	P	P	R	P	R	P	P	P	P	P	
	C/LNP	P	P	P	P	P	P	P	P	P	P	
	C/INP	P	P	P	P	P	P	P	P	P	P	
	D	P	P	P	P	P	P	P	P	P	P	
	E	P	P	P	P	P	P	P	P	P	P	
	F	P	P	P	P	P	P	P	P	P	P	
	J	P	P	P	P	P	P	P	P	P	P	
	K	P	P	P	P	P	P	P	P	P	P	
	M	R	P	P	C	R	P	P	P	P	P	
	N	P	P	P	P	P	P	P	P	P	P	
	P	P	P	P	P	P	P	P	P	P	P	

NOTE 1: For usage related to FTP, refer to Sprint FTP SIBR and supporting documentation.

NOTE 2: NC Codes are displayed in IRES based on availability.

NOTE 3: Displayed as a drop-down box in IRES.

NOTE 4: For ACT= T and MCSI = Y, then NC is required.

DATA CHARACTERISTICS: 4 alphanumeric characters

EXAMPLE:

L	C	-	A
---	---	---	---

68. PBT - Pot Bay Type

Identifies the type of collocation arrangement for this service request.

USAGE: This field is not supported by Sprint LTD.

69. NCI - Network Channel Interface Code

Identifies the electrical conditions on the circuit at the ACTL/primary location.

Interface	Field Name
IRES	NCI
FTP	NCI

NOTE 1: The format and structure of this field is defined by ANSI in document T1.223, Structure and Representation of Network Channel (NC) and Network Channel Interface (NCI) Codes for the North American Telecommunications System. The Network Channel Code consist of the following elements:

1. **Total Conductors** - Positions one (1) and two (2) identify the total number of physical conductors (e.g., wires) required at the interface (2 numeric characters).
2. **Protocol** - Positions three (3) and four (4) identify the requirements for the interface regarding signaling and transmission (2 alpha characters).
3. **Impedance** - Position five (5) identifies the nominal reference impedance that will terminate the channel for the purpose of evaluating transmission performance (1 alphanumeric character).
4. **Delimiter #1** - Position six (6) identifies the start of the protocol option field if a protocol option code is assigned.
5. **Protocol Options** - Positions seven (7), eight (8) and nine (9) identify additional features (e.g., bit rate, bandwidth, etc.) on the protocol to be used (3 alphanumeric characters).
6. **Delimiter #2** - Position ten (10) identifies the start of Transmission Level Points (TLP) field if a TLP is assigned.
7. **Transmission Level** - Positions eleven (11) and twelve (12) identify the TLPs from either the Exchange Carrier (EC)/service provider or customer end.

NOTE 1: Position eleven (11) identifies the TLP transmit signal level at the EC/service provider when transmitting to the customer.

NOTE 2: Position twelve (12) identifies the TLP receive signal level at the EC/service provider when receiving from the customer.

NOTE 3: If TLP is entered in one character position only (transmit or receive), a hyphen or the letter “O” is required as a field filler in the associated TLP character position.

NOTE 4: If TLPs are not to be coded, default levels found in Telcordia Technologies Technical Publications will apply and the TLP character positions will be left “blank”.

NOTE 2: This field must also be compatible with the NC on the request.

NOTE 3: If the protocol option field is not coded and the TLP is coded, a double delimiter #1 and #2 will be placed after character position five (5). In this case, delimiter #1 will be in character position six (6) and delimiter #2 will be in character position seven (7). The TLP will be left justified into character positions eight (8) and nine (9) accordingly.

VALID ENTRIES:

NCI Codes

NOTE 1: NCI codes are outlined in Telcordia Technologies document BR 795-403-100.

USAGE: See usage strip below.

ACTIVITIES												
R E Q U E S T T Y P E		N	C	D	T	V	W	S	B	L	P	
	A	R	P	P	C	R	P	P	P	P	P	R
	B/LNP	P	P	P	P	R	P	P	P	P	P	
	B/INP	P	P	P	P	R	P	P	P	P	P	
	C/LNP	P	P	P	P	P	P	P	P	P	P	
	C/INP	P	P	P	P	P	P	P	P	P	P	
	D	P	P	P	P	P	P	P	P	P	P	
	E	P	P	P	P	P	P	P	P	P	P	
	F	P	P	P	P	P	P	P	P	P	P	
	J	P	P	P	P	P	P	P	P	P	P	
	K	P	P	P	P	P	P	P	P	P	P	
	M	R	P	P	C	R	P	P	P	P	P	
	N	P	P	P	P	P	P	P	P	P	P	
	P	P	P	P	P	P	P	P	P	P	P	

NOTE 1: Available NCI Codes are displayed in IRES based on NC Code selected.

NOTE 2: Required when the NC field is populated, otherwise prohibited.

NOTE 3: For ACT= T and MCSI = Y, then NC is required.

NOTE 4: For usage related to FTP, refer to Sprint FTP SIBR and supporting documentation.

NOTE 5: NCI Codes are displayed in a drop-down box in IRES.

DATA CHARACTERISTICS: 5 alphanumeric characters minimum, 12 alphanumeric characters maximum

0	4	Q	B	9	.	1	1				
---	---	---	---	---	---	---	---	--	--	--	--

70. CHAN - Channel Code

Identifies the type of channel associated with this request.

USAGE: This field is not supported by Sprint LTD.

71. SECNCI - Secondary Network Channel Interface Code

Identifies the electrical conditions on the circuit at the Secondary Access Customer Terminal Location (SACTL) or end user location.

Interface	Field Name
IRES	SECNCI
FTP	SECNCI

NOTE 1: The format and structure of this field is defined by ANSI in document T1.223, Structure and Representation of Network Channel (NC) and Network Channel Interface (NCI) Codes for the North American Telecommunications System. The Network Channel Code consists of the following elements:

1. **Total Conductors** - Positions one (1) and two (2) identify the total number of physical conductors (e.g., wires) required at the interface (2 numeric characters).
2. **Protocol** - Positions three (3) and four (4) identify the requirements for the interface regarding signaling and transmission (2 alpha characters).
3. **Impedance** - Position five (5) identifies the nominal reference impedance that will terminate the channel for the purpose of evaluating transmission performance (1 alphanumeric character).
4. **Delimiter #1** - Position six (6) identifies the start of the protocol option field if a protocol option code is assigned.
5. **Protocol Options** - Positions seven (7), eight (8) and nine (9) identify additional features (e.g., bit rate, bandwidth, etc.) on the protocol to be used (3 alphanumeric characters).
6. **Delimiter #2** - Position ten (10) identifies the start of the Transmission Level Points (TLP) field if a TLP is assigned.
7. **Transmission level** - Positions eleven (11) and twelve (12) identify the TLPs from either the Exchange Carrier (EC)/service provider or customer end.

NOTE 1: Position eleven (11) identifies the TLP transmit signal level at the EC/service provider when transmitting to the customer.

NOTE 2: Position twelve (12) identifies the TLP receive signal level at the EC/service provider when receiving from the customer.

NOTE 3: If TLP is entered in one character position only (transmit or receive), a hyphen or the letter “O” is required as a field filler in the associated TLP character position.

NOTE 4: If TLPs are not to be coded, default levels found in Telcordia Technologies Technical Publications will apply and the TLP character positions will be left “blank”.

NOTE 2: A CO CENTREX is considered to be an end user location.

NOTE 3: If the protocol option field is not coded and the TLP is coded, a double delimiter #1 and #2 will be placed after character position five (5). In this case, delimiter #1 will be in character position six (6) and delimiter #2 will be in character position seven (7). The TLP will be left justified into character positions eight (8) and nine (9) accordingly.

VALID ENTRIES:

NCI Code

NOTE 1: NCI codes are outlined in Telcordia Technologies document BR 795-403-100.

USAGE: See usage strip below.

ACTIVITIES												
R E Q U E S T T Y P E		N	C	D	T	V	W	S	B	L	P	
	A	O	P	P	C	O	P	P	P	P	P	P
	B/LNP	P	P	P	P	O	P	P	P	P	P	P
	B/INP	P	P	P	P	O	P	P	P	P	P	P
	C/LNP	P	P	P	P	P	P	P	P	P	P	P
	C/INP	P	P	P	P	P	P	P	P	P	P	P
	D	P	P	P	P	P	P	P	P	P	P	P
	E	P	P	P	P	P	P	P	P	P	P	P
	F	P	P	P	P	P	P	P	P	P	P	P
	J	P	P	P	P	P	P	P	P	P	P	P
	K	P	P	P	P	P	P	P	P	P	P	P
	M	O	P	P	C	O	P	P	P	P	P	P
	N	P	P	P	P	P	P	P	P	P	P	P
	P	P	P	P	P	P	P	P	P	P	P	P

NOTE 1: For usage related to FTP, refer to Sprint FTP SIBR and supporting documentation.

NOTE 2: When ACT = T and MCSI = Y, then SECNCI may be optional.

NOTE 3: Secondary NCI values are displayed based on NC/NCI selections in IRES.

DATA CHARACTERISTICS: 5 alphanumeric characters minimum, 12 alphanumeric characters maximum

EXAMPLES: | 0 | 2 | L | 0 | 2 | | | | | | | | | |

72. RPON - Related Purchase Order Number

Identifies the purchase order number of a related service request.

Interface	Field Name
IRES	RELATED PON
FTP	RPON

NOTE 1: The RPON field may be used for relating connect and disconnect service requests or multiple requests for the same location due date.

USAGE: See usage strip below.

ACTIVITIES												
R E Q U E S T T Y P E		N	C	D	T	V	W	S	B	L	P	
	A	O	O	O	O	O	P	P	P	P	P	O
	B/LNP	P	P	P	P	O	P	P	P	P	P	
	B/INP	P	P	O	P	O	P	P	P	P	P	
	C/LNP	P	P	P	P	O	P	P	P	P	P	
	C/INP	P	P	O	P	O	P	P	P	P	P	
	D	P	P	O	P	P	P	P	P	P	P	
	E	O	O	O	O	O	O	O	O	O	O	P
	F	O	O	O	O	O	O	P	P	P	P	
	J	O	O	O	P	P	P	P	P	P	P	
	K	O	O	O	O	O	O	P	P	P	P	
	M	O	O	O	O	O	P	O	O	P	P	
	N	O	O	O	O	O	O	P	P	P	P	
P	O	O	O	O	O	O	O	O	O	O	P	

NOTE 1: For usage related to FTP, refer to Sprint FTP SIBR and supporting documentation.

DATA CHARACTERISTICS: 16 alphanumeric characters

EXAMPLE: | 8 | 2 | 4 | Z | 9 | | | | | | | | | | | | | |

73. RORD - Related Order Number

Identifies a related provider order number

USAGE: This field is not supported by Sprint LTD.

74. LSP AUTH - Local Service Provider Authorization

Indicates the carrier code of the local service provider that is providing existing service and has authorized the change to a new service provider.

Interface	Field Name
IRES	Not Applicable
FTP	LSPAUTH

USAGE: This field is conditional.

ACTIVITIES												
R E Q U E S T T Y P E		N	C	D	T	V	W	S	B	L	P	
	A	P	C	P	P	P	P	P	P	P	P	P
	B/LNP	P	P	P	P	P	P	P	P	P	P	P
	B/INP	P	P	P	P	P	P	P	P	P	P	P
	C/LNP	P	P	P	P	P	P	P	P	P	P	P
	C/INP	P	P	P	P	P	P	P	P	P	P	P
	D	P	P	P	P	P	P	P	P	P	P	P
	E	P	C	P	P	P	P	P	P	P	P	P
	F	P	C	P	P	P	P	P	P	P	P	P
	J	P	P	P	P	P	P	P	P	P	P	P
	K	P	C	P	P	P	P	P	P	P	P	P
	M	P	C	P	P	P	P	P	P	P	P	P
	N	P	C	P	P	P	P	P	P	P	P	P
P	P	C	P	P	P	P	P	P	P	P	P	

NOTE 1: For usage related to FTP, refer to Sprint FTP SIBR and supporting documentation.

NOTE 2: This field is conditional for CLEC to CLEC migrations.

DATA CHARACTERISTICS: 4 alphanumeric characters

EXAMPLE:

5	8	A	0
---	---	---	---

75. LSP AUTH DATE - Local Service Provider Authorization Date

Identifies the date of the old LSP's authorization.

USAGE: This field is not supported by Sprint LTD.

76. LSP AUTH NAME - Local Service Provider Authorization Name

Identifies the name of the person who signed the authorization letter.

USAGE: This field is not supported by Sprint LTD.

77. LSPAN - LSP's Authorization Number

Identifies the old LSP's authorization number.

USAGE: This field is not supported by Sprint LTD.

78. CIC - Carrier Identification Code

Identifies the numeric code of the initiating local service provider.

USAGE: This field is not supported by Sprint LTD.

79. CUST - Customer Name

Identifies the name of the customer who originated this request when that customer has not been assigned a Customer Carrier Name Abbreviation (CCNA) code.

USAGE: This field is not supported by Sprint LTD.

80. NPDI - Number Portability Direction Indicator

Identifies the direction of LNP conversion activity on this request.

Interface	Field Name
IRES	NPDI
FTP	NPDI

NOTE 1: Wireless LNP excludes paging service.

NOTE 2: This field facilitates timeliness of E911 record updates.

VALID ENTRIES:

- A = Wireless to wireless
- B = Wireless to wireline
- C = Wireline to wireless
- D = Wireline to wireline

NOTE 1: “A” is not supported.

USAGE: See usage strip below

ACTIVITIES												
R E Q U E S T T Y P E		N	C	D	T	V	W	S	B	L	P	
	A	P	P	P	P	P	P	P	P	P	P	P
	B/LNP	P	P	P	P	P	P	P	P	P	P	
	B/INP	P	P	P	P	P	P	P	P	P	P	
	C/LNP	P	R	P	P	R	P	P	P	P	P	
	C/INP	P	P	P	P	P	P	P	P	P	P	
	D	P	P	P	P	P	P	P	P	P	P	
	E	P	O	P	P	O	P	P	P	P	P	
	F	P	P	P	P	P	P	P	P	P	P	
	J	P	P	P	P	P	P	P	P	P	P	
	K	P	O	P	P	O	P	P	P	P	P	
	M	P	O	P	P	O	P	P	P	P	P	
	N	P	O	P	P	O	P	P	P	P	P	
P	P	O	P	P	O	P	P	P	P	P		

NOTE 1: Required when the ACT field is “C” or “V” and the first position of the REQTYP field is “C”.

NOTE 2: Optional when the ACT field is “C” or “V” and the first position of the REQTYP field is “E”, “K”, “M”, “N” or “P”.

NOTE 3: Otherwise prohibited.

NOTE 4: For usage related to FTP, refer to Sprint FTP SIBR and supporting documentation.

DATA CHARACTERISTICS: 1 alpha character

EXAMPLE: A

81. TNE – Telephone Number Environment

Identifies the service type associated with the telephone number(s) for this request.

USAGE: This field is not supported by Sprint LTD.

82. FA - Feature Activity

Indicates the activity type for the feature.

Interface	Field Name
IRES	FA
FTP	FA

USAGE: Refer to individual sections.

83. AFEATURE - Account Feature Codes

Identifies the type of feature associated with the account.

USAGE: This field is not supported by Sprint LTD.

84. AFEATURE DETAIL - Account Feature Detail

Identifies additional information for the type of feature associated with the account.

USAGE: This field is not supported by Sprint LTD.

85. DLQTY - Directory Listings Quantity

Identifies the number of directory listings for this request.

Interface	Field Name
IRES	DIR QTY
FTP	DLQTY

USAGE: See individual section.

86. MCSI = Move with Change of Service Indicator

Identifies that a change in service is requested with an outside move.

Interface	Field Name
IRES	MCSI
FTP	MCSI

NOTE 1: This is a Sprint proprietary field and not supported by Industry.

VALID ENTRIES:

Y = Yes

N = No

USAGE: See usage strip below.

ACTIVITIES												
R E Q U E S T T Y P E		N	C	D	T	V	W	S	B	L	P	
	A	P	P	P	R	P	P	P	P	P	P	P
	B/LNP	P	P	P	P	P	P	P	P	P	P	P
	B/INP	P	P	P	P	P	P	P	P	P	P	P
	C/LNP	P	P	P	P	P	P	P	P	P	P	P
	C/INP	P	P	P	P	P	P	P	P	P	P	P
	D	P	P	P	P	P	P	P	P	P	P	P
	E	P	P	P	P	P	P	P	P	P	P	P
	F	P	P	P	P	P	P	P	P	P	P	P
	J	P	P	P	P	P	P	P	P	P	P	P
	K	P	P	P	P	P	P	P	P	P	P	P
	M	P	P	P	R	P	P	P	P	P	P	P
	N	P	P	P	P	P	P	P	P	P	P	P
P	P	P	P	R	P	P	P	P	P	P	P	

NOTE 1: For usage related to FTP, refer to Sprint FTP SIBR and supporting documentation.

NOTE 2: This field is a drop down box in IRES.

DATA CHARACTERISTICS: 1 alpha character

EXAMPLE:

87. CTEST Tel No

Identifies the telephone number associated with cooperative testing (CTEST).

Interface	Field Name
IRES	CTEST Tel No
FTP	CTEST*TN

NOTE 1: This is a Sprint proprietary field and not supported by Industry.

USAGE: This field is conditional.

ACTIVITIES												
R E Q U E S T T Y P E		N	C	D	T	V	W	S	B	L	P	
	A	C	C	P	C	C	P	P	P	P	P	P
	B/LNP	P	P	P	P	C	P	P	P	P	P	P
	B/INP	P	P	P	P	C	P	P	P	P	P	P
	C/LNP	P	P	P	P	P	P	P	P	P	P	P
	C/INP	P	P	P	P	P	P	P	P	P	P	P
	D	P	P	P	P	P	P	P	P	P	P	P
	E	P	P	P	P	P	P	P	P	P	P	P
	F	P	P	P	P	P	P	P	P	P	P	P
	J	P	P	P	P	P	P	P	P	P	P	P
	K	P	P	P	P	P	P	P	P	P	P	P
	M	P	P	P	P	P	P	P	P	P	P	P
	N	P	P	P	P	P	P	P	P	P	P	P
	P	P	P	P	P	P	P	P	P	P	P	P

NOTE 1: For usage related to FTP, refer to Sprint FTP SIBR and supporting documentation.

NOTE 2: Required when CTEST field is populated, otherwise prohibited.

DATA CHARACTERISTICS: 12 numeric characters (including 2 hyphens)

EXAMPLES: | 9 | 1 | 3 | - | 7 | 9 | 4 | - | 1 | 2 | 3 | 4 | | | | | |

88. DSUP – Directory Supplement

A supplement is any new iteration of a local service request. The entry in the DSUP field identifies the reason the supplement is being issued.

Interface	Field Name
IRES	Not Applicable
FTP	DSUP

NOTE 1: This is a Sprint proprietary field and not supported by Industry.

VALID ENTRIES:

- 1 = Cancel
- 3 = Other

USAGE: Usage applies only to FTP.

NOTE 1: For usage related to FTP, refer to Sprint FTP SIBR and supporting documentation.

NOTE 2: This field is prohibited for manual processing.

90. CONDITIONING OPT - Conditioning Options

Identifies the type of conditioning being requested.

Interface	Field Name
IRES	CONDITIONING OPT
FTP	CNDOPT

VALID ENTRIES:

- N=No Conditioning
- P=Partial Conditioning
- C=Complete Conditioning
- R=Conditioning Refused

NOTE 1: This is a Sprint proprietary field and not supported by Industry.

USAGE: This field is conditional.

ACTIVITIES											
R E Q U E S T T Y P E		N	C	D	T	V	W	S	B	L	P
	A	C	O	O	O	O	P	P	P	P	P
	B/LNP	P	P	P	P	O	P	P	P	P	P
	B/INP	P	P	P	P	O	P	P	P	P	P
	C/LNP	P	P	P	P	P	P	P	P	P	P
	C/INP	P	P	P	P	P	P	P	P	P	P
	D	P	P	P	P	P	P	P	P	P	P
	E	P	P	P	P	P	P	P	P	P	P
	F	P	P	P	P	P	P	P	P	P	P
	J	P	P	P	P	P	P	P	P	P	P
	K	P	P	P	P	P	P	P	P	P	P
	M	C	O	O	O	O	P	P	P	P	P
	N	P	P	P	P	P	P	P	P	P	P
P	P	P	P	P	P	P	P	P	P	P	

NOTE 1: Prohibited when NC=UC--, otherwise required.

NOTE 2: For usage related to FTP, refer to Sprint FTP SIBR and supporting documentation.

NOTE 3: This field is a drop down box in IRES.

DATA CHARACTERISTICS: 1 alpha character

EXAMPLE:

N		
---	--	--

91. CONDITION \$ - Conditioning Cost

Identifies the cost associated with conditioning option selected

Interface	Field Name
IRES	CONDITION \$
FTP	CNDAMT

NOTE 1: This is a Sprint proprietary field and not supported by Industry.

USAGE: This field is conditional.

ACTIVITIES												
R E Q U E S T T Y P E		N	C	D	T	V	W	S	B	L	P	
	A	C	C	C	C	C	P	P	P	P	P	P
	B/LNP	C	C	C	C	C	P	P	P	P	P	P
	B/INP	P	P	P	P	C	P	P	P	P	P	P
	C/LNP	P	P	P	P	P	P	P	P	P	P	P
	C/INP	P	P	P	P	P	P	P	P	P	P	P
	D	P	P	P	P	P	P	P	P	P	P	P
	E	P	P	P	P	P	P	P	P	P	P	P
	F	P	P	P	P	P	P	P	P	P	P	P
	J	P	P	P	P	P	P	P	P	P	P	P
	K	P	P	P	P	P	P	P	P	P	P	P
	M	C	C	C	C	C	P	P	P	P	P	P
	N	P	P	P	P	P	P	P	P	P	P	P
	P	P	P	P	P	P	P	P	P	P	P	P

NOTE 1: Required when conditioning options equal “C” or “P”.

NOTE 2: For usage related to FTP, refer to Sprint FTP SIBR and supporting documentation.

DATA CHARACTERISTICS: 11 numeric characters including 2 decimal places.

EXAMPLES:

1	0	0	.	0	0						
---	---	---	---	---	---	--	--	--	--	--	--

92. CONDITIONING REMARKS - Conditioning Remarks

Explanation of conditioning required.

Interface	Field Name
IRES	CONDITIONING REMARKS
FTP	CNDRMK

NOTE 1: This is a Sprint proprietary field and not supported by Industry.

USAGE: This field is conditional.

ACTIVITIES												
R E Q U E S T T Y P E		N	C	D	T	V	W	S	B	L	P	
	A	C	C	C	C	C	P	P	P	P	P	P
	B/LNP	P	P	P	P	C	P	P	P	P	P	P
	B/INP	P	P	P	P	C	P	P	P	P	P	P
	C/LNP	P	P	P	P	P	P	P	P	P	P	P
	C/INP	P	P	P	P	P	P	P	P	P	P	P
	D	P	P	P	P	P	P	P	P	P	P	P
	E	P	P	P	P	P	P	P	P	P	P	P
	F	P	P	P	P	P	P	P	P	P	P	P
	J	P	P	P	P	P	P	P	P	P	P	P
	K	P	P	P	P	P	P	P	P	P	P	P
	M	C	C	C	C	C	P	P	P	P	P	P
	N	P	P	P	P	P	P	P	P	P	P	P
	P	P	P	P	P	P	P	P	P	P	P	P

NOTE 1: Required when conditioning option equal “P”, otherwise optional.

NOTE 2: For usage related to FTP, refer to Sprint FTP SIBR and supporting documentation.

DATA CHARACTERISTICS: 50 alphanumeric characters.

EXAMPLES:

R	E	M	O	V	E		B	T		A	T		6	0	0	F	T			
A	N	D		1	2	0	0	F	T		\$	5	0	0						

93. COMPLEX – Complex Indicator

Indicates that a complex service has been requested.

Interface	Field Name
IRES	COMPLEX Checkbox
FTP	Not applicable

NOTE 1: This is a Sprint proprietary field and not supported by Industry.

VALID ENTRIES:

Y = Yes

USAGE: This field is optional.

ACTIVITIES												
R E Q U E S T T Y P E		N	C	D	T	V	W	S	B	L	P	
	A	O	O	O	O	O	O	P	P	P	P	O
	B/LNP	P	P	P	P	O	P	P	P	P	P	
	B/INP	P	P	O	P	O	P	P	P	P	P	
	C/LNP	P	P	P	P	O	P	P	P	P	P	
	C/INP	P	P	O	P	O	P	P	P	P	P	
	D	P	P	O	P	P	P	P	P	P	P	
	E	O	O	O	O	O	O	O	O	O	O	P
	F	O	O	O	O	O	O	O	P	P	P	P
	J	O	O	O	P	P	P	P	P	P	P	P
	K	O	O	O	O	O	O	O	P	P	P	P
	M	O	O	O	O	O	O	P	O	O	P	P
N	O	O	O	O	O	O	O	P	P	P	P	
P	O	O	O	O	O	O	O	O	O	O	P	

NOTE 1: Field could be auto-populated by IRES when it is determined that complex service has been requested.

DATA CHARACTERISTICS: 1 alpha character.

EXAMPLES: |Y|

94. DSPTCH – Dispatch Indicator

Indicates if the address of the inquiry requires a dispatch to the end user’s premises.

Interface	Field Name
IRES	DSPTCH Checkbox
FTP	Not applicable

NOTE 1: This is a Sprint proprietary field and not supported by Industry.

VALID ENTRIES:

Y = Yes

USAGE: This field is conditional.

ACTIVITIES												
R E Q U E S T T Y P E		N	C	D	T	V	W	S	B	L	P	
	A	O	O	O	O	O	O	P	P	P	P	O
	B/LNP	P	P	P	P	O	P	P	P	P	P	P
	B/INP	P	P	O	P	O	P	P	P	P	P	P
	C/LNP	P	P	P	P	O	P	P	P	P	P	P
	C/INP	P	P	O	P	O	P	P	P	P	P	P
	D	P	P	O	P	P	P	P	P	P	P	P
	E	O	O	O	O	O	O	O	O	O	O	P
	F	O	O	O	O	O	O	P	P	P	P	P
	J	O	O	O	P	P	P	P	P	P	P	P
	K	O	O	O	O	O	O	P	P	P	P	P
	M	O	O	O	O	O	P	O	O	P	P	P
	N	O	O	O	O	O	O	P	P	P	P	P
P	O	O	O	O	O	O	O	O	O	O	P	

NOTE 1: Field will be auto-populated by IRES when it is determined that a dispatch is required.

NOTE 2: Sprint LTD verifies facilities to determine if a dispatch to the end user site is necessary.

NOTE 3: May indicate whether there are cut through facilities at the end user’s service address.

DATA CHARACTERISTICS: 1 alpha character.

EXAMPLES:

1.3 LOCAL SERVICE RECORD BILL SECTION

95. BI1 - Billing Account Number Identifier 1

Identifies the service type of the billing account number populated in the BAN1 field.

USAGE: This field is not supported by Sprint LTD.

96. BAN1 - Billing Account Number 1

Identifies the billing account to which the recurring and non-recurring charges for this request will be billed.

USAGE: This field is not supported by Sprint LTD.

97. BI2 - Billing Account Number Identifier 2

Identifies the service type of the billing account number populated in the BAN2 field.

USAGE: This field is not supported by Sprint LTD.

98. BAN2 - Billing Account Number 2

Identifies the billing account to which the recurring and non-recurring charges for this request will be billed.

USAGE: This field is not supported by Sprint LTD.

99. ACNA - Access Customer Name Abbreviation

Identifies the COMMON LANGUAGE code of the customer to which the bill is to be rendered.

USAGE: This field is not supported by Sprint LTD.

100. EBD - Effective Bill Date

Identifies the effective date to begin or cease billing when the billing date is different from the desired due date.

Interface	Field Name
IRES	EBD
FTP	EBD

VALID ENTRIES:

U.S. Standard

- Two digit month (01-12)
- Two digit day (01-31)
- Two digit century (00-99)
- Two digit year (00-99)

USAGE: See usage strip below.

ACTIVITIES												
R E Q U E S T T Y P E		N	C	D	T	V	W	S	B	L	P	
	A	O	O	O	O	O	O	P	P	P	P	P
	B/LNP	P	P	P	P	O	P	P	P	P	P	
	B/INP	P	P	O	P	O	P	P	P	P	P	
	C/LNP	P	P	P	P	O	P	P	P	P	P	
	C/INP	P	P	O	P	O	P	P	P	P	P	
	D	P	P	O	P	P	P	P	P	P	P	
	E	O	O	O	O	O	O	P	P	P	P	
	F	O	O	O	O	O	O	P	P	P	P	
	J	O	O	O	P	P	P	P	P	P	P	
	K	O	O	O	O	O	O	P	P	P	P	
	M	O	O	O	O	O	O	P	P	P	P	
	N	O	O	O	O	O	O	P	P	P	P	
P	O	O	O	O	O	O	P	P	P	P		

DATA CHARACTERISTICS: 10 alphanumeric characters (including 2 hyphens)

EXAMPLES: | 0 | 4 | - | 0 | 2 | - | 1 | 9 | 9 | 7 |

101. CNO - Case Number

Identifies the case number assigned by Sprint LTD in response to a diversity inquiry request.

USAGE: This field is not supported by Sprint LTD.

102. NRI - Negotiated Rate Indicator

Indicates that the customer has negotiated special billing arrangements for this service.

USAGE: This field is not supported by Sprint LTD.

103. BILLNM - Billing Name

Identifies the name of the person, office or company to whom the customer has designated that the bill be sent.

USAGE: This field is not supported by Sprint LTD.

NOTE 1: All billing information should be set up through account management prior to processing LSRs.

104. SBILLNM - Secondary Bill Name

Identifies the name of a department or group within the designated BILLNM field entry.

USAGE: This field is not supported by Sprint LTD.

105. TE - Tax Exemption

Indicates that the customer has submitted a tax exemption form to Sprint LTD.

USAGE: This field is not supported by Sprint LTD.

106. EBP - Extended Billing Plan

Identifies the request for establishing or removing installment billing of non-recurring charges that may be offered by a provider.

USAGE: This field is not supported by Sprint LTD.

107. STREET - Street Address

Identifies the street address.

NOTE 1: This instance of the STREET field is used for the billing address associated with the billing name.

USAGE: This field is not supported by Sprint LTD.

108. FLOOR - Floor

Identifies the floor.

NOTE 1: This instance of the FLOOR field is used for the billing address.

USAGE: This field is not supported by Sprint LTD.

109. ROOM/ MAIL STOP - Room/Mail Stop

Identifies the room or mail stop.

NOTE 1: This instance of the ROOM/MAIL STOP field is used for the billing address.

USAGE: This field is not supported by Sprint LTD.

110. CITY - City

Identifies the city, village, township, etc.

NOTE 1: This instance of the CITY field is used for the billing address.

USAGE: This field is not supported by Sprint LTD.

111. STATE - State/Province

Identifies the abbreviation for the state or province.

NOTE 1: This instance of the STATE field is used for the billing address.

USAGE: This field is not supported by Sprint LTD.

112. ZIP - ZIP/Postal Code

Identifies the ZIP code, ZIP code + extension or postal code.

NOTE 1: This instance of the ZIP field is used for the billing address.

USAGE: This field is not supported by Sprint LTD.

113. BILLCON - Billing Contact

Identifies the name of the person or office to be contacted on billing matters.

USAGE: This field is not supported by Sprint LTD.

114. BSPRAO - Billing Service Provider Revenue Accounting Office Code

Identifies the Revenue Accounting Office (RAO) code that the LSP has designated.

USAGE: This field is not supported by Sprint LTD.

115. TEL NO - Telephone Number

Identifies the telephone number.

NOTE 1: This appearance of TEL NO is for the billing contact.

USAGE: This field is not supported by Sprint LTD.

116. VTA - Variable Term Agreement

Identifies the duration, identifying USOC, contract date or contract identification number of any variable term agreement that may be offered by a provider.

USAGE: This field is not supported by Sprint LTD.

1.4 LOCAL SERVICE RECORD CONTACT SECTION

117. INIT - Initiator Identification

Identifies the customer's representative who originated this request.

Interface	Field Name
IRES	CLEC INIT
FTP	INIT

NOTE 1: This is the person who should be contacted if there are any questions regarding this request. Any authorizations of charges or changes are the responsibility of this person.

USAGE: See usage strip below.

ACTIVITIES												
R E Q U E S T T Y P E		N	C	D	T	V	W	S	B	L	P	
	A	R	R	R	R	R	R	R	P	P	P	R
	B/LNP	P	P	P	P	R	P	P	P	P	P	P
	B/INP	P	P	R	P	R	P	P	P	P	P	P
	C/LNP	P	P	P	P	R	P	P	P	P	P	P
	C/INP	P	P	R	P	R	P	P	P	P	P	P
	D	P	P	R	P	P	P	P	P	P	P	P
	E	R	R	R	R	R	R	R	R	R	R	P
	F	R	R	R	R	R	R	R	P	P	P	P
	J	R	R	R	P	P	P	P	P	P	P	P
	K	R	R	R	R	R	R	R	P	P	P	P
	M	R	R	R	R	R	R	P	R	R	P	P
	N	R	R	R	R	R	R	R	P	P	P	P
P	R	R	R	R	R	R	R	R	R	R	P	

NOTE 1: This field is auto-populated in IRES based on login information.

NOTE 2: For usage related to FTP, refer to Sprint FTP SIBR and supporting documentation.

DATA CHARACTERISTICS: 15 alphanumeric characters

EXAMPLE: | J | O | H | N | | S | M | I | T | H | | | | | | |

118. TEL NO - Telephone Number

Identifies the initiator's telephone number.

Interface	Field Name
IRES	CLEC TEL NO
FTP	INITTELNO

USAGE: See usage strip below.

ACTIVITIES												
R E Q U E S T T Y P E		N	C	D	T	V	W	S	B	L	P	
	A	R	R	R	R	R	R	R	P	P	P	R
	B/LNP	P	P	P	P	R	P	P	P	P	P	
	B/INP	P	P	R	P	R	P	P	P	P	P	
	C/LNP	P	P	P	P	R	P	P	P	P	P	
	C/INP	P	P	R	P	R	P	P	P	P	P	
	D	P	P	R	P	P	P	P	P	P	P	
	E	R	R	R	R	R	R	R	R	R	R	P
	F	R	R	R	R	R	R	R	P	P	P	P
	J	R	R	R	P	P	P	P	P	P	P	P
	K	R	R	R	R	R	R	R	P	P	P	P
	M	R	R	R	R	R	R	P	R	R	P	P
	N	R	R	R	R	R	R	R	P	P	P	P
P	R	R	R	R	R	R	R	R	R	R	P	

NOTE 1: For usage related to FTP, refer to Sprint FTP SIBR and supporting documentation.

NOTE 2: This field is auto-populated in IRES based on login information.

DATA CHARACTERISTICS: 12 numeric characters (excluding 2 preprinted hyphens)

EXAMPLE:

2	0	1
---	---	---

 -

9	8	1
---	---	---

 -

3	5	0	0
---	---	---	---

119. EMAIL - Electronic Mail Address

Identifies the initiator's electronic mail address.

USAGE: This field is not supported by Sprint LTD.

120. FAX NO - Facsimile Number

Identifies the initiator's fax number.

Interface	Field Name
IRES	CLEC FAX NO
FTP	Not Supported

USAGE: See usage strip below.

ACTIVITIES											
R E Q U E S T T Y P E		N	C	D	T	V	W	S	B	L	P
	A	R	R	R	R	R	R	P	P	P	R
	B/LNP	P	P	P	P	R	P	P	P	P	P
	B/INP	P	P	R	P	R	P	P	P	P	P
	C/LNP	P	P	P	P	R	P	P	P	P	P
	C/INP	P	P	R	P	R	P	P	P	P	P
	D	P	P	R	P	P	P	P	P	P	P
	E	R	R	R	R	R	R	R	R	R	P
	F	R	R	R	R	R	R	P	P	P	P
	J	R	R	R	P	P	P	P	P	P	P
	K	R	R	R	R	R	R	P	P	P	P
	M	R	R	R	R	R	P	R	R	P	P
N	R	R	R	R	R	R	P	P	P	P	
P	R	R	R	R	R	R	R	R	R	P	

NOTE 1: This field is auto-populated in IRES based on login information.

DATA CHARACTERISTICS: 10 numeric characters (excluding 2 preprinted hyphens)

EXAMPLE:

9	0	8
---	---	---

 -

3	3	6
---	---	---

 -

2	9	8	0
---	---	---	---

121. STREET - Street Address

Identifies the initiator's street address.

USAGE: This field is not supported by Sprint LTD.

122. FLOOR - Floor

Identifies the initiator's floor.

USAGE: This field is not supported by Sprint LTD.

123. ROOM/MAIL STOP - Room/Mail Stop

Identifies the initiator's room or mail stop.

USAGE: This field is not supported by Sprint LTD.

124. CITY - City

Identifies the initiator's city, village, township, etc.

USAGE: This field is not supported by Sprint LTD.

125. STATE - State/Province

Identifies the initiator's abbreviation for the state or province.

USAGE: This field is not supported by Sprint LTD.

126. ZIP - ZIP/Postal Code

Identifies the initiator's ZIP code, ZIP code + extension or postal code.

USAGE: This field is not supported by Sprint LTD.

127. IMPCON - Implementation Contact

Identifies the customer's representative or office responsible for control of installation and completion.

Interface	Field Name
IRES	IMPCON
FTP	IMPCON

NOTE 1: During installation, this is the customer contact who will be informed by Sprint LTD's installer when the end user requires activity other than that ordered by the customer (i.e., wants the circuit terminated in a room other than designated on the order).

NOTE 2: To facilitate the ordering process, the identification of the company may be included with the representative's name as shown below in the example.

NOTE 3: This is the contact to be used for completions, acceptance testing and other such related installation activity unless otherwise specified by customer/provider negotiations.

USAGE: See usage strip below.

ACTIVITIES												
R E Q U E S T T Y P E		N	C	D	T	V	W	S	B	L	P	
	A	R	R	R	R	R	R	R	P	P	P	R
	B/LNP	P	P	P	P	R	P	P	P	P	P	
	B/INP	P	P	R	P	R	P	P	P	P	P	
	C/LNP	P	P	P	P	R	P	P	P	P	P	
	C/INP	P	P	R	P	R	P	P	P	P	P	
	D	P	P	R	P	P	P	P	P	P	P	
	E	R	R	R	R	R	R	R	R	R	R	P
	F	R	R	R	R	R	R	R	P	P	P	P
	J	R	R	R	R	P	P	P	P	P	P	P
	K	R	R	R	R	R	R	R	P	P	P	P
	M	R	R	R	R	R	R	P	R	R	P	P
	N	R	R	R	R	R	R	R	P	P	P	P
P	R	R	R	R	R	R	R	R	R	R	P	

NOTE 1: For usage related to FTP, refer to Sprint FTP SIBR and supporting documentation.

DATA CHARACTERISTICS: 15 alphanumeric characters

EXAMPLE: | J | O | H | N | | | S | M | I | T | H | | | S | P | C | |

128. TEL NO - Telephone Number

Identifies the IMPCON telephone number.

Interface	Field Name
IRES	TEL NO
FTP	IMPCONTELNO

USAGE: See usage strip below.

ACTIVITIES												
R E Q U E S T T Y P E		N	C	D	T	V	W	S	B	L	P	
	A	R	R	R	R	R	R	R	P	P	P	R
	B/LNP	P	P	P	P	R	P	P	P	P	P	P
	B/INP	P	P	R	P	R	P	P	P	P	P	P
	C/LNP	P	P	P	P	R	P	P	P	P	P	P
	C/INP	P	P	R	P	R	P	P	P	P	P	P
	D	P	P	R	P	P	P	P	P	P	P	P
	E	R	R	R	R	R	R	R	R	R	R	P
	F	R	R	R	R	R	R	R	P	P	P	P
	J	R	R	R	P	P	P	P	P	P	P	P
	K	R	R	R	R	R	R	R	P	P	P	P
	M	R	R	R	R	R	R	P	R	R	P	P
	N	R	R	R	R	R	R	R	P	P	P	P
P	R	R	R	R	R	R	R	R	R	R	P	

NOTE 1: For usage related to FTP, refer to Sprint FTP SIBR and supporting documentation.

DATA CHARACTERISTICS: 12 numeric characters (excluding 3 preprinted hyphens)

EXAMPLE:

2	0	1
---	---	---

 -

9	8	1
---	---	---

 -

3	5	0	0
---	---	---	---

129. PAGER - Pager Number

Identifies the pager number of the implementation contact.

USAGE: This field is not supported by Sprint LTD.

130. ALT IMPCON - Alternate Implementation Contact

Identifies the customer's alternative representative or office responsible for control of installation and completion.

USAGE: This field is not supported by Sprint LTD.

131. TEL NO - Telephone Number

Identifies the ALT IMPCON telephone number.

USAGE: This field is not supported by Sprint LTD.

132. PAGER - Pager Number

Identifies the ALT IMPCON pager number.

USAGE: This field is not supported by Sprint LTD.

133. DSGCON - Design/Engineering Contact

Identifies the representative of the customer or agent that should be contacted on design/engineering matters.

USAGE: This field is not supported by Sprint LTD.

134. DRC - Design Routing Code

Identifies the customer location routing code for the transmission of the DLR for this request.

USAGE: This field is not supported by Sprint LTD.

135. TEL NO - Telephone Number

Identifies the DSGCON telephone number.

USAGE: This field is not supported by Sprint LTD.

136. FAX NO - Facsimile Number

Identifies the DSGCON fax number.

USAGE: This field is not supported by Sprint LTD.

137. EMAIL - Electronic Mail Address

Identifies the DSGCON electronic mail address.

USAGE: This field is not supported by Sprint LTD.

138. STREET - Street Address

Identifies the DSGCON street address.

USAGE: This field is not supported by Sprint LTD.

139. FLOOR - Floor

Identifies the DSGCON floor.

USAGE: This field is not supported by Sprint LTD.

140. ROOM/MAIL STOP - Room/Mail Stop

Identifies the DSGCON room or mail stop.

USAGE: This field is not supported by Sprint LTD.

141. CITY - City

Identifies the DSGCON city, village, township, etc.

USAGE: This field is not supported by Sprint LTD.

142. STATE - State/Province

Identifies the abbreviation for the state or province of the DSGCON.

USAGE: This field is not supported by Sprint LTD.

143. ZIP - ZIP/Postal Code

Identifies the ZIP code, ZIP code + extension or postal code of the DSGCON.

USAGE: This field is not supported by Sprint LTD.

144. REMARKS - Remarks

Identifies a free flowing field that can be used to expand upon and clarify other data on this form.

Interface	Field Name
IRES	REMARKS TO SPRINT
FTP	REMARKS

USAGE: Refer to individual sections.

145. SOE REMARKS - Remarks

Identifies a free flowing field that can be used to expand upon and clarify other data on this form.

Interface	Field Name
IRES	SOE REMARKS
FTP	Not Applicable

USAGE: Refer to individual sections.

146. CLEC CUST NAME – CLEC Customer Name

Identifies the local service provider name.

Interface	Field Name
IRES	CLEC CUST NAME
FTP	Not Supported

USAGE: See usage strip below.

ACTIVITIES												
R E Q U E S T T Y P E		N	C	D	T	V	W	S	B	L	P	
	A	R	R	R	R	R	R	P	P	P	P	R
	B/LNP	P	P	P	P	R	P	P	P	P	P	P
	B/INP	P	P	R	P	R	P	P	P	P	P	P
	C/LNP	P	P	P	P	R	P	P	P	P	P	P
	C/INP	P	P	R	P	R	P	P	P	P	P	P
	D	P	P	R	P	P	P	P	P	P	P	P
	E	R	R	R	R	R	R	R	R	R	R	P
	F	R	R	R	R	R	R	P	P	P	P	P
	J	R	R	R	P	P	P	P	P	P	P	P
	K	R	R	R	R	R	R	P	P	P	P	P
	M	R	R	R	R	R	P	R	R	R	P	P
	N	R	R	R	R	R	R	R	P	P	P	P
P	R	R	R	R	R	R	R	R	R	R	P	

NOTE 1: This field is auto-populated in IRES based on login information.

DATA CHARACTERISTICS: 15 alphanumeric characters

EXAMPLE:

J	O	H	N		S	M	I	T	H					
---	---	---	---	--	---	---	---	---	---	--	--	--	--	--