

## Table of Contents

|      |  |    |
|------|--|----|
| 10.  | DID/DOD/PBX _____  | 4  |
| 10.1 | INTRODUCTION _____   | 4  |
| 10.2 | DID/DOD/PBX ADMINISTRATIVE SECTION _____                               | 5  |
| 1.   | PON - Purchase Order Number _____                                      | 5  |
| 2.   | VER - Version Identification _____                                     | 6  |
| 3.   | AN - Account Number _____  | 7  |
| 4.   | ATN - Account Telephone Number _____                                   | 8  |
| 5.   | ORD - Order Number _____   | 9  |
| 6.   | PG_of_ - Page _ of _ _____   | 10 |
| 10.3 | DID/DOD/PBX COMMON SECTION _____                                       | 11 |
| 7.   | LOCNUM - Location Number _____   | 11 |
| 8.   | RNUM - Reference Number _____  | 12 |
| 9.   | AD – Associated Detail _____   | 13 |
| 10.  | NPI - Number Portability Indicator _____                               | 14 |
| 11.  | LEAN – Line Existing Account Number _____                              | 16 |
| 12.  | LEATN - Line Existing Account Telephone Number _____                   | 17 |
| 13.  | BSPRAO - Billing Service Provider Revenue Accounting Office Code _____ | 18 |
| 10.4 | DID/DOD TELEPHONE NUMBER SECTION _____                                 | 19 |
| 14.  | LOCNUM - Location Number _____   | 19 |
| 15.  | RNUM – Reference Number _____  | 20 |
| 16.  | TNA - Telephone Number Activity _____                                  | 21 |
| 17.  | QN - Quantity of Numbers _____   | 22 |
| 18.  | CKR - Customer Circuit Reference _____                                 | 23 |
| 19.  | TNS – Telephone Numbers _____  | 24 |
| 20.  | OTNS – Out Telephone Numbers _____                                     | 26 |
| 21.  | DA - Disassociated Telephone Number Action _____                       | 27 |
| 22.  | DSTNQ - Disassociated Telephone Number Quantity _____                  | 28 |
| 23.  | DTNT - Disassociated Telephone Number Type _____                       | 29 |
| 24.  | DSTN - Disassociated Telephone Number _____                            | 30 |
| 25.  | ECCKT - Exchange Company Circuit ID _____                              | 31 |
| 26.  | TGN – Trunk Group Number _____   | 33 |
| 27.  | RIN - Route Index Number _____   | 34 |
| 28.  | BA - Blocking Activity _____   | 35 |
| 29.  | BLOCK – Block _____  | 36 |
| 30.  | CCEA – Cross Connect Equipment Assignment _____                        | 37 |
| 10.5 | TRUNK SERVICE DETAIL SECTION _____                                     | 38 |
| 31.  | LOCNUM – Location Number _____   | 38 |
| 32.  | RNUM - Reference Number _____  | 39 |
| 33.  | TACT - Trunk Activity _____  | 40 |
| 34.  | TERS - Terminal Numbers _____  | 41 |
| 35.  | TKQ - Trunk Quantity _____   | 42 |
| 36.  | TNS – Telephone Numbers _____  | 43 |
| 37.  | OTN - Out Telephone Number _____                                       | 45 |
| 38.  | LTLI - Lead Telephone Line Identifier _____                            | 46 |

DID/DOD/PBX – Section 10

|      |  |    |
|------|--|----|
| 39.  | TGN – Trunk Group Number _____                             | 47 |
| 40.  | RIN – Route Index Number _____                             | 48 |
| 41.  | TKID – Trunk ID _____                                      | 49 |
| 42.  | DIN - Digits In _____                                      | 50 |
| 43.  | DO - Digits Out _____                                      | 51 |
| 44.  | PULSE - Type of Pulsing _____                              | 52 |
| 45.  | PO – Type of Pulsing Outward _____                         | 53 |
| 46.  | SSIG - Start Signaling _____                               | 54 |
| 47.  | SGNL – Signaling _____                                     | 55 |
| 48.  | TTP – Trunk Type _____                                     | 56 |
| 49.  | GL – Glare _____   | 57 |
| 50.  | CABLE ID - Cable Identification _____                      | 58 |
| 51.  | CHAN/PAIR - Channel/Pair _____                             | 59 |
| 52.  | BA - Blocking Activity _____                               | 60 |
| 53.  | BLOCK - Block _____  | 61 |
| 54.  | LSCP – Local Service Provider Change Prohibited _____      | 62 |
| 55.  | IWT - Inside Wire Type _____                               | 63 |
| 56.  | IWJK - Inside Wire Jack Code _____                         | 64 |
| 57.  | IWJQ - Inside Wire Jack Quantity _____                     | 65 |
| 58.  | JK CODE - Jack Code _____                                  | 66 |
| 59.  | JK NUM - Jack Number _____                                 | 67 |
| 60.  | JK POS - Jack Position _____                               | 68 |
| 61.  | JR - Jack Request _____                                    | 69 |
| 62.  | NIDR - NID Request _____                                   | 70 |
| 63.  | ECCKT - Exchange Company Circuit ID _____                  | 71 |
| 64.  | RL – Reuse Loop _____                                      | 73 |
| 65.  | OECCKT – Old Exchange Company Circuit ID _____             | 74 |
| 66.  | CKR - Customer Circuit Reference _____                     | 75 |
| 67.  | CFA - Connecting Facility Assignment _____                 | 76 |
| 68.  | CCEA – Cross Connect Equipment Assignment _____            | 78 |
| 69.  | FPI - Freeze PIC Indicator _____                           | 79 |
| 70.  | PIC - InterLATA Pre-subscription Indicator Code _____      | 80 |
| 71.  | LPIC - IntraLATA Pre-subscription Indicator Code _____     | 81 |
| 72.  | IPIC - International Pre-subscription Indicator Code _____ | 82 |
| 10.6 | FEATURE SECTION _____                                      | 83 |
| 73.  | LOCNUM - Location Number _____                             | 83 |
| 74.  | RNUM - Reference Number _____                              | 84 |
| 75.  | FA - Feature Activity _____                                | 85 |
| 76.  | FEATURE - Feature Codes _____                              | 86 |
| 77.  | FEATURE DETAIL - Feature Detail _____                      | 87 |
| 78.  | LD – Long Distance _____                                   | 88 |
| 79.  | # PATHS – Number of Paths _____                            | 89 |
| 80.  | # RINGS – Number of RINGS _____                            | 90 |
| 10.7 | TRANSFER OF CALLS DETAIL SECTION _____                     | 91 |
| 81.  | LOCNUM - Location Number _____                             | 91 |
| 82.  | RNUM - Reference Number _____                              | 92 |
| 83.  | TC OPT - Transfer of Call Options _____                    | 93 |
| 84.  | TC TO PRI - Transfer of Calls To Primary Number _____      | 94 |
| 85.  | TC TO SEC - Transfer of Calls To Secondary Number _____    | 95 |
| 86.  | TC PER - Transfer of Calls Period _____                    | 96 |
| 87.  | TCID - Transfer of Calls To Identifier _____               | 97 |
| 88.  | TC NAME - Transfer of Calls To Name _____                  | 98 |
| 89.  | PTKCON – PBX Trunk Configuration _____                     | 99 |

DID/DOD/PBX – Section 10

|     |                           |     |
|-----|---------------------------|-----|
| 90. | REMARKS - Remarks         | 100 |
| 91. | SOE REMARKS – SOE Remarks | 101 |

## 10. DID/DOD/PBX

### 10.1 INTRODUCTION

1. This section describes the DID/DOD/PBX Service (DDPS) Ordering Form entries. The DDPS Form must always be associated with an administrative Local Service Request (LSR) Form and an End User (EU) Form. Usage strips define N (DID/DOD Resale) and E (PBX-Resale).
2. It is recognized that there may be fields in the Administrative portion of this section that are based on LSR activity (ACT) values. For documentation purposes the usage strips in the DID/DOD Telephone Number portion reflect only the applicable Telephone Number Activities (TNAs) and the usage strips in the Trunk Service Detail portion reflect only the applicable Trunking Activities (TACTs) for DID/DOD/PBX Service.

The applicable TNAs are as follows:

- N = Add new TN or block of TNs
- C = Change an existing account, e.g., rearrangement, feature activity
- D = Remove TN or block of TNs
- T = Outside move of end user location
- V = Convert existing TN or block of TNs as specified
- W = Conversion as is
- X = Telephone number change
- P = PIC change

The applicable TACTs are as follows:

- N = Add new trunks
- C = Change an existing account, e.g., rearrangement, feature activity
- D = Remove trunks
- T = Outside move of end user location
- V = Convert existing trunk(s) as specified
- W = Conversion as is
- S = Suspend
- B = Restore
- X = Telephone number change
- P = PIC change
- L = Seasonal suspension

## 10.2 DID/DOD/PBX ADMINISTRATIVE SECTION

### 1. PON - Purchase Order Number

Identifies the customer's unique purchase order or requisition number that authorizes the issuance of this request or supplement.

| INTERFACE | Field Name |
|-----------|------------|
| IRES      | PON        |
| FTP       | PON        |

**NOTE 1:** The purchase order number can not be reused.

**USAGE:** See usage strip below.

| ACTIVITIES  |   |   |   |   |   |   |   |   |   |   |   |
|-------------|---|---|---|---|---|---|---|---|---|---|---|
| R<br>E<br>Q |   | N | C | D | T | V | W | S | B | L | P |
|             | E | R | R | R | R | R | R | P | P | P | P |
|             | M | R | R | R | R | R | P | P | P | P | P |
|             | N | R | R | R | R | R | R | P | P | P | P |

**NOTE 1:** For usage related to FTP, refer to Sprint FTP SIBR and supporting documentation.

**DATA CHARACTERISTICS:** 16 alphanumeric characters

**EXAMPLE:** | 8 | 2 | 4 | Z | 9 | | | | | | | | | | | | | |

**2. VER - Version Identification**

Identifies the customer's version number.

| Interface | Field Name     |
|-----------|----------------|
| IRES      | VER            |
| FTP       | Not applicable |

**USAGE:** See usage strip below.

| ACTIVITIES  |   |   |   |   |   |   |   |   |   |   |   |
|-------------|---|---|---|---|---|---|---|---|---|---|---|
| R<br>E<br>Q |   | N | C | D | T | V | W | S | B | L | P |
|             | E | R | R | R | R | R | P | P | P | P | P |
|             | M | R | R | R | R | R | P | P | P | P | P |
|             | N | R | R | R | R | R | P | P | P | P | P |

**NOTE 1:** The VER is auto-populated by IRES.

**NOTE 2:** IRES will increment the VER field by 1 when a SUP is submitted.

**DATA CHARACTERISTICS:** 2 alphanumeric characters

**EXAMPLES:**

|   |   |
|---|---|
| A | A |
|---|---|

|   |   |
|---|---|
| A | 1 |
|---|---|

|   |  |
|---|--|
| 8 |  |
|---|--|

**3. AN - Account Number**

Identifies the main account number assigned by the NSP.

| Interface | Field Name     |
|-----------|----------------|
| IRES      | Not Applicable |
| FTP       | Not Applicable |

**NOTE 1:** This field is the Sprint LTD end users main telephone number assigned by Sprint LTD and represents an account that has not been migrated to another customer.

**NOTE 2:** This field is used to recognize the main telephone number that must be preordered in order to obtain all other associated telephone numbers.

**VALID ENTRIES:**

Account number  
 N = New account number requested

**USAGE:** This field is conditional.

| ACTIVITIES  |   |   |   |   |   |   |   |   |   |   |   |
|-------------|---|---|---|---|---|---|---|---|---|---|---|
| R<br>E<br>Q |   | N | C | D | T | V | W | S | B | L | P |
|             | E | R | R | R | R | R | R | P | P | P | P |
|             | M | R | R | R | R | R | P | P | P | P | P |
|             | N | R | R | R | R | R | R | P | P | P | P |

**NOTE 1:** Field is only supported for manual processing.

**NOTE 2:** When REQ TYPE = A and 2<sup>nd</sup> TOS = R, this field is required, otherwise prohibited.

**DATA CHARACTERISTICS:** 20 alphanumeric characters

**EXAMPLES:** |N| | | | | | | | | | | | | | | | | | | | | |

|A| |B| |3| |2| |2| |1| |4| |7| | | | | | | | | | | | | | | | |

**4. ATN - Account Telephone Number**

Identifies the account telephone number assigned by the NSP.

| Interface | Field Name |
|-----------|------------|
| IRES      | TEL NO     |
| FTP       | TN         |

**NOTE 1:** This field describes all telephone numbers associated with the AN field.

**NOTE 2:** All numbers requesting migration must be supplied.

**NOTE 3:** When processing manually, each telephone number must be listed on a separate form.

**USAGE:** See usage strip below.

| ACTIVITIES           |          |          |          |          |          |          |          |          |          |          |          |
|----------------------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
| <b>R<br/>E<br/>Q</b> |          | <b>N</b> | <b>C</b> | <b>D</b> | <b>T</b> | <b>V</b> | <b>W</b> | <b>S</b> | <b>B</b> | <b>L</b> | <b>P</b> |
|                      | <b>E</b> | R        | R        | R        | R        | R        | R        | P        | P        | P        | P        |
|                      | <b>M</b> | R        | R        | R        | R        | R        | P        | P        | P        | P        | P        |
|                      | <b>N</b> | R        | R        | R        | R        | R        | R        | P        | P        | P        | P        |

**NOTE 1:** For usage related to FTP, refer to Sprint FTP SIBR and supporting documentation

**NOTE 2:** Field will be auto-populated in IRES based on preorder information.

**DATA CHARACTERISTICS:** 10 alphanumeric characters (excluding 2 preprinted hyphens)

**EXAMPLE:** | 2 | 0 | 1 | - | 5 | 5 | 5 | - | 1 | 2 | 1 | 2 |

| N | | | - | | | | - | | | |

**5. ORD - Order Number**

Identifies the provider's order number for the service requested.

**NOTE 1:** This number may be pre-assigned to the customer by the provider.

**USAGE:** This field is not supported by Sprint LTD.

**6. PG\_of\_ - Page \_ of \_**

Identifies the page number and total number of pages contained in this request.

| Interface | Field Name     |
|-----------|----------------|
| IRES      | Not Applicable |
| FTP       | Not Applicable |

**USAGE:** See usage strip below.

| ACTIVITIES  |   |   |   |   |   |   |   |   |   |   |   |
|-------------|---|---|---|---|---|---|---|---|---|---|---|
| R<br>E<br>Q |   | N | C | D | T | V | W | S | B | L | P |
|             | E | R | R | R | R | R | R | P | P | P | P |
|             | M | R | R | R | R | R | P | P | P | P | P |
|             | N | R | R | R | R | R | R | P | P | P | P |

**DATA CHARACTERISTICS:** 6 numeric characters

**EXAMPLE:** PG    1 of    2

### **10.3 DID/DOD/PBX COMMON SECTION**

#### **7. LOCNUM - Location Number**

Identifies the service location number for the service requested.

**USAGE:** This field is not supported by Sprint LTD.

**8. RNUM - Reference Number**

Identifies each group as a unique number and each additional group as a unique number.

**USAGE:** This field is not supported by Sprint LTD.

**9. AD – Associated Detail**

Identifies the telephone number and/or trunk section(s) associated with this request.

| Interface | Field Name     |
|-----------|----------------|
| IRES      | Not Applicable |
| FTP       | Not Applicable |

**VALID ENTRIES:**

- A = DID/DOD Telephone Number Section only
- B = Trunk Service Detail Section only
- C = Both

**USAGE:** See usage strip below.

| ACTIVITIES  |   |   |   |   |   |   |   |   |   |   |   |
|-------------|---|---|---|---|---|---|---|---|---|---|---|
| R<br>E<br>Q |   | N | C | D | T | V | W | S | B | L | P |
|             | E | R | R | R | R | R | R | P | P | P | P |
|             | M | R | R | R | R | R | P | P | P | P | P |
|             | N | R | R | R | R | R | R | P | P | P | P |

**NOTE 1:** This field is required for manual processing only.

**DATA CHARACTERISTICS:** 1 alpha character

**EXAMPLE:** A

**10. NPI - Number Portability Indicator**

Identifies the status of the telephone number being ported.

| Interface | Field Name |
|-----------|------------|
| IRES      | NPI        |
| FTP       | NPI        |

**VALID ENTRIES:**

- A = Port out reserved TN
- B = Port out working TN
- C = Port in working TN
- D = Port in reserved TN
- E = Port in wireless TN

**NOTE 1:** Reserved numbers can only be ported when associated with an active account.

**NOTE 2:** “C” is the only valid entries for this section.

**USAGE:** See usage strip below.

| ACTIVITIES  |   |   |   |   |   |   |   |   |   |   |   |
|-------------|---|---|---|---|---|---|---|---|---|---|---|
| R<br>E<br>Q |   | N | C | D | T | V | W | S | B | L | P |
|             | E | O | O | P | C | C | P | P | P | P | P |
|             | M | O | O | P | C | C | P | P | P | P | P |
|             | N | O | O | P | C | C | P | P | P | P | P |

**NOTE 1:** For usage related to FTP, refer to Sprint FTP SIBR and supporting documentation.

**NOTE 2:** When REQ TYP=E or N and ACT=N, the end user customer may port in a number. The DDD field must have a date that is concurrent with the date of the disconnect where that line number currently resides.

**NOTE 3:** When REQ TYP=E or N and ACT = T and the end user existing wire center is changing the line number can be ported with a valid value of “C.”

**NOTE 4:** When REQ TYP = E or N and ACT= V and the EUMI = Y and the end user existing wire center is changing the line number can be ported with a valid value of “C.”

**NOTE 5:** When NPI field is populated, all associated line numbers must also have the same NPI value.

**NOTE 6:** The disconnected telephone number must be reused within the appropriate period or it will be returned to the available number pool.

**DATA CHARACTERISTICS:** 1 alpha character

**EXAMPLE:**

|   |
|---|
| A |
|---|

**11. LEAN – Line Existing Account Number**

Identifies the end user's existing account number assigned by the current NSP and/or LSP.

**USAGE:** This field is not supported by Sprint LTD.

**12. LEATN - Line Existing Account Telephone Number**

Identifies the end user's existing account telephone number assigned by the old LSP.

**USAGE:** This field is not supported by Sprint LTD.

**13. BSPRAO - Billing Service Provider Revenue Accounting Office Code**

Identifies the Revenue Accounting Office (RAO) Code that the Local Service Provider (LSP) has designated.

**USAGE:** This field is not supported by Sprint LTD.

## **10.4 DID/DOD TELEPHONE NUMBER SECTION**

### **14. LOCNUM - Location Number**

Identifies the service location number for the service requested.

**USAGE:** This field is not supported by Sprint LTD.

**15. RNUM – Reference Number**

Identifies each group as a unique number and each additional group as a unique number.

**USAGE:** This field is not supported by Sprint LTD.

**16. TNA - Telephone Number Activity**

Identifies the activity involved at the Telephone Number (TN) level.

| Interface | Field Name |
|-----------|------------|
| IRES      | LNA        |
| FTP       | RLNA       |

**VALID ENTRIES:**

- N = Add new TN or blocks of TNs
- C = Change an existing account, e.g., rearrangement, feature activity
- D = Remove TN or blocks of TNs
- M = Inside move of the physical termination within a building
- T = Outside move of end user location
- V = Convert existing TN or blocks of TNs as specified
- W = Conversion as is
- S = Suspend
- B = Restore
- X = Telephone number change
- P = PIC change
- L = Seasonal suspension
- Y = Deny
- H = Short term

**NOTE 1:** “M,” “L,” “Y,” and “H” are not supported by Sprint LTD.

**USAGE:** See usage strip below.

| ACTIVITIES  |   |   |   |   |   |   |   |   |   |   |   |   |
|-------------|---|---|---|---|---|---|---|---|---|---|---|---|
| R<br>E<br>Q |   | N | C | D | T | V | W | S | B | L | P |   |
|             | E | R | R | R | R | R | R | R | P | P | P | P |
|             | M | R | R | R | R | R | R | P | P | P | P | P |
|             | N | R | R | R | R | R | R | R | P | P | P | P |

**NOTE 1:** Required when the AD field is “A” or “C”, otherwise prohibited.

**NOTE 2:** For usage related to FTP, refer to Sprint FTP SIBR and supporting documentation.

**DATA CHARACTERISTICS:** 1 alpha character

**EXAMPLE:** N

**17. QN - Quantity of Numbers**

Identifies the quantity of telephone numbers involved in this request.

| Interface | Field Name     |
|-----------|----------------|
| IRES      | Not Applicable |
| FTP       | RSQTY          |

**VALID ENTRIES:**

1-999

**USAGE:** See usage strip below.

| ACTIVITIES  |   |   |   |   |   |   |   |   |   |   |   |
|-------------|---|---|---|---|---|---|---|---|---|---|---|
| R<br>E<br>Q |   | N | C | D | T | V | W | S | B | L | P |
|             | E | R | R | R | R | R | R | P | P | P | P |
|             | M | R | R | R | R | R | P | P | P | P | P |
|             | N | R | R | R | R | R | R | P | P | P | P |

**NOTE 1:** Required when the TNA field is populated, otherwise prohibited.

**NOTE 2:** For usage related to FTP, refer to Sprint FTP SIBR and supporting documentation.

**DATA CHARACTERISTICS:** 3 numeric characters

**EXAMPLE:**

|   |   |   |
|---|---|---|
| 9 | 9 | 9 |
|---|---|---|



**19. TNS – Telephone Numbers**

Identifies the telephone number or consecutive range of telephone numbers for this request.

| Interface | Field Name      |
|-----------|-----------------|
| IRES      | CLEC Remark Tab |
| FTP       | RWTN            |

**NOTE 1:** All telephone numbers for this request must be within the same switch.

**NOTE 2:** All telephone numbers associated with a range must have the same NPA/NXX.

**NOTE 3:** When ranging line numbers, a hyphen must be used as a delimiter.

**VALID ENTRIES:**

N = New telephone number requested

EOP = Extension off premises

XXX-XXX-XXXX = Telephone Number example below

ISDN BRI telephone number

Maintenance number

Telephone number

Terminal number

**NOTE 1:** When the TNA field is "X", the entry in this field indicates the new telephone number or request for a new telephone number. The out telephone number is shown in the OTNS field.

**USAGE:** See usage strip below.

| ACTIVITIES  |   |   |   |   |   |   |   |   |   |   |   |
|-------------|---|---|---|---|---|---|---|---|---|---|---|
| R<br>E<br>Q |   | N | C | D | T | V | W | S | B | L | P |
|             | E | C | C | P | C | C | P | P | P | P | P |
|             | M | C | C | P | C | C | P | P | P | P | P |
|             | N | C | C | P | C | C | P | P | P | P | P |

**NOTE 1:** Required when TNA field is populated, otherwise prohibited.

**NOTE 2:** For usage related to FTP, refer to Sprint FTP SIBR and supporting documentation.

**DATA CHARACTERISTICS:** 15 alphanumeric characters (excluding 2 preprinted hyphens)

**EXAMPLE:**

|   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 2 | 0 | 3 | - | 5 | 2 | 2 | - | 1 | 2 | 0 | 0 | - | 1 | 2 | 5 | 9 |
| N |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |

**20. OTNS – Out Telephone Numbers**

Identifies the existing telephone number or range of numbers that is being changed.

| Interface | Field Name |
|-----------|------------|
| IRES      | OTN        |
| FTP       | OTN        |

**USAGE:** See usage strip below.

| ACTIVITIES  |   |   |   |   |   |   |   |   |   |   |   |
|-------------|---|---|---|---|---|---|---|---|---|---|---|
| R<br>E<br>Q |   | N | C | D | T | V | W | S | B | L | P |
|             | E | P | C | P | C | C | P | P | P | P | P |
|             | M | P | C | P | C | C | P | P | P | P | P |
|             | N | P | C | P | C | C | P | P | P | P | P |

**NOTE 1:** Required when the LNA field is "X".

**NOTE 2:** Optional when the LNA field is "T" when moving wire center and end user does not wish to port telephone number, otherwise prohibited.

**NOTE 3:** For usage related to FTP, refer to Sprint FTP SIBR and supporting documentation.

**NOTE 4:** Optional when the ACT = V and EUMI = Y and wire center is changing and end user does not wish to port telephone number, otherwise prohibited.

**NOTE 5:** IRES will auto-populate OTN field.

**DATA CHARACTERISTICS:** 15 alphanumeric characters (excluding 2 preprinted hyphens)

**EXAMPLE:** | 2 | 0 | 3 | - | 5 | 2 | 2 | - | 1 | 2 | 0 | 0 | - | 1 | 2 | 5 | 9 |

**21. DA - Disassociated Telephone Number Action**

Identifies the action involved against the disassociated telephone number.

**USAGE:** This field is not supported by Sprint LTD.

**22. DSTNQ - Disassociated Telephone Number Quantity**

Identifies the quantity of disassociated telephone numbers.

**USAGE:** This field is not supported by Sprint LTD.

**23. DTNT - Disassociated Telephone Number Type**

Identifies how the number in the DSTN field is to be used.

**USAGE:** This field is not supported by Sprint LTD.

**24. DSTN - Disassociated Telephone Number**

Identifies the telephone number that will be used for a unique purpose as identified by the DTNT field.

**USAGE:** This field is not supported by Sprint LTD.

**25. ECCKT - Exchange Company Circuit ID**

Identifies a provider’s circuit identification.

| Interface | Field Name |
|-----------|------------|
| IRES      | ECCKT      |
| FTP       | CECCKT     |

**NOTE 1:** The format of the field is defined by the provider.

**NOTE 2:** All components within the ID should be delimited by periods.

**NOTE 3:** The layout of the field may be defined by the COMMON LANGUAGE standards.

**NOTE 4:** When a component of CLT, CLS and CLF is purposely omitted, the component should still be delimited and compressed to eliminate any spaces.

**NOTE 5:** If all positions in a component of CLT, CLS and CLF are not populated, the component should be compressed to eliminate any spaces.

**VALID ENTRIES:**

**SERIAL NUMBER FORMAT:**

Prefix/service code and modifier .serial number . suffix code . AP code . segment name (if applicable)

This format may be up to 25 characters in length.

**EXAMPLE:** 77.UCFS.123456..CTRL

**USAGE:** See usage strip below.

| ACTIVITIES  |   |   |   |   |   |   |   |   |   |   |   |
|-------------|---|---|---|---|---|---|---|---|---|---|---|
| R<br>E<br>Q |   | N | C | D | T | V | W | S | B | L | P |
|             | E | C | C | P | C | C | P | P | P | P | P |
|             | M | C | C | P | C | C | P | P | P | P | P |
|             | N | C | C | P | C | C | P | P | P | P | P |

**NOTE 1:** For usage related to FTP, refer to Sprint FTP SIBR and supporting documentation

**DATA CHARACTERISTICS:** 41 alphanumeric characters

**26. TGN – Trunk Group Number**

Identifies the trunk group number, which has been assigned by the provider.

**USAGE:** This field is not supported by Sprint LTD.

**27. RIN - Route Index Number**

Identifies the route index number assigned to the trunk group by the provider.

**USAGE:** This field is not supported by Sprint LTD.

**28. BA - Blocking Activity**

Indicates the activity for the blocking of calls.

| Interface | Field Name     |
|-----------|----------------|
| IRES      | Not Applicable |
| FTP       | BA             |

**VALID ENTRIES:**

- A = Add
- D = Delete
- N = No change
- Z = Remove all blocking

**USAGE:** See usage strip below

| ACTIVITIES  |   |   |   |   |   |   |   |   |   |   |   |
|-------------|---|---|---|---|---|---|---|---|---|---|---|
| R<br>E<br>Q |   | N | C | D | T | V | W | S | B | L | P |
|             | E | O | O | P | O | O | P | P | P | P | P |
|             | M | O | O | P | O | O | P | P | P | P | P |
|             | N | O | O | P | O | O | P | P | P | P | P |

**NOTE 1:** This field is supported for manual processing and FTP.

**NOTE 2:** IRES will auto-populate this field.

**NOTE 3:** For usage related to FTP, refer to Sprint FTP SIBR and supporting documentation.

**DATA CHARACTERISTICS:** 1 alpha character

**EXAMPLE:** D

**29. BLOCK – Block**

Identifies the type of blocking on the telephone number.

| Interface | Field Name |
|-----------|------------|
| IRES      | S&E CODE   |
| FTP       | BLOCK      |

**USAGE:** Supported only for FTP.

**NOTE 1:** For usage related to FTP, refer to Sprint FTP SIBR and supporting documentation.

**NOTE 2:** For IRES and manual processing, Service and Equipment Codes (S&E Codes) are required to order blocks.

**NOTE 3:** All blocks are State Tariff specific.

**30. CCEA – Cross Connect Equipment Assignment**

Identifies the physical point of termination at a collocation arrangement.

**USAGE:** This field is not supported by Sprint LTD.

## 10.5 TRUNK SERVICE DETAIL SECTION

### 31. LOCNUM – Location Number

Identifies the service location number for the service requested.

**USAGE:** This field is not supported by Sprint LTD.

**32. RNUM - Reference Number**

Identifies each group as a unique number and each additional group as a unique number.

**USAGE:** This field is not supported by Sprint LTD.

**33. TACT - Trunk Activity**

Identifies the activity involved at the trunk level.

| Interface | Field Name |
|-----------|------------|
| IRES      | LNA        |
| FTP       | RLNA       |

**VALID ENTRIES:**

- N = Add new trunks
- C = Change an existing account, e.g., rearrangement, feature activity
- D = Remove trunks
- M = Inside move of the physical termination within a building
- T = Outside move of end user location
- V = Convert existing trunk(s) as specified
- W = Conversion as is
- S = Suspend
- B = Restore
- X = Telephone number change
- P = PIC change
- L = Seasonal suspension
- Y = Deny
- H = Short term

**NOTE 1:** “M,” “L,” “Y,” and “H” are not supported by Sprint LTD.

**USAGE:** See usage strip below.

| ACTIVITIES  |   |   |   |   |   |   |   |   |   |   |   |
|-------------|---|---|---|---|---|---|---|---|---|---|---|
| R<br>E<br>Q |   | N | C | D | T | V | W | S | B | L | P |
|             | E | R | R | R | R | R | R | P | P | P | P |
|             | M | R | R | R | R | R | P | P | P | P | P |
|             | N | R | R | R | R | R | R | P | P | P | P |

**NOTE 1:** Required when the AD field is “A” or “C”, otherwise prohibited.

**NOTE 2:** For usage related to FTP, refer to Sprint FTP SIBR and supporting documentation.

**DATA CHARACTERISTICS:** 1 alpha character

**EXAMPLE:** N

**34. TERS - Terminal Numbers**

Identifies the number for a non-lead line in a multiline hunt group or consecutive range of terminal numbers.

**USAGE:** This field is not supported by Sprint LTD.

**35. TKQ - Trunk Quantity**

Identifies the quantity of trunks.

| Interface | Field Name                  |
|-----------|-----------------------------|
| IRES      | QTY = # of Trunks Requested |
| FTP       | RSQTY                       |

**USAGE:** This field is conditional.

| ACTIVITIES  |   |   |   |   |   |   |   |   |   |   |   |
|-------------|---|---|---|---|---|---|---|---|---|---|---|
| R<br>E<br>Q |   | N | C | D | T | V | W | S | B | L | P |
|             | E | R | R | R | R | R | R | P | P | P | P |
|             | M | R | R | R | R | R | P | P | P | P | P |
|             | N | R | R | R | R | R | R | P | P | P | P |

**NOTE 1:** Required when the TACT field is populated, otherwise prohibited.

**NOTE 2:** For usage related to FTP, refer to Sprint FTP SIBR and supporting documentation.

**NOTE 3:** Depending on REQ/ACT combination, field may be auto-populated in IRES.

**DATA CHARACTERISTICS:** 4 numeric characters

**EXAMPLE:**

|  |  |   |   |
|--|--|---|---|
|  |  | 1 | 0 |
|--|--|---|---|

### 36. TNS – Telephone Numbers

Identifies the telephone number or consecutive range of telephone numbers for this request.

| Interface | Field Name      |
|-----------|-----------------|
| IRES      | CLEC Remark Tab |
| FTP       | RWTN            |

**NOTE 1:** All telephone numbers for this request must be within the same switch.

**NOTE 2:** All telephone numbers associated with a range must have the same NPA/NXX.

**NOTE 3:** When ranging line numbers, a hyphen must be used as a delimiter.

**VALID ENTRIES:**

N = New telephone number requested  
 EOP = Extension off premises

XXX-XXX-XXXX = Telephone Number example below  
 ISDN BRI telephone number  
 Maintenance number  
 Telephone number  
 Terminal number

**NOTE 1:** When the TNA field is "X", the entry in this field indicates the new telephone number or request for a new telephone number. The out telephone number is shown in the OTNS field.

**USAGE:** See usage strip below.

| ACTIVITIES  |   |   |   |   |   |   |   |   |   |   |   |
|-------------|---|---|---|---|---|---|---|---|---|---|---|
| R<br>E<br>Q |   | N | C | D | T | V | W | S | B | L | P |
|             | E | C | C | P | C | C | P | P | P | P | P |
|             | M | C | C | P | C | C | P | P | P | P | p |
|             | N | C | C | P | C | C | P | P | P | P | P |

**NOTE 1:** Required when TNA field is populated, otherwise prohibited.

**NOTE 2:** For usage related to FTP, refer to Sprint FTP SIBR and supporting documentation.

**DATA CHARACTERISTICS:** 15 alphanumeric characters (excluding 2 preprinted hyphens)

**EXAMPLE:**

|   |   |   |
|---|---|---|
| 2 | 0 | 3 |
|---|---|---|

 - 

|   |   |   |
|---|---|---|
| 5 | 2 | 2 |
|---|---|---|

 - 

|   |   |   |   |   |   |   |   |   |
|---|---|---|---|---|---|---|---|---|
| 1 | 2 | 0 | 0 | - | 1 | 2 | 5 | 9 |
|---|---|---|---|---|---|---|---|---|

**37. OTN - Out Telephone Number**

Identifies the existing telephone number that is being changed.

| Interface | Field Name |
|-----------|------------|
| IRES      | OTN        |
| FTP       | OTN        |

**USAGE:** See usage strip below.

| ACTIVITIES  |   |   |   |   |   |   |   |   |   |   |   |
|-------------|---|---|---|---|---|---|---|---|---|---|---|
| R<br>E<br>Q |   | N | C | D | T | V | W | S | B | L | P |
|             | E | P | C | P | C | C | P | P | P | P | P |
|             | M | P | C | P | C | C | P | P | P | P | P |
|             | N | P | C | P | C | C | P | P | P | P | P |

**NOTE 1:** Required when the LNA field is "X".

**NOTE 2:** Optional when the LNA field is "T" when moving wire center and end user does not wish to port telephone number, otherwise prohibited.

**NOTE 3:** For usage related to FTP, refer to Sprint FTP SIBR and supporting documentation.

**NOTE 4:** Optional when the ACT = V and EUMI = Y and wire center is changing and end user does not wish to port telephone number, otherwise prohibited.

**NOTE 5:** IRES will auto-populate OTN field.

**DATA CHARACTERISTICS:** 10 numeric characters (excluding 2 preprinted hyphens)

**EXAMPLE:** | 2 | 0 | 1 | - | 6 | 9 | 9 | - | 0 | 0 | 0 | 1 |

**38. LTLI - Lead Telephone Line Identifier**

Identifies the lead telephone line identifier.

| Interface | Field Name |
|-----------|------------|
| IRES      | PTLI       |
| FTP       | PTLI       |

**VALID ENTRIES:**

N = New lead telephone number requested

XXX-XXX-XXXX = Telephone number

**USAGE:** See usage strip below.

| ACTIVITIES  |   |   |   |   |   |   |   |   |   |   |   |
|-------------|---|---|---|---|---|---|---|---|---|---|---|
| R<br>E<br>Q |   | N | C | D | T | V | W | S | B | L | P |
|             | E | C | C | P | C | C | P | P | P | P | P |
|             | M | C | C | P | C | C | P | P | P | P | P |
|             | N | C | C | P | C | C | P | P | P | P | P |

**NOTE 1:** For usage related to FTP, refer to Sprint FTP SIBR and supporting documentation.

**NOTE 2:** When REQ TYP = N, required when the TTP field is "B", "E" or "F" and the TNS field is not populated, otherwise optional.

**NOTE 3:** Optional when REQ TYP = E and the 2<sup>nd</sup> TOS is equal to J, otherwise prohibited.

**DATA CHARACTERISTICS:** 10 alphanumeric characters (excluding 2 preprinted hyphens)

**EXAMPLE:**

|   |   |   |
|---|---|---|
| 2 | 0 | 1 |
|---|---|---|

 - 

|   |   |   |
|---|---|---|
| 5 | 5 | 5 |
|---|---|---|

 - 

|   |   |   |   |
|---|---|---|---|
| 5 | 3 | 8 | 0 |
|---|---|---|---|

**39. TGN – Trunk Group Number**

Identifies the trunk group number, which has been assigned by the provider.

**USAGE:** This field is not supported by Sprint LTD.

**40. RIN – Route Index Number**

Identifies the route index number assigned to the trunk group by the provider.

**USAGE:** This field is not supported by Sprint LTD.

**41. TKID – Trunk ID**

Identifies the trunk ID of the service.

**USAGE:** This field is not supported by Sprint LTD.

**42. DIN - Digits In**

Identifies the number of digits outpulsed from the end user's equipment to the provider's central office.

**USAGE:** This field is not supported by Sprint LTD.

**43. DO - Digits Out**

Identifies the number of digits outputted from the central office to the customer's equipment.

**USAGE:** This field is not supported by Sprint LTD.

**44. PULSE - Type of Pulsing**

Identifies the type of pulsing.

| Interface | Field Name |
|-----------|------------|
| IRES      | PULSE      |
| FTP       | PULSE      |

**NOTE 1:** This field will identify the type of pulsing from the customer to the provider when a provider offers different inward and outward pulsing associated with two-way trunks.

**VALID ENTRIES:**

- DP = Dial pulse
- MF = Multi frequency
- DTMF = Dual-tone multi frequency

**USAGE:** See usage strip below.

| ACTIVITIES |   |   |   |   |   |   |   |   |   |   |   |
|------------|---|---|---|---|---|---|---|---|---|---|---|
| REQ        |   | N | C | D | T | V | W | S | B | L | P |
|            | E | C | C | P | C | C | P | P | P | P | P |
|            | M | C | C | P | C | C | P | P | P | P | P |
|            | N | C | C | P | C | C | P | P | P | P | P |

**NOTE 1:** When REQ TYP = N, required when the TACT field is “N”, otherwise optional.

**NOTE 2:** When REQ TYP = E and 2<sup>nd</sup> TOS is equal to J field is optional, otherwise prohibited.

**NOTE 3:** For usage related to FTP, refer to Sprint FTP SIBR and supporting documentation.

**DATA CHARACTERISTICS:** 4 alpha characters

**EXAMPLE:**

|   |   |  |  |
|---|---|--|--|
| D | P |  |  |
|---|---|--|--|

**45. PO – Type of Pulsing Outward**

Identifies the type of pulsing requested from the provider to the customer for the service.

**USAGE:** This field is not supported by Sprint LTD.

**46. SSIG - Start Signaling**

Identifies the type of start signaling requested.

| Interface | Field Name |
|-----------|------------|
| IRES      | SSIG       |
| FTP       | SSIG       |

**VALID ENTRIES:**

- LS = Loop start
- GS = Ground start
- WS = Wink start
- DD = Delayed dial
- IM = Immediate dial

**NOTE 1:** Valid entries of "LS" or "GS" are allowed only when the SGNL field is "LP".

**NOTE 2:** Valid entries of "WS", "DD" or "IM" are allowed only when the SGNL field is "E1", "E2" or "E3".

**USAGE:** See usage strip below.

| ACTIVITIES  |   |   |   |   |   |   |   |   |   |   |   |
|-------------|---|---|---|---|---|---|---|---|---|---|---|
| R<br>E<br>Q |   | N | C | D | T | V | W | S | B | L | P |
|             | E | C | C | P | C | C | P | P | P | P | P |
|             | M | C | C | P | C | C | P | P | P | P | P |
|             | N | C | C | P | C | C | P | P | P | P | P |

**NOTE 1:** Required when the TACT field is "N", otherwise optional.

**NOTE 2:** When REQ TYP = E and the 2<sup>nd</sup> TOS is equal to J and the SGNL field is populated with E1, E2 or E3, the only valid entries are WS, DD or IM.

**NOTE 3:** For usage related to FTP, refer to Sprint FTP SIBR and supporting documentation.

**DATA CHARACTERISTICS:** 2 alpha characters

**EXAMPLE:**

|   |   |
|---|---|
| I | M |
|---|---|

**47. SGNL – Signaling**

Identifies the type of signaling requested.

| Interface | Field Name |
|-----------|------------|
| IRES      | SGNL       |
| FTP       | SGNL       |

**VALID ENTRIES:**

- LP = Loop
- E1 = E&M type 1
- E2 = E&M type 2
- E3 = E&M type 3

**USAGE:** See usage strip below.

| ACTIVITIES  |   |   |   |   |   |   |   |   |   |   |   |
|-------------|---|---|---|---|---|---|---|---|---|---|---|
| R<br>E<br>Q |   | N | C | D | T | V | W | S | B | L | P |
|             | E | C | C | P | C | C | P | P | P | P | P |
|             | M | C | C | P | C | C | P | P | P | P | P |
|             | N | C | C | P | C | C | P | P | P | P | P |

**NOTE 1:** For usage related to FTP, refer to Sprint FTP SIBR and supporting documentation.

**NOTE 2:** Value is optional when the 2<sup>nd</sup> TOS is equal to H, J or K, otherwise prohibited.

**DATA CHARACTERISTICS:** 2 alphanumeric characters

**EXAMPLE:** | L | P |

**48. TTP – Trunk Type**

Identifies the type of trunk for this request.

| Interface | Field Name |
|-----------|------------|
| IRES      | PKTYP      |
| FTP       | PKTYP      |

**VALID ENTRIES:**

- A = Inward only (non-DID service)
- B = DID service
- C = Combination (2 way non-DID service)
- D = Outward only (non-DOD service)
- E = DOD service
- F = Combination (2 way DID and DOD service)

**USAGE:** See usage strip below.

| ACTIVITIES  |   |   |   |   |   |   |   |   |   |   |   |
|-------------|---|---|---|---|---|---|---|---|---|---|---|
| R<br>E<br>Q |   | N | C | D | T | V | W | S | B | L | P |
|             | E | C | C | P | C | C | P | P | P | P | P |
|             | M | C | C | P | C | C | P | P | P | P | P |
|             | N | P | P | P | P | P | P | P | P | P | P |

**NOTE 1:** For usage related to FTP, refer to Sprint FTP SIBR and supporting documentation.

**NOTE 2:** Optional when 2<sup>nd</sup> position of LTOS=J, otherwise prohibited.

**DATA CHARACTERISTICS:** 1 alpha character

**EXAMPLE:** B

**49. GL – Glare**

Identifies who will yield in a call contention situation.

**USAGE:** This field is not supported by Sprint LTD.

**50. CABLE ID - Cable Identification**

Identifies the provider's cable to be connected to the customer's equipment in a central office location.

**USAGE:** This field is not supported by Sprint LTD.

**51. CHAN/PAIR - Channel/Pair**

Identifies the specific channel or pair within the provider's cable to be used for connection.

**USAGE:** This field is not supported by Sprint LTD.

**52. BA - Blocking Activity**

Indicates the activity for the blocking of calls.

| Interface | Field Name     |
|-----------|----------------|
| IRES      | Not Applicable |
| FTP       | BA             |

**VALID ENTRIES:**

- A = Add
- D = Delete
- N = No change
- Z = Remove all blocking

**USAGE:** See usage strip below.

| ACTIVITIES  |   |   |   |   |   |   |   |   |   |   |   |
|-------------|---|---|---|---|---|---|---|---|---|---|---|
| R<br>E<br>Q |   | N | C | D | T | V | W | S | B | L | P |
|             | E | O | O | P | O | O | P | P | P | P | P |
|             | M | O | O | P | O | O | P | P | P | P | P |
|             | N | O | O | P | O | O | P | P | P | P | P |

**NOTE 1:** This field is supported for manual processing and FTP.

**NOTE 2:** IRES will auto-populate this field.

**NOTE 3:** For usage related to FTP, refer to Sprint FTP SIBR and supporting documentation.

**DATA CHARACTERISTICS:** 1 alpha character

**EXAMPLE:** D

**53. BLOCK - Block**

Identifies the type of blocking on the telephone number.

| Interface | Field Name |
|-----------|------------|
| IRES      | S&E CODE   |
| FTP       | BLOCK      |

**USAGE:** Supported only for FTP.

**NOTE 1:** For usage related to FTP, refer to Sprint FTP SIBR and supporting documentation.

**NOTE 2:** For IRES and manual processing, Service and Equipment Codes (S&E Codes) are required to order blocks.

**NOTE 3:** All blocks are State Tariff specific.

**54. LSCP – Local Service Provider Change Prohibited**

Identifies that the end user has requested the option of prohibiting the change of their current service provider or removing the option.

| Interface | Field Name   |
|-----------|--------------|
| IRES      | S&E CODE     |
| FTP       | FEATURE CODE |

**NOTE 1:** Invoking this option may require additional authorization or written permission.

**NOTE 2:** This code is used to only freeze the requested line.

**NOTE 3:** In IRES, the S&E Code can be found in the MISC Category on the Line Detail Tab.

**USAGE:** See usage strip below.

| ACTIVITIES  |   |   |   |   |   |   |   |   |   |   |   |
|-------------|---|---|---|---|---|---|---|---|---|---|---|
| R<br>E<br>Q |   | N | C | D | T | V | W | S | B | L | P |
|             | E | O | O | P | O | O | P | P | P | P | P |
|             | M | O | O | P | O | O | P | P | P | P | P |
|             | N | O | O | P | O | O | P | P | P | P | P |

**NOTE 1:** For usage related to FTP, refer to Sprint FTP SIBR and supporting documentation.

**DATA CHARACTERISTICS:** 6-10 alpha numeric characters

**EXAMPLE:** | A | A | A | A | L | S | R | | | |

**55. IWT - Inside Wire Type**

Identifies the type of inside wiring to be used.

**USAGE:** This field is not supported by Sprint LTD.

**56. IWJK - Inside Wire Jack Code**

Indicates the standard code for the type of jack requested for inside wiring.

**USAGE:** This field is not supported by Sprint LTD.

**57. IWJQ - Inside Wire Jack Quantity**

Indicates the number of jacks requested for inside wiring.

| Interface | Field Name |
|-----------|------------|
| IRES      | JKQTY      |
| FTP       | IWJQ       |

**VALID ENTRIES:**

01-99

**USAGE:** See usage strip below.

| ACTIVITIES  |   |   |   |   |   |   |   |   |   |   |   |
|-------------|---|---|---|---|---|---|---|---|---|---|---|
| R<br>E<br>Q |   | N | C | D | T | V | W | S | B | L | P |
|             | E | C | C | P | C | C | P | P | P | P | P |
|             | M | C | C | P | C | C | P | P | P | P | P |
|             | N | C | C | P | C | C | P | P | P | P | P |

**NOTE 1:** For usage related to FTP, refer to Sprint FTP SIBR and supporting documentation

**NOTE 2:** This field is optional when WIRE field is populated, otherwise prohibited.

**DATA CHARACTERISTICS:** 2 numeric characters

**EXAMPLE:**

|   |   |
|---|---|
| 0 | 1 |
|---|---|

**58. JK CODE - Jack Code**

Indicates the standard code for the particular registered or non-registered jack used to terminate the service.

**USAGE:** This field is not supported by Sprint LTD.

**59. JK NUM - Jack Number**

Identifies the number of the jack used on end user connections.

**USAGE:** This field is not supported by Sprint LTD.

**60. JK POS - Jack Position**

Identifies the position in the jack that a particular service will occupy.

**USAGE:** This field is not supported by Sprint LTD.

**61. JR - Jack Request**

Indicates a request for a new jack.

**USAGE:** This field is not supported by Sprint LTD.

**62. NIDR - NID Request**

Indicates a request for a new Network Interface Device (NID).

**USAGE:** This field is not supported by Sprint LTD.

**63. ECCKT - Exchange Company Circuit ID**

Identifies a provider’s circuit identification

| Interface | Field Name |
|-----------|------------|
| IRES      | ECCKT      |
| FTP       | CECCKT     |

**NOTE 1:** The format of the field is defined by the provider.

**NOTE 2:** All components within the ID should be delimited by periods.

**NOTE 3:** The layout of the field may be defined by the COMMON LANGUAGE standards.

**NOTE 4:** When a component of CLT, CLS and CLF is purposely omitted, the component should still be delimited and compressed to eliminate any spaces.

**NOTE 5:** If all positions in a component of CLT, CLS and CLF are not populated, the component should be compressed to eliminate any spaces.

**VALID ENTRIES:**

**SERIAL NUMBER FORMAT:**

Prefix/service code and modifier .serial number . suffix code . AP code . segment name (if applicable)

This format may be up to 25 characters in length.

**EXAMPLE:** 77.UCFS.123456..CTRL

**USAGE:** See usage strip below.

| ACTIVITIES  |   |   |   |   |   |   |   |   |   |   |   |
|-------------|---|---|---|---|---|---|---|---|---|---|---|
| R<br>E<br>Q |   | N | C | D | T | V | W | S | B | L | P |
|             | E | C | C | P | C | C | P | P | P | P | P |
|             | M | C | C | P | C | C | P | P | P | P | P |
|             | N | C | C | P | C | C | P | P | P | P | P |

**NOTE 1:** For usage related to FTP, refer to Sprint FTP SIBR and supporting documentation

**DATA CHARACTERISTICS:** 41 alphanumeric characters

**64. RL – Reuse Loop**

Identifies the desire to reuse the loop from an existing service arrangement for this request.

**USAGE:** This field is not supported by Sprint LTD.

**65. OECCKT – Old Exchange Company Circuit ID**

Identifies

**USAGE:** This field is not supported by Sprint LTD.



**67. CFA - Connecting Facility Assignment**

Identifies the provider carrier system and channel to be used.

| Interface | Field Name |
|-----------|------------|
| IRES      | CFA        |
| FTP       | CCFA       |

**NOTE 1:** The format and structure of this field is defined by ANSI in document T1.238, Identification of Telecommunication Facilities for the North American Telecommunications System. The Facility Identifier consists of the following elements:

1. **Facility Designation** - A code that, for a specific type of facility, uniquely identifies a path between two network nodes (variable length, 1-5 alphanumeric characters).
2. **Facility Type** - A code that describes a type of facility when it is other than a single baseband channel on cable. Valid entries are outlined in Telcordia Technologies document BR 795-450-100 (variable length, 1-6 alphanumeric characters).
3. **Channel/Pair /Time Slot** - A code that identifies a specific assignable portion of a facility (variable length, 1-5 alphanumeric characters).
4. **Location A** - A standardized code that uniquely identifies the location of facility terminal A, which has the lower in alphanumeric sequence of the two facility location codes. Valid values are outlined in Telcordia Technologies document BR 795-100-100 (8 or 11 alphanumeric characters).
5. **Location Z** - A standardized code that uniquely identifies the location of facility terminal Z, which has the higher in alphanumeric sequence of the two facility location codes. Valid values are outlined in Telcordia Technologies document BR 795-100-100 (8 or 11 alphanumeric characters).

**NOTE 2:** Either virgules (/) or periods (.) are used consistently as delimiters to separate all elements of the CFA.

**NOTE 3:** All element entries of the CFA are left justified with no trailing spaces.

**NOTE 4:** Applicable when utilizing Hi-Cap facilities and the customer has assignment control.

**USAGE:** See usage strip below.

| ACTIVITIES  |   |   |   |   |   |   |   |   |   |   |   |
|-------------|---|---|---|---|---|---|---|---|---|---|---|
| R<br>E<br>Q |   | N | C | D | T | V | W | S | B | L | P |
|             | E | O | O | P | O | O | P | P | P | P | P |
|             | M | P | P | P | P | P | P | P | P | P | P |
|             | N | O | O | P | O | O | P | P | P | P | P |

**NOTE 1:** For usage related to FTP, refer to Sprint FTP SIBR and supporting documentation.

**NOTE 2:** Valid when 2<sup>nd</sup> TOS/LTOS is equal to J or D, otherwise prohibited.

**DATA CHARACTERISTICS:** 42 alphanumeric characters

**EXAMPLES:**

|   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 1 | 0 | 1 | / | T | 1 | / | 3 | / | B | S | T | N | M | A | G | T | C | G | 0 | / |
| B | S | T | N | M | A | M | T | K | 3 | 1 |   |   |   |   |   |   |   |   |   |   |

|   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 1 | 0 | 1 | / | T | 1 | / | 1 | - | 2 | 4 | / | B | S | T | N | M | A | G | T | C |
| G | 0 | / | B | S | T | N | M | A | M | T | K | 3 | 1 |   |   |   |   |   |   |   |

|   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 1 | 0 | 1 | . | T | 1 | . | 3 | . | B | S | T | N | M | A | G | T | C | G | 0 | . |
| B | S | T | N | M | A | M | T | K | 3 | 1 |   |   |   |   |   |   |   |   |   |   |

**NOTE 1:** The second example shows the proper format for ranging channel assignments.

**68. CCEA – Cross Connect Equipment Assignment**

Identifies the physical point of termination at a collocation arrangement.

**USAGE:** This field is not supported by Sprint LTD.

**69. FPI - Freeze PIC Indicator**

Indicates the customer’s requested freeze option.

| Interface | Field Name |
|-----------|------------|
| IRES      | FPIC       |
| FTP       | FPI        |

**NOTE 1:** This instance of the FPI field identifies the LSP end user’s freeze option for the PIC and LPIC fields.

**VALID ENTRIES:**

- A = Freeze LSP’s IntraLATA PIC
- B = Freeze LSP’s Inter & IntraLATA PIC
- E = Freeze LSP’s InterLATA PIC
- R = Remove InterLATA freeze
- S = Remove IntraLATA freeze
- T = Remove Inter & IntraLATA freezes

**USAGE:** See usage strip below.

| ACTIVITIES  |   |   |   |   |   |   |   |   |   |   |   |
|-------------|---|---|---|---|---|---|---|---|---|---|---|
| R<br>E<br>Q |   | N | C | D | T | V | W | S | B | L | P |
|             | E | O | P | P | O | O | P | P | P | P | P |
|             | M | O | P | P | O | O | P | P | P | P | P |
|             | N | O | P | P | O | O | P | P | P | P | P |

**NOTE 1:** For usage related to FTP, refer to Sprint FTP SIBR and supporting documentation

**DATA CHARACTERISTICS:** 1 alpha character

**EXAMPLE:** A

**70. PIC - InterLATA Pre-subscription Indicator Code**

Identifies the Pre-subscription Indicator Code (PIC) of the carrier the customer has selected for InterLATA traffic.

| Interface | Field Name |
|-----------|------------|
| IRES      | PIC        |
| FTP       | PIC        |

**VALID ENTRIES:**

- Valid PIC code
- NONE
- NA = Not applicable
- DFLT = Default
- NC = No change
- UNDC = Undecided

**NOTE 1:** NONE - Customer does not want to pre-subscribe.

**NOTE 2:** “NA”, “DFLT,” “NC,” and “UNDC” are not supported by Sprint LTD.

**USAGE:** See usage strip below.

| ACTIVITIES  |   |   |   |   |   |   |   |   |   |   |   |   |
|-------------|---|---|---|---|---|---|---|---|---|---|---|---|
| R<br>E<br>Q |   | N | C | D | T | V | W | S | B | L | P |   |
|             | E | R | C | P | C | C | P | P | P | P | P | P |
|             | M | R | C | P | C | C | P | P | P | P | P | P |
|             | N | R | C | P | C | C | P | P | P | P | P | P |

**NOTE 1:** For usage related to FTP, refer to Sprint FTP SIBR and supporting documentation

**NOTE 2:** Required when the TACT field is “N”, or “P”, otherwise optional.

**NOTE 3:** Optional when TACT field is “C” or “X”.

**DATA CHARACTERISTICS:** 4 alphanumeric characters

**EXAMPLE:**

|   |   |   |   |
|---|---|---|---|
| 0 | 2 | 8 | 8 |
|---|---|---|---|

**71. LPIC - IntraLATA Pre-subscription Indicator Code**

Identifies the Pre-subscription Indicator Code (PIC) of the carrier the customer has selected for IntraLATA traffic.

| Interface | Field Name |
|-----------|------------|
| IRES      | LPIC       |
| FTP       | LPIC       |

**VALID ENTRIES:**

- Valid PIC code
- NONE
- NA = Not applicable
- DFLT = Default
- NC = No change
- UNDC = Undecided

**NOTE 1:** NONE - Customer does not want to pre-subscribe.

**NOTE 2:** “NA,” “DFLT,” “NC” and “UNDC” are not supported by Sprint LTD.

**USAGE:** See usage strip below.

| ACTIVITIES  |   |   |   |   |   |   |   |   |   |   |   |
|-------------|---|---|---|---|---|---|---|---|---|---|---|
| R<br>E<br>Q |   | N | C | D | T | V | W | S | B | L | P |
|             | E | R | C | P | C | C | P | P | P | P | P |
|             | M | P | P | P | P | P | P | P | P | P | P |
|             | N | R | C | P | C | C | P | P | P | P | P |

**NOTE 1:** For usage related to FTP, refer to Sprint FTP SIBR and supporting documentation

**NOTE 2:** Required when the TACT field is “N”, or “P”, otherwise optional.

**NOTE 3:** Optional when TACT field is “C” or “X”.

**DATA CHARACTERISTICS:** 4 alphanumeric characters

**EXAMPLE:**

|   |   |   |   |
|---|---|---|---|
| 0 | 2 | 8 | 8 |
|---|---|---|---|

**72. IPIC - International Pre-subscription Indicator Code**

Identifies the Pre-subscription Indicator Code (PIC) of the carrier the customer has selected for international traffic.

**USAGE:** This field is not supported by Sprint LTD.

## 10.6 FEATURE SECTION

### 73. **LOCNUM - Location Number**

Identifies the service location number for the service requested.

**USAGE:** This field is not supported by Sprint LTD.

**74. RNUM - Reference Number**

Identifies each group as a unique number and each additional group as a unique number.

**USAGE:** This field is not supported by Sprint LTD.

**75. FA - Feature Activity**

Indicates the activity type for the feature.

| Interface | Field Name |
|-----------|------------|
| IRES      | FA         |
| FTP       | FA         |

**VALID ENTRIES:**

- N = Add/install
- C = Change to feature detail
- D = Disconnect
- I = Insert listing/data
- O = Delete listing/data
- V = Conversion to new LSP as specified
- W = Conversion as is

**NOTE 1:** “C”, “I” and “O” are not supported by IRES.

**NOTE 2:** “C”, “I”, “V”, “W” are not supported by FTP.

**USAGE:** See usage strip below.

| ACTIVITIES  |   |   |   |   |   |   |   |   |   |   |   |
|-------------|---|---|---|---|---|---|---|---|---|---|---|
| R<br>E<br>Q |   | N | C | D | T | V | W | S | B | L | P |
|             | E | R | O | P | O | O | O | P | P | P | P |
|             | M | R | O | P | O | O | P | P | P | P | P |
|             | N | R | O | P | O | O | O | P | P | P | P |

**NOTE 1:** For usage related to FTP, refer to Sprint FTP SIBR and supporting documentation.

**NOTE 2:** When ACT = N, C, T, V or W, IRES will auto-populate the FA field.

**DATA CHARACTERISTICS:** 1 alpha character

**EXAMPLE:**

**76. FEATURE - Feature Codes**

Identifies the type of feature associated with the line.

| Interface | Field Name |
|-----------|------------|
| IRES      | S&E CODE   |
| FTP       | FEATURE    |

**NOTE 1:** Codes for feature identification may include: USOCs, FIDs or S&E Codes.

**NOTE 2:** Sprint LTD uses this field to select the access line associated with the TOS/LTOS.

**USAGE:** See usage strip below.

| ACTIVITIES  |   |   |   |   |   |   |   |   |   |   |   |
|-------------|---|---|---|---|---|---|---|---|---|---|---|
| R<br>E<br>Q |   | N | C | D | T | V | W | S | B | L | P |
|             | E | C | C | P | C | C | P | P | P | P | P |
|             | M | C | C | P | C | C | P | P | P | P | P |
|             | N | C | C | P | C | C | P | P | P | P | P |

**NOTE 1:** For usage related to FTP, refer to Sprint FTP SIBR and supporting documentation

**NOTE 2:** Required when the FA field is populated, otherwise optional.

**DATA CHARACTERISTICS:** 6 alphanumeric characters

**EXAMPLE:**

|   |   |   |  |  |  |
|---|---|---|--|--|--|
| I | C | A |  |  |  |
|---|---|---|--|--|--|



**78. LD – Long Distance**

Identifies if the telephone number associated with fixed call forward and remote call forward telephone number is to be dialed 1+.

| Interface | Field Name     |
|-----------|----------------|
| IRES      | LD             |
| FTP       | Not Applicable |

**NOTE 1:** This is a Sprint proprietary field and used in accordance with Industry standards.

**USAGE:** See usage strip below.

| ACTIVITIES  |   |   |   |   |   |   |   |   |   |   |   |
|-------------|---|---|---|---|---|---|---|---|---|---|---|
| R<br>E<br>Q |   | N | C | D | T | V | W | S | B | L | P |
|             | E | C | C | P | C | C | P | P | P | P | P |
|             | M | C | C | P | C | C | P | P | P | P | P |
|             | N | C | C | P | C | C | P | P | P | P | P |

**NOTE 1:** For usage related to FTP, refer to Sprint FTP SIBR and supporting documentation.

**NOTE 2:** When REQ TYP = M the 4<sup>th</sup> TOS of “R” is prohibited.

**DATA CHARACTERISTICS:** 1 alpha character

**EXAMPLES:** Y

**79. # PATHS – Number of Paths**

Identifies the number of paths associated with remote call forwarding

| Interface | Field Name |
|-----------|------------|
| IRES      | #PATHS     |
| FTP       | NUMOFPATHS |

**NOTE 1:** This is a Sprint proprietary field and not supported by Industry.

**USAGE:** See usage strip below.

| ACTIVITIES  |   |   |   |   |   |   |   |   |   |   |   |
|-------------|---|---|---|---|---|---|---|---|---|---|---|
| R<br>E<br>Q |   | N | C | D | T | V | W | S | B | L | P |
|             | E | C | C | P | C | C | P | P | P | P | P |
|             | D | P | P | P | P | P | P | P | P | P | P |
|             | M | C | C | P | C | C | P | P | P | P | P |

**NOTE 1:** For usage related to FTP, refer to Sprint FTP SIBR and supporting documentation.

**NOTE 2:** Required when Feature Detail is populated.

**DATA CHARACTERISTICS:** 1-3 numeric characters

**EXAMPLES:**

|   |  |  |  |
|---|--|--|--|
| 3 |  |  |  |
|---|--|--|--|

**80. # RINGS – Number of RINGS**

Identifies the number of rings needed when call forward no answer is selected.

| Interface | Field Name |
|-----------|------------|
| IRES      | #RINGS     |
| FTP       | RINGS      |

**NOTE 1:** This is a Sprint proprietary field and not supported by Industry.

**USAGE:** See usage strip below.

| ACTIVITIES  |   |   |   |   |   |   |   |   |   |   |   |
|-------------|---|---|---|---|---|---|---|---|---|---|---|
| R<br>E<br>Q |   | N | C | D | T | V | W | S | B | L | P |
|             | E | C | C | P | C | C | P | P | P | P | P |
|             | D | P | P | P | P | P | P | P | P | P | P |
|             | M | C | C | P | C | C | P | P | P | P | P |

**NOTE 1:** For usage related to FTP, refer to Sprint FTP SIBR and supporting documentation.

**NOTE 2:** Optional when FCD1FLC feature code is present.

**NOTE 3:** Value defaulted to 4 if not populated.

**DATA CHARACTERISTICS:** 10 numeric characters including 2 pre-populated hyphens

**EXAMPLES:**

|   |   |   |   |   |   |   |   |   |   |   |   |
|---|---|---|---|---|---|---|---|---|---|---|---|
| 9 | 1 | 3 | - | 1 | 2 | 3 | - | 4 | 5 | 6 | 7 |
|---|---|---|---|---|---|---|---|---|---|---|---|

## **10.7 TRANSFER OF CALLS DETAIL SECTION**

### **81. LOCNUM - Location Number**

Identifies the service location number for the service requested.

**USAGE:** This field is not supported by Sprint LTD.

**82. RNUM - Reference Number**

Identifies each group as a unique number and each additional group as a unique number.

**USAGE:** This field is not supported by Sprint LTD.

**83. TC OPT - Transfer of Call Options**

Identifies the type of transfer of call option the end user has requested.

| Interface | Field Name |
|-----------|------------|
| IRES      | TC OPT     |
| FTP       | TCOPT      |

**USAGE:** Refer to Section 3 - End User.

**84. TC TO PRI - Transfer of Calls To Primary Number**

Identifies the telephone number to which calls are to be referred.

| <b>Interface</b> | <b>Field Name</b> |
|------------------|-------------------|
| IRES             | TC TO PRI         |
| FTP              | TCTOPRI           |

**USAGE:** Refer to Section 3 - End User.

**85. TC TO SEC - Transfer of Calls To Secondary Number**

Identifies the secondary telephone number to which calls are to be referred.

**USAGE:** This field is not supported by Sprint LTD.

**86. TC PER - Transfer of Calls Period**

Indicates the requested date that the transfer of calls, specified in the TC TO PRI field, is to be removed and the standard recorded announcement is to be provided.

| Interface | Field Name |
|-----------|------------|
| IRES      | TC PER     |
| FTP       | TCPER      |

**USAGE:** Refer to Section 3 - End User.

**87. TCID - Transfer of Calls To Identifier**

Identifies the sequence of telephone numbers and names associated with split transfer of calls.

**USAGE:** This field is not supported by Sprint LTD.

**88. TC NAME - Transfer of Calls To Name**

Identifies the name(s) associated with TC TO PRI and TC TO SEC fields to which calls are to be referred when split transfer of calls is requested.

**USAGE:** This field is not supported by Sprint LTD.

**89. PTKCON – PBX Trunk Configuration**

Identifies the directional configuration of the PBX trunk being ordered.

| Interface | Field Name |
|-----------|------------|
| IRES      | PTKCON     |
| FTP       | PTKCON     |

**VALID ENTRIES:**

- T = Two Way
- I = In Only
- O = Out Only

**USAGE:** See usage strip below.

| ACTIVITIES  |   |   |   |   |   |   |   |   |   |   |   |
|-------------|---|---|---|---|---|---|---|---|---|---|---|
| R<br>E<br>Q |   | N | C | D | T | V | W | S | B | L | P |
|             | E | C | C | P | C | C | P | P | P | P | P |
|             | M | C | C | P | C | C | P | P | P | P | P |
|             | N | P | P | P | P | P | P | P | P | P | P |

**NOTE 1:** This is a Sprint proprietary field and used in accordance with Industry standards.

**NOTE 2:** For usage related to FTP, refer to Sprint FTP SIBR and supporting documentation.

**NOTE 3:** Required when the LNA = N (New) and the 2<sup>nd</sup> character of LTOS = J (PBX), otherwise optional.

**DATA CHARACTERISTICS:** 1 alpha character

**EXAMPLE:** T



**91. SOE REMARKS – SOE Remarks**

Identifies information that is to be written directly to the service order (SOE).

| Interface | Field Name     |
|-----------|----------------|
| IRES      | SOE REMARKS    |
| FTP       | Not Applicable |

**NOTE 1:** This is Sprint LTD proprietary field.

**NOTE 2:** The purpose of this field is to allow users to provide information such as driving directions, can be reached numbers and rotary hunt sequences.

**USAGE:** See usage strip below.

| ACTIVITIES  |   |   |   |   |   |   |   |   |   |   |   |
|-------------|---|---|---|---|---|---|---|---|---|---|---|
| R<br>E<br>Q |   | N | C | D | T | V | W | S | B | L | P |
|             | E | O | O | O | O | O | O | P | P | P | P |
|             | M | P | P | O | P | P | P | P | P | P | P |
|             | N | O | O | O | O | O | P | P | P | P | P |

**DATA CHARACTERISTICS:** 50 alphanumeric characters

**EXAMPLE:** N | W | | C | O | R | N | E | R | | O | F | | 5 | T | H | | & | | S |  
 | A | N | T | A | | F | E | | B | L | V | D | . | | B | E | H | I | N | D |  
 | | T | H | E | | P | I | Z | Z | A | | S | H | O | P | | | | |