

Table of Contents

3.	END USER _____	3
3.1	INTRODUCTION _____	3
3.2	END USER ADMINISTRATIVE SECTION _____	4
1.	PON - Purchase Order Number _____	4
2.	VER - Version Identification _____	5
3.	AN - Account Number _____	6
4.	ATN - Account Telephone Number _____	7
5.	DQTY - Disconnect Quantity _____	8
6.	PG_of_ - Page _ of _ _____	10
3.3	END USER LOCATION AND ACCESS _____	11
7.	LOCNUM - Location Number _____	11
8.	EUA - End User Activity _____	12
9.	NAME - End User Name _____	13
10.	NCON – New Construction _____	14
11.	AFT – Address Format Type _____	15
12.	SAPR - Service Address Number Prefix _____	16
13.	SANO - Service Address Number _____	17
14.	SASF - Service Address Number Suffix _____	18
15.	SASD - Service Address Street Directional Prefix _____	19
16.	SASN - Service Address Street Name _____	21
17.	SATH - Service Address Street Type _____	22
18.	SASS - Service Address Street Directional Suffix _____	23
19.	LD1 - Location Designator 1 _____	25
20.	LV1 - Location Value 1 _____	26
21.	LD2 - Location Designator 2 _____	27
22.	LV2 – Location Value 2 _____	28
23.	LD3 – Location Designator 3 _____	29
24.	LV3 - Location Value 3 _____	30
25.	AAI – Additional Address Information _____	31
26.	CITY – City _____	32
27.	STATE - State/Province _____	33
28.	ZIP - ZIP/Postal Code _____	34
29.	LCON - Local Contact _____	35
30.	ORDN - Ordinance Number _____	36
31.	TEL NO - Telephone Number _____	37
32.	EUMI - End User Moving Indicator _____	38
33.	BAI – Billing Availability Indicator _____	39
34.	ACC - Access Information _____	40
35.	WSOP - Working Service on Premises _____	41
36.	NRBYTN - Nearby Telephone Number _____	42
37.	CPE MFR - Customer Premises Equipment Manufacturer _____	43
38.	CPE MOD - Customer Premises Equipment Model Number _____	44
39.	ELT - End User Listing Treatment _____	45
3.4	END USER INSIDE WIRE _____	46
40.	IWO - Inside Wire Options _____	46
41.	IWBAN - Inside Wire Bill Account Number _____	48

42.	IWCON - Inside Wire Contact _____	49
43.	TEL NO - Telephone Number _____	50
3.5	END USER BILL SECTION _____	51
44.	EAN - Existing Account Number _____	51
45.	EATN - Existing Account Telephone Number _____	52
46.	FBI - Final Bill Information Indicator _____	53
47.	BILLNM - Bill Name _____	54
48.	SBILLNM - Secondary Bill Name _____	55
49.	STREET – Street Address _____	56
50.	FLOOR – Floor _____	57
51.	ROOM/MAIL STOP - Room/Mail Stop _____	58
52.	CITY - City _____	59
53.	STATE - State/Province _____	60
54.	ZIP - ZIP/Postal Code _____	61
55.	BILLCON - Billing Contact _____	62
56.	TEL NO - Telephone Number _____	63
57.	SSN - Social Security Number _____	64
58.	TAX ID – Tax ID Number _____	65
3.6	END USER BILLING DETAILS _____	66
59.	ETEL NO – End User Telephone Number _____	66
60.	EBILLNM – End User Bill Name _____	67
61.	ESTREET – End User Billing Street Address _____	68
62.	EFLOOR– End User Billing Floor _____	69
63.	EROOM/MAIL STOP – End User Room/Mail Stop _____	70
64.	ECITY – End User City _____	71
65.	ESTATE – End User State/Province _____	72
66.	EZIP – End User ZIP / Postal Code _____	73
3.7	END USER DISCONNECT INFORMATION _____	74
67.	DNUM - Disconnect Line Number _____	74
68.	DISC NBR - Disconnect Telephone Number _____	76
69.	DISC ECCKT - Disconnect ECCKT _____	77
70.	TERS - Terminal Numbers _____	78
71.	TC OPT - Transfer of Call Options _____	79
72.	TC TO PRI - Transfer of Calls To Primary Number _____	80
73.	TC TO SEC - Transfer of Calls To Secondary Number _____	81
74.	TCID - Transfer of Calls To Identifier _____	82
75.	TC NAME - Transfer of Calls To Name _____	83
76.	TC PER - Transfer of Calls Period _____	84
77.	REMARKS – Remarks _____	86

3. END USER

3.1 INTRODUCTION

1. This section describes the End User Information (EU) Form entries. The EU Form must always be associated with the LSR and service specific forms which contain administrative, bill detail and service details necessary for the provisioning of the request. The field entries contained within the EU Form are provided by the customer. The customer is defined as the individual or organization ordering the local service.
2. All location and access information required for ordering local service is provided in the various fields contained within the EU Form.

3.2 END USER ADMINISTRATIVE SECTION

1. PON - Purchase Order Number

Identifies the customer's unique purchase order or requisition number that authorizes the issuance of this request or supplement.

Interface	Field Name
IRES	PON
FTP	PON

NOTE 1: The purchase order number can not be reused.

USAGE: See usage strip below.

ACTIVITIES											
R E Q U E S T T Y P E		N	C	D	T	V	W	S	B	L	P
	A	R	R	R	R	R	R	P	P	P	R
	B/LNP	P	P	P	P	R	P	P	P	P	P
	B/INP	P	P	R	P	R	P	P	P	P	P
	C/LNP	P	P	P	P	R	P	P	P	P	P
	C/INP	P	P	R	P	R	P	P	P	P	P
	D	P	P	R	P	P	P	P	P	P	P
	E	R	R	R	R	R	R	R	R	R	P
	F	R	R	R	R	R	R	P	P	P	P
	J	R	R	R	P	P	P	P	P	P	P
	K	R	R	R	R	R	R	P	P	P	P
	M	R	R	R	R	R	P	R	R	P	P
	N	R	R	R	R	R	R	P	P	P	P
P	R	R	R	R	R	R	R	R	R	P	

NOTE 1: For usage related to FTP, refer to Sprint FTP SIBR and supporting documentation.

DATA CHARACTERISTICS: 16 alphanumeric characters

EXAMPLE: | 8 | 2 | 4 | Z | 9 | | | | | | | | | | | | | |

2. VER - Version Identification

Identifies the customer’s version number.

Interface	Field Name
IRES	VER
FTP	Not applicable

USAGE: See usage strip below.

ACTIVITIES												
R E Q U E S T T Y P E		N	C	D	T	V	W	S	B	L	P	
	A	R	R	R	R	R	R	R	P	P	P	R
	B/LNP	P	P	P	P	R	P	P	P	P	P	
	B/INP	P	P	R	P	R	P	P	P	P	P	
	C/LNP	P	P	P	P	R	P	P	P	P	P	
	C/INP	P	P	R	P	R	P	P	P	P	P	
	D	P	P	R	P	P	P	P	P	P	P	
	E	R	R	R	R	R	R	R	R	R	R	P
	F	R	R	R	R	R	R	R	P	P	P	P
	J	R	R	R	P	P	P	P	P	P	P	P
	K	R	R	R	R	R	R	R	P	P	P	P
	M	R	R	R	R	R	R	P	R	R	P	P
	N	R	R	R	R	R	R	R	P	P	P	P
P	R	R	R	R	R	R	R	R	R	R	P	

NOTE 1: The VER is auto-populated by IRES.

NOTE 2: IRES will increment the VER field by 1 when a SUP is submitted.

DATA CHARACTERISTICS: 2 numeric characters

EXAMPLES: | 1 | 2 |

| 8 | |

3. AN - Account Number

Identifies the main account number assigned by the NSP.

USAGE: This field is not supported by Sprint LTD.

4. ATN - Account Telephone Number

Identifies the account telephone number assigned by the NSP.

USAGE: This field is not supported by Sprint LTD.

5. DQTY - Disconnect Quantity

Identifies the quantity of telephone numbers/circuits affected by this service request.

Interface	Field Name
IRES	DISC QTY
FTP	DQTY

NOTE 1: Indicates the quantity of telephone numbers to be disconnected with this request.

NOTE 2: Indicates the quantity of telephone numbers affecting call transfer information.

USAGE: See usage strip below.

ACTIVITIES											
R E Q U E S T T Y P E		N	C	D	T	V	W	S	B	L	P
	A	P	P	P	P	C	P	P	P	P	P
	B/LNP	P	P	P	P	C	P	P	P	P	P
	B/INP	P	P	P	P	C	P	P	P	P	P
	C/LNP	P	P	P	P	C	P	P	P	P	P
	C/INP	P	P	P	P	C	P	P	P	P	P
	D	P	P	C	P	P	P	P	P	P	P
	E	P	P	C	P	C	P	P	P	P	P
	F	P	P	C	P	C	P	P	P	P	P
	J	P	P	P	P	P	P	P	P	P	P
	K	P	P	C	P	C	P	P	P	P	P
	M	P	P	C	P	C	P	P	P	P	P
N	P	P	C	P	C	P	P	P	P	P	
P	P	P	C	P	C	P	P	P	P	P	

NOTE 1: This field is auto-populated in IRES when the user chooses to completely disconnect the telephone number.

NOTE 2: For usage related to FTP, refer to Sprint FTP SIBR and supporting documentation.

NOTE 3: The total DQTY quantity must equate to the last number in the DNUM field.

NOTE 4: This field is required when a DNUM is present, otherwise prohibited.

DATA CHARACTERISTICS: 4 numeric characters

EXAMPLE:

	8	0	0
--	---	---	---

6. PG_of_ - Page _ of _

Identifies the page number and total number of pages contained in this request.

Interface	Field Name
IRES	Not Applicable
FTP	Not Applicable

USAGE: See usage strip below.

ACTIVITIES												
R E Q U E S T T Y P E		N	C	D	T	V	W	S	B	L	P	
	A	R	R	R	R	R	R	R	P	P	P	R
	B/LNP	P	P	P	P	R	P	P	P	P	P	P
	B/INP	P	P	R	P	R	P	P	P	P	P	P
	C/LNP	P	P	P	P	R	P	P	P	P	P	P
	C/INP	P	P	R	P	R	P	P	P	P	P	P
	D	P	P	R	P	P	P	P	P	P	P	P
	E	R	R	R	R	R	R	R	R	R	R	P
	F	R	R	R	R	R	R	R	P	P	P	P
	J	R	R	R	P	P	P	P	P	P	P	P
	K	R	R	R	R	R	R	R	P	P	P	P
	M	R	R	R	R	R	R	P	R	R	P	P
	N	R	R	R	R	R	R	R	P	P	P	P
P	R	R	R	R	R	R	R	R	R	R	P	

DATA CHARACTERISTICS: 4 numeric characters

EXAMPLE: PG 1 of 2

3.3 END USER LOCATION AND ACCESS

7. LOCNUM - Location Number

Identifies the service location number for the service requested.

USAGE: This field is not supported by Sprint LTD.

8. EUA - End User Activity

Identifies the activity at a location when multiple end user locations exist for a service.

USAGE: This field is not supported by Sprint LTD.

9. NAME - End User Name

Identifies the name of the end user.

Interface	Field Name
IRES	NAME
FTP	NAME

NOTE 1: The name in this field is not intended to be used for directory services.

NOTE 2: The name in this field is intended to be used for Caller ID services.

USAGE: See usage strip below.

ACTIVITIES												
R E Q U E S T T Y P E		N	C	D	T	V	W	S	B	L	P	
	A	R	R	R	R	R	R	R	P	P	P	R
	B/LNP	P	P	P	P	R	P	P	P	P	P	
	B/INP	P	P	R	P	R	P	P	P	P	P	
	C/LNP	P	P	P	P	R	P	P	P	P	P	
	C/INP	P	P	R	P	R	P	P	P	P	P	
	D	P	P	R	P	P	P	P	P	P	P	
	E	R	R	R	R	R	R	R	R	R	R	P
	F	R	R	R	R	R	R	R	P	P	P	P
	J	R	R	R	R	P	P	P	P	P	P	P
	K	R	R	R	R	R	R	R	P	P	P	P
	M	R	R	R	R	R	R	P	R	R	R	P
	N	R	R	R	R	R	R	R	P	P	P	P
P	R	R	R	R	R	R	R	R	R	R	P	

NOTE 1: Name must be entered as Last Name, First Name for residential customers.

NOTE 2: For usage related to FTP, refer to Sprint FTP SIBR and supporting documentation

NOTE 3: REQ/ACT combinations determine whether IRES will auto-populate field.

DATA CHARACTERISTICS: 30 alphanumeric characters

EXAMPLE: | O | L | Y | M | P | I | C | | C | O | R | P | |

| M | I | L | L | E | R | , | | B | O | B | |

10. NCON – New Construction

Identifies that the service address is a new construction or a new location within an existing service address. This would typically indicate that telephone service has not previously existed at this service address.

USAGE: This field is not supported by Sprint LTD.

11. AFT – Address Format Type

Identifies the format of the address being supplied.

USAGE: This field is not supported in Sprint LTD.

12. SAPR - Service Address Number Prefix

Identifies the prefix for the address number of the service address.

USAGE: This field is not supported by Sprint LTD.

13. SANO - Service Address Number

Identifies the number of the service address.

Interface	Field Name
IRES	HOUSE NO
FTP	SANO

USAGE: See usage strip below.

ACTIVITIES												
R E Q U E S T T Y P E		N	C	D	T	V	W	S	B	L	P	
	A	R	R	R	R	R	P	P	P	P	P	R
	B/LNP	P	P	P	P	R	P	P	P	P	P	P
	B/INP	P	P	R	P	R	P	P	P	P	P	P
	C/LNP	P	P	P	P	R	P	P	P	P	P	P
	C/INP	P	P	R	P	R	P	P	P	P	P	P
	D	P	P	R	P	P	P	P	P	P	P	P
	E	R	R	R	R	R	R	R	R	R	R	P
	F	R	R	R	R	R	R	P	P	P	P	P
	J	R	R	R	P	P	P	P	P	P	P	P
	K	R	R	R	R	R	R	P	P	P	P	P
	M	R	R	R	R	R	P	R	R	R	P	P
	N	R	R	R	R	R	R	R	P	P	P	P
P	R	R	R	R	R	R	R	R	R	R	P	

NOTE 1: For usage related to FTP, refer to Sprint FTP SIBR and supporting documentation.

NOTE 2: Field auto-populated in IRES based on PreOrder.

DATA CHARACTERISTICS: 8 alphanumeric characters

EXAMPLE:

4	5	0					
---	---	---	--	--	--	--	--

NOTE 1: Where 450 is the address number for the following address example: 450 1/2 SW Camino Ramon Ln NW, Unit 12, Bldg 2, Flr 23.

14. SASF - Service Address Number Suffix

Identifies the suffix for the address number of the service address.

Interface	Field Name
IRES	FRAC
FTP	SASF

USAGE: See usage strip below.

ACTIVITIES												
R E Q U E S T T Y P E		N	C	D	T	V	W	S	B	L	P	
	A	O	O	O	O	O	O	P	P	P	P	O
	B/LNP	P	P	P	P	O	P	P	P	P	P	P
	B/INP	P	P	O	P	O	P	P	P	P	P	P
	C/LNP	P	P	P	P	O	P	P	P	P	P	P
	C/INP	P	P	O	P	O	P	P	P	P	P	P
	D	P	P	O	P	P	P	P	P	P	P	P
	E	O	O	O	O	O	O	O	O	O	O	P
	F	O	O	O	O	O	O	P	P	P	P	P
	J	O	O	O	P	P	P	P	P	P	P	P
	K	O	O	O	O	O	O	P	P	P	P	P
	M	O	O	O	O	O	O	P	O	O	P	P
N	O	O	O	O	O	O	O	P	P	P	P	
P	O	O	O	O	O	O	O	O	O	O	P	

NOTE 1: For usage related to FTP, refer to Sprint FTP SIBR and supporting documentation.

NOTE 2: Field auto-populated in IRES based on PreOrder.

DATA CHARACTERISTICS: 5 alphanumeric characters

EXAMPLE:

1	/	2		
---	---	---	--	--

NOTE 1: Where 1/2 is the number suffix for the following address example: 450 1/2 SW Camino Ramon Ln NW, Unit 12, Bldg 2, Flr 23.

15. SASD - Service Address Street Directional Prefix

Identifies the street directional prefix for the service address.

Interface	Field Name
IRES	DIR
FTP	SASD

VALID ENTRIES:

- N = North
- S = South
- E = East
- W = West
- NE = Northeast
- NW = Northwest
- SE = Southeast
- SW = Southwest

USAGE: See usage strip below.

ACTIVITIES												
R E Q U E S T T Y P E		N	C	D	T	V	W	S	B	L	P	
	A	O	O	O	O	O	O	O	P	P	P	O
	B/LNP	P	P	P	P	O	P	P	P	P	P	P
	B/INP	P	P	O	P	O	P	P	P	P	P	P
	C/LNP	P	P	P	P	O	P	P	P	P	P	P
	C/INP	P	P	O	P	O	P	P	P	P	P	P
	D	P	P	O	P	P	P	P	P	P	P	P
	E	O	O	O	O	O	O	O	O	O	O	P
	F	O	O	O	O	O	O	O	P	P	P	P
	J	O	O	O	P	P	P	P	P	P	P	P
	K	O	O	O	O	O	O	O	P	P	P	P
	M	O	O	O	O	O	O	P	O	O	P	P
N	O	O	O	O	O	O	O	P	P	P	P	
P	O	O	O	O	O	O	O	O	O	O	P	

NOTE 1: For usage related to FTP, refer to Sprint FTP SIBR and supporting documentation.

NOTE 2: Field auto-populated in IRES based on PreOrder.

DATA CHARACTERISTICS: 2 alphanumeric characters

EXAMPLE:

S	W
---	---

NOTE 1: Where SW is the street directional prefix for the following address example: 450 1/2 SW Camino Ramon Ln NW, Unit 12, Bldg 2, Flr 23.

17. SATH - Service Address Street Type

Identifies the thoroughfare portion of the street name of the service address.

Interface	Field Name
IRES	TYP
FTP	SATH

NOTE 1: Recommended abbreviations are contained in the United States Postal Service Publication 28, Postal Addressing Standards, Street Suffix Abbreviations Section.

USAGE: See usage strip below.

ACTIVITIES												
R E Q U E S T T Y P E		N	C	D	T	V	W	S	B	L	P	
	A	O	O	O	O	O	O	O	P	P	P	O
	B/LNP	P	P	P	P	O	P	P	P	P	P	
	B/INP	P	P	O	P	O	P	P	P	P	P	
	C/LNP	P	P	P	P	O	P	P	P	P	P	
	C/INP	P	P	O	P	O	P	P	P	P	P	
	D	P	P	O	P	P	P	P	P	P	P	
	E	O	O	O	O	O	O	O	O	O	O	P
	F	O	O	O	O	O	O	O	P	P	P	P
	J	O	O	O	P	P	P	P	P	P	P	P
	K	O	O	O	O	O	O	O	P	P	P	P
	M	O	O	O	O	O	O	P	O	O	P	P
	N	O	O	O	O	O	O	O	P	P	P	P
P	O	O	O	O	O	O	O	O	O	O	P	

NOTE 1: For usage related to FTP, refer to Sprint FTP SIBR and supporting documentation.

NOTE 2: Field auto-populated in IRES based on PreOrder.

DATA CHARACTERISTICS: 6 alphanumeric characters

EXAMPLE:

L	N				
---	---	--	--	--	--

NOTE 1: Where LN is the address street name type for the following address example: 450 1/2 SW Camino Ramon Ln NW, Unit 12, Bldg 2, Flr 23.

18. SASS - Service Address Street Directional Suffix

Identifies the street directional suffix for the service address.

Interface	Field Name
IRES	SUFFIX
FTP	SASS

VALID ENTRIES:

- N = North
- S = South
- E = East
- W = West
- NE = Northeast
- NW = Northwest
- SE = Southeast
- SW = Southwest

USAGE: See usage strip below.

ACTIVITIES												
R E Q U E S T T Y P E		N	C	D	T	V	W	S	B	L	P	
	A	O	O	O	O	O	O	O	P	P	P	O
	B/LNP	P	P	P	P	O	P	P	P	P	P	
	B/INP	P	P	O	P	O	P	P	P	P	P	
	C/LNP	P	P	P	P	O	P	P	P	P	P	
	C/INP	P	P	O	P	O	P	P	P	P	P	
	D	P	P	O	P	P	P	P	P	P	P	
	E	O	O	O	O	O	O	O	O	O	O	P
	F	O	O	O	O	O	O	O	P	P	P	P
	J	O	O	O	P	P	P	P	P	P	P	P
	K	O	O	O	O	O	O	O	P	P	P	P
	M	O	O	O	O	O	O	P	O	O	P	P
N	O	O	O	O	O	O	O	P	P	P	P	
P	O	O	O	O	O	O	O	O	O	O	P	

NOTE 1: For usage related to FTP, refer to Sprint FTP SIBR and supporting documentation.

NOTE 2: Field auto-populated in IRES based on PreOrder.

DATA CHARACTERISTICS: 5 alphanumeric characters

EXAMPLE: | N | W |

NOTE 1: Where NW is the street directional suffix for the following address example: 450 1/2 SW Camino Ramon Ln NW, Unit 12, Bldg 2, Flr 23.

19. LD1 - Location Designator 1

Identifies additional specific information related to the address (i.e. room/unit).

Interface	Field Name
IRES	Not Applicable
FTP	Not Applicable

NOTE 1: This instance of the LD1 field is used for the service address of room/unit.

NOTE 2: Recommended abbreviations are contained in United States Postal Service Publication 28, Postal Addressing Standards, Secondary Unit Designators Section.

USAGE: See usage strip below.

ACTIVITIES												
R E Q U E S T T Y P E		N	C	D	T	V	W	S	B	L	P	
	A	O	O	O	O	O	O	P	P	P	P	O
	B/LNP	P	P	P	P	O	P	P	P	P	P	
	B/INP	P	P	O	P	O	P	P	P	P	P	
	C/LNP	P	P	P	P	O	P	P	P	P	P	
	C/INP	P	P	O	P	O	P	P	P	P	P	
	D	P	P	O	P	P	P	P	P	P	P	
	E	O	O	O	O	O	O	O	O	O	O	P
	F	O	O	O	O	O	O	P	P	P	P	
	J	O	O	O	P	P	P	P	P	P	P	
	K	O	O	O	O	O	O	P	P	P	P	
	M	O	O	O	O	O	P	O	O	P	P	
	N	O	O	O	O	O	O	P	P	P	P	
P	O	O	O	O	O	O	O	O	O	O	P	

NOTE 1: This field is not supported for IRES or FTP.

NOTE 2: LD1 must be paired with LV1.

DATA CHARACTERISTICS: 4 alpha characters

EXAMPLE:

U	N	I	T
---	---	---	---

NOTE 1: Where UNIT is the first location designator for the following address example: 450 1/2 SW Camino Ramon Ln NW, Unit 12, Bldg 2, Flr 23.

20. LV1 - Location Value 1

Identifies the value associated with the first location designator of the address, i.e. room or unit number.

Interface	Field Name
IRES	ROOM/UNIT
FTP	ROOM

NOTE 1: This instance of the LV1 field is used for the service address room or unit number.

USAGE: See usage strip below.

ACTIVITIES												
R E Q U E S T T Y P E		N	C	D	T	V	W	S	B	L	P	
	A	O	O	O	O	O	O	O	P	P	P	O
	B/LNP	P	P	P	P	O	P	P	P	P	P	
	B/INP	P	P	O	P	O	P	P	P	P	P	
	C/LNP	P	P	P	P	O	P	P	P	P	P	
	C/INP	P	P	O	P	O	P	P	P	P	P	
	D	P	P	O	P	P	P	P	P	P	P	
	E	O	O	P	O	P	P	P	P	P	P	
	F	O	O	O	O	O	O	P	P	P	P	
	J	O	O	O	P	P	P	P	P	P	P	
	K	O	O	O	O	O	O	P	P	P	P	
	M	O	O	O	O	O	P	O	O	P	P	
	N	O	O	O	O	O	O	P	P	P	P	
P	O	O	O	O	O	O	O	O	O	P		

NOTE 1: For usage related to FTP, refer to Sprint FTP SIBR and supporting documentation.

NOTE 2: Field auto-populated in IRES based on PreOrder.

DATA CHARACTERISTICS: 5 alphanumeric characters

EXAMPLE:

1	2								
---	---	--	--	--	--	--	--	--	--

NOTE 1: Where 12 is the first location value for the following address example: 450 1/2 SW Camino Ramon Ln NW, Unit 12, Bldg 2, Flr 23.

21. LD2 - Location Designator 2

Identifies additional specific information related to the address (i.e. building).

Interface	Field Name
IRES	Not Applicable
FTP	Not Applicable

NOTE 1: This instance of the LD2 field is used for the service address of building.

NOTE 2: Recommended abbreviations are contained in United States Postal Service Publication 28, Postal Addressing Standards, Secondary Unit Designators Section.

USAGE: See usage strip below.

ACTIVITIES												
R E Q U E S T T Y P E		N	C	D	T	V	W	S	B	L	P	
	A	O	O	O	O	O	O	O	P	P	P	O
	B/LNP	P	P	P	P	O	P	P	P	P	P	
	B/INP	P	P	O	P	O	P	P	P	P	P	
	C/LNP	P	P	P	P	O	P	P	P	P	P	
	C/INP	P	P	O	P	O	P	P	P	P	P	
	D	P	P	O	P	P	P	P	P	P	P	
	E	O	O	O	O	O	O	O	O	O	O	P
	F	O	O	O	O	O	O	O	P	P	P	P
	J	O	O	O	P	P	P	P	P	P	P	P
	K	O	O	O	O	O	O	O	P	P	P	P
	M	O	O	O	O	O	O	P	O	O	P	P
	N	O	O	O	O	O	O	O	P	P	P	P
P	O	O	O	O	O	O	O	O	O	O	P	

NOTE 1: This field is not supported for IRES or FTP.

NOTE 2: LD2 must be paired with LV2.

DATA CHARACTERISTICS: 4 alpha characters

EXAMPLE: | B | L | D | G |

NOTE 1: Where BLDG is the first location designator for the following address example: 450 1/2 SW Camino Ramon Ln NW, Unit 12, Bldg 2, Flr 23.

22. LV2 – Location Value 2

Identifies the value associated with the second location designator of the address, i.e. building.

Interface	Field Name
IRES	BUILDING
FTP	BLDG

NOTE 1: This instance of the LV2 field is used for the service address building number.

USAGE: See usage strip below.

ACTIVITIES												
R E Q U E S T T Y P E		N	C	D	T	V	W	S	B	L	P	
	A	O	O	O	O	O	O	O	P	P	P	O
	B/LNP	P	P	P	P	O	P	P	P	P	P	
	B/INP	P	P	O	P	O	P	P	P	P	P	
	C/LNP	P	P	P	P	O	P	P	P	P	P	
	C/INP	P	P	O	P	O	P	P	P	P	P	
	D	P	P	O	P	P	P	P	P	P	P	
	E	O	O	P	O	P	P	P	P	P	P	
	F	O	O	O	O	O	O	O	P	P	P	
	J	O	O	O	P	P	P	P	P	P	P	
	K	O	O	O	O	O	O	O	P	P	P	
	M	O	O	P	O	P	P	P	P	P	P	
	N	O	O	O	O	O	O	O	P	P	P	
P	O	O	O	O	O	O	O	O	O	O		

NOTE 1: For usage related to FTP, refer to Sprint FTP SIBR and supporting documentation.

NOTE 2: Field auto-populated in IRES based on PreOrder.

DATA CHARACTERISTICS: 15 alphanumeric characters

EXAMPLE: | 2 | | | | | | | | | | | | | | |

NOTE 1: Where 2 is the first location value for the following address example: 450 1/2 SW Camino Ramon Ln NW, Unit 12, Bldg 2, Flr 23.

23. LD3 – Location Designator 3

Identifies additional specific information related to the address (i.e. floor).

Interface	Field Name
IRES	Not Applicable
FTP	Not Applicable

NOTE 1: This instance of the LD3 field is used for the service address.

NOTE 2: Recommended abbreviations are contained in United States Postal Service Publication 28, Postal Addressing Standards, Secondary Unit Designators Section.

USAGE: See usage strip below.

ACTIVITIES												
R E Q U E S T T Y P E		N	C	D	T	V	W	S	B	L	P	
	A	O	O	O	O	O	O	O	P	P	P	O
	B/LNP	P	P	P	P	O	P	P	P	P	P	
	B/INP	P	P	O	P	O	P	P	P	P	P	
	C/LNP	P	P	P	P	O	P	P	P	P	P	
	C/INP	P	P	O	P	O	P	P	P	P	P	
	D	P	P	O	P	P	P	P	P	P	P	
	E	O	O	O	O	O	O	O	O	O	O	P
	F	O	O	O	O	O	O	O	P	P	P	P
	J	O	O	O	P	P	P	P	P	P	P	P
	K	O	O	O	O	O	O	O	P	P	P	P
	M	O	O	O	O	O	O	P	O	O	P	P
	N	O	O	O	O	O	O	O	P	P	P	P
P	O	O	O	O	O	O	O	O	O	O	P	

NOTE 1: This field is not supported for IRES or FTP.

NOTE 2: LD3 must be paired with LV3.

DATA CHARACTERISTICS: 4 alpha characters

EXAMPLE:

F	L	R	
---	---	---	--

NOTE 1: Where FLR is the third location designator for the following address example: 450 1/2 SW Camino Ramon Ln NW, Unit 12, Bldg 2, Flr 23.

24. LV3 - Location Value 3

Identifies the value associated with the third location designator of the address, i.e. floor

Interface	Field Name
IRES	FLOOR
FTP	FLOOR

NOTE 1: This instance of the LV3 field is used for the service address floor number.

USAGE: See usage strip below.

ACTIVITIES												
R E Q U E S T T Y P E		N	C	D	T	V	W	S	B	L	P	
	A	O	O	O	O	O	O	O	P	P	P	O
	B/LNP	P	P	P	P	O	P	P	P	P	P	
	B/INP	P	P	O	P	O	P	P	P	P	P	
	C/LNP	P	P	P	P	O	P	P	P	P	P	
	C/INP	P	P	O	P	O	P	P	P	P	P	
	D	P	P	O	P	P	P	P	P	P	P	
	E	O	O	P	O	P	P	P	P	P	P	
	F	O	O	O	O	O	O	O	P	P	P	
	J	O	O	O	P	P	P	P	P	P	P	
	K	O	O	O	O	O	O	O	P	P	P	
	M	O	O	O	O	O	O	P	O	O	P	
	N	O	O	O	O	O	O	O	P	P	P	
P	O	O	O	O	O	O	O	O	O	O		

NOTE 1: For usage related to FTP, refer to Sprint FTP SIBR and supporting documentation.

NOTE 2: Field auto-populated in IRES based on PreOrder.

DATA CHARACTERISTICS: 3 alphanumeric characters

EXAMPLE: | 2 | 3 | | | | | | | | |

NOTE 1: Where 23 is the third location value for the following address example: 450 1/2 SW Camino Ramon Ln NW, Unit 12, Bldg 2, Flr 23.

25. AAI – Additional Address Information

Identifies additional location information about the address.

USAGE: This field is not supported by Sprint LTD.

27. STATE - State/Province

Identifies the abbreviation for the state or province.

Interface	Field Name
IRES	STATE
FTP	STATE

NOTE 1: This instance of the STATE field is used for the service address.

NOTE 2: Recommended abbreviations are contained in the United States Postal Service Publication 28, Postal Addressing Standards.

USAGE: See usage strip below.

ACTIVITIES												
R E Q U E S T T Y P E		N	C	D	T	V	W	S	B	L	P	
	A	R	R	R	R	R	P	P	P	P	P	R
	B/LNP	P	P	P	P	R	P	P	P	P	P	P
	B/INP	P	P	R	P	R	P	P	P	P	P	P
	C/LNP	P	P	P	P	R	P	P	P	P	P	P
	C/INP	P	P	R	P	R	P	P	P	P	P	P
	D	P	P	R	P	P	P	P	P	P	P	P
	E	R	R	R	R	R	R	R	R	R	R	P
	F	R	R	R	R	R	R	R	P	P	P	P
	J	R	R	R	P	P	P	P	P	P	P	P
	K	R	R	R	R	R	R	R	P	P	P	P
	M	R	R	R	R	R	R	P	R	R	P	P
N	R	R	R	R	R	R	R	P	P	P	P	
P	R	R	R	R	R	R	R	R	R	R	P	

NOTE 1: For usage related to FTP, refer to Sprint FTP SIBR and supporting documentation.

NOTE 2: Field auto-populated in IRES based on PreOrder.

DATA CHARACTERISTICS: 2 alpha characters

EXAMPLE:

N	J
---	---

28. ZIP - ZIP/Postal Code

Identifies the ZIP code, ZIP code + extension or postal code.

Interface	Field Name
IRES	ZIP
FTP	ZIPCODE

NOTE 1: This instance of the ZIP field is used for the service address.

USAGE: See usage strip below.

ACTIVITIES												
R E Q U E S T T Y P E		N	C	D	T	V	W	S	B	L	P	
	A	R	R	R	R	R	P	P	P	P	P	R
	B/LNP	P	P	P	P	R	P	P	P	P	P	P
	B/INP	P	P	R	P	R	P	P	P	P	P	P
	C/LNP	P	P	P	P	R	P	P	P	P	P	P
	C/INP	P	P	R	P	R	P	P	P	P	P	P
	D	P	P	R	P	P	P	P	P	P	P	P
	E	R	R	R	R	R	R	R	R	R	R	P
	F	R	R	R	R	R	R	R	P	P	P	P
	J	R	R	R	P	P	P	P	P	P	P	P
	K	R	R	R	R	R	R	R	P	P	P	P
	M	R	R	R	R	R	R	P	R	R	P	P
	N	R	R	R	R	R	R	R	P	P	P	P
P	R	R	R	R	R	R	R	R	R	R	P	

NOTE 1: For usage related to FTP, refer to Sprint FTP SIBR and supporting documentation.

NOTE 2: Field auto-populated in IRES based on PreOrder.

DATA CHARACTERISTICS: 12 alphanumeric characters

EXAMPLES: | 0 | 7 | 0 | 3 | 9 | | | | | | | |

| 0 | 8 | 8 | 5 | 4 | - | 1 | 2 | 3 | 3 | 4 | 4 |

| M | 5 | A | | | 1 | X | 7 | | | | |

29. LCON - Local Contact

Identifies the local contact name for access.

Interface	Field Name
IRES	LCON NAME
FTP	LCON

USAGE: See usage strip below.

ACTIVITIES												
R E Q U E S T T Y P E		N	C	D	T	V	W	S	B	L	P	
	A	R	O	O	R	C	P	P	P	P	P	O
	B/LNP	P	P	P	P	C	P	P	P	P	P	P
	B/INP	P	P	O	P	C	P	P	P	P	P	P
	C/LNP	P	P	P	P	C	P	P	P	P	P	P
	C/INP	P	P	O	P	C	P	P	P	P	P	P
	D	P	P	O	P	P	P	P	P	P	P	P
	E	R	O	P	R	C	P	P	P	P	P	P
	F	R	O	O	R	C	O	P	P	P	P	P
	J	O	O	O	P	P	P	P	P	P	P	P
	K	R	O	O	R	C	O	P	P	P	P	P
	M	R	O	P	R	C	P	P	P	P	P	P
N	R	O	O	R	C	O	P	P	P	P	P	
P	R	O	P	R	C	O	P	P	P	P	P	

NOTE 1: For usage related to FTP, refer to Sprint FTP SIBR and supporting documentation.

NOTE 2: Required when EUMI is present.

DATA CHARACTERISTICS: 15 alphanumeric characters

EXAMPLE: | J | O | H | N | | S | M | I | T | H | | | | | | |

30. ORDN - Ordinance Number

Identifies a unique serial number assigned for a service address by a city, county, or state government agency.

NOTE 1: This number may be used to determine what ordinances are applicable for the end users address.

USAGE: This field is not supported by Sprint LTD.

31. TEL NO - Telephone Number

Identifies the telephone number.

Interface	Field Name
IRES	LCON TEL NO
FTP	LCONTELNO

NOTE 1: This appearance of TEL NO is for the local contact for the service location.

USAGE: See usage strip below.

ACTIVITIES												
R E Q U E S T T Y P E		N	C	D	T	V	W	S	B	L	P	
	A	R	O	O	R	C	P	P	P	P	P	O
	B/LNP	P	P	P	P	C	P	P	P	P	P	
	B/INP	P	P	O	P	C	P	P	P	P	P	
	C/LNP	P	P	P	P	C	P	P	P	P	P	
	C/INP	P	P	O	P	C	P	P	P	P	P	
	D	P	P	O	P	P	P	P	P	P	P	
	E	R	O	O	R	C	O	O	O	O	P	
	F	R	O	O	R	C	O	P	P	P	P	
	J	O	O	O	P	P	P	P	P	P	P	
	K	R	O	O	R	C	O	P	P	P	P	
	M	R	O	P	R	C	P	P	P	P	P	
	N	R	O	O	R	C	O	P	P	P	P	
	P	R	O	P	R	C	O	P	P	P	P	

NOTE 1: For usage related to FTP, refer to Sprint FTP SIBR and supporting documentation.

NOTE 2: Required when EUMI is present.

DATA CHARACTERISTICS: 10 numeric characters (excluding 2 preprinted hyphens)

EXAMPLE:

2	0	1
---	---	---

 -

9	8	1
---	---	---

 -

3	5	8	7
---	---	---	---

32. EUMI - End User Moving Indicator

Indicates when the end user location is changing.

Interface	Field Name
IRES	END USER MOVING
FTP	EUMI

NOTE 1: End user address information indicates the new service address location.

VALID ENTRIES:

Y = End user is moving

USAGE: See usage strip below.

ACTIVITIES												
R E Q U E S T T Y P E		N	C	D	T	V	W	S	B	L	P	
	A	P	P	P	P	O	P	P	P	P	P	P
	B/LNP	P	P	P	P	O	P	P	P	P	P	
	B/INP	P	P	P	P	O	P	P	P	P	P	
	C/LNP	P	P	P	P	O	P	P	P	P	P	
	C/INP	P	P	P	P	O	P	P	P	P	P	
	D	P	P	P	P	P	P	P	P	P	P	
	E	P	P	P	P	O	P	P	P	P	P	
	F	P	P	P	P	O	P	P	P	P	P	
	J	P	P	P	P	P	P	P	P	P	P	
	K	P	P	P	P	O	P	P	P	P	P	
	M	P	P	P	P	O	P	P	P	P	P	
	N	P	P	P	P	O	P	P	P	P	P	
	P	P	P	P	P	O	P	P	P	P	P	

NOTE 1: For usage related to FTP, refer to Sprint FTP SIBR and supporting documentation.

DATA CHARACTERISTICS: 1 alpha character

EXAMPLE:

33. BAI – Billing Availability Indicator

Identifies for LIDB that the end user's billing name and address is not available to anyone other than the current LSP, based on the end user's request.

USAGE: This field is not supported by Sprint LTD.

34. ACC - Access Information

Indicates the access instructions at the end user location.

Interface	Field Name
IRES	ACCESS INFO
FTP	SADLO

NOTE 1: This instance of the ACC field is used for the service address.

USAGE: See usage strip below.

ACTIVITIES												
R E Q U E S T T Y P E		N	C	D	T	V	W	S	B	L	P	
	A	O	O	O	O	O	P	P	P	P	P	O
	B/LNP	P	P	P	P	O	P	P	P	P	P	
	B/INP	P	P	O	P	O	P	P	P	P	P	
	C/LNP	P	P	P	P	O	P	P	P	P	P	
	C/INP	P	P	O	P	O	P	P	P	P	P	
	D	P	P	O	P	P	P	P	P	P	P	P
	E	O	O	P	O	P	P	P	P	P	P	P
	F	O	O	O	O	O	O	P	P	P	P	P
	J	O	O	O	P	P	P	P	P	P	P	P
	K	O	O	O	O	O	O	P	P	P	P	P
	M	O	O	P	O	P	P	P	P	P	P	P
N	O	O	O	O	O	O	P	P	P	P	P	
P	O	O	P	O	O	O	P	P	P	P	P	

DATA CHARACTERISTICS: 60 alphanumeric characters

EXAMPLE: |T|R|A|I|L|E|R| |B|E|H|I|N|D| |G|A|S| |S|
 |T|A|T|I|O|N| |N|E|X|T| |T|O| |P|O|S|T| |
 |O|F|F|I|C|E| | | | | | | | | | | | | |

35. WSOP - Working Service on Premises

Indicates if there is a working service at the end user location.

Interface	Field Name
IRES	SERVICE OPTION Pop-up Box
FTP	WSOP

VALID ENTRIES:

- A = Additional line request
- V = Validate status of existing service/Abandon Service

USAGE: See usage strip below.

ACTIVITIES											
R E Q U E S T T Y P E		N	C	D	T	V	W	S	B	L	P
	A	C	P	P	C	C	P	P	P	P	P
	B/LNP	P	P	P	P	C	P	P	P	P	P
	B/INP	P	P	P	P	C	P	P	P	P	P
	C/LNP	P	P	P	P	C	P	P	P	P	P
	C/INP	P	P	P	P	C	P	P	P	P	P
	D	P	P	P	P	P	P	P	P	P	P
	E	C	P	P	C	C	P	P	P	P	P
	F	C	P	P	C	C	P	P	P	P	P
	J	P	P	P	P	P	P	P	P	P	P
	K	C	P	P	C	C	P	P	P	P	P
	M	C	P	P	C	C	P	P	P	P	P
N	C	P	P	C	C	P	P	P	P	P	
P	C	P	P	C	C	P	P	P	P	P	

NOTE 1: For usage related to FTP, refer to Sprint FTP SIBR and supporting documentation.

NOTE 2: When ACT = N or T and working service is detected at the address, field is required.

NOTE 3: When ACT = V and the EUMI field is present and working service is detected at the address, field is required.

NOTE 4: Otherwise prohibited.

DATA CHARACTERISTICS: 1 alpha character

EXAMPLE: A

36. NRBYTN - Nearby Telephone Number

Identifies a telephone number that may be at or adjacent to the requested service delivery location.

USAGE: This field is not supported by Sprint LTD.

37. CPE MFR - Customer Premises Equipment Manufacturer

Identifies the manufacturer of the CPE.

USAGE: This field is not supported by Sprint LTD.

38. CPE MOD - Customer Premises Equipment Model Number

Identifies the model number of the CPE.

USAGE: This field is not supported by Sprint LTD.

39. ELT - End User Listing Treatment

Identifies the listing changes desired by the end user when changing local service providers.

Interface	Field Name
IRES	EU Ret List
FTP	Not Applicable

USAGE: Refer to Section 12 – Directory Listing.

3.4 END USER INSIDE WIRE

40. IWO - Inside Wire Options

Identifies the requirement for inside wire services.

Interface	Field Name
IRES	WIRE
FTP	WIRE

NOTE 1: Inside wire service options are only provided through contract negotiations between customer and Sprint LTD.

NOTE 2: Customer must have inside wire option to provide jack installation at end user location. Additional charges will be incurred for new jack installation.

NOTE 3: Inside wire options are only available to non-facility based customers.

VALID ENTRIES:

- AAAHWRE(CL1) = Provide inside wire repair plan and jack installation to all end users.
- AAAHWRE (CL3) = Provide inside wire repair plan and jack installation to specific end users.

USAGE: See usage strip below.

ACTIVITIES												
R E Q U E S T T Y P E		N	C	D	T	V	W	S	B	L	P	
	A	O	O	P	O	O	P	P	P	P	P	O
	B/LNP	P	P	P	P	O	P	P	P	P	P	
	B/INP	P	P	P	P	O	P	P	P	P	P	
	C/LNP	P	P	P	P	O	P	P	P	P	P	
	C/INP	P	P	P	P	O	P	P	P	P	P	
	D	P	P	P	P	P	P	P	P	P	P	
	E	C	C	P	C	C	P	P	P	P	P	
	F	O	O	P	O	O	O	P	P	P	P	
	J	O	O	P	P	P	P	P	P	P	P	
	K	O	O	P	O	O	O	P	P	P	P	
	M	C	C	P	C	C	P	P	P	P	P	
	N	O	O	P	O	O	O	P	P	P	P	
P	C	C	P	C	C	C	P	P	P	P		

- NOTE 1:** For usage related to FTP, refer to Sprint FTP SIBR and supporting documentation.
- NOTE 2:** Field is required if customer has Inside Wire Contract (AAAHWRE(CL1)), otherwise optional.
- NOTE 3:** AAAHWRE(CL1) and AAAHWRE(CL3) are mutually exclusive.
- NOTE 4:** IRES will auto-populate Inside Wire field when customer has Inside Wire Contract (AAAHWRE(CL1)).
- NOTE 5:** This field is optional when the 2nd TOS is equal to “B”, otherwise prohibited.

DATA CHARACTERISTICS: 10 alpha character

EXAMPLE:

A	A	A	H	W	R	E	C	L	1
---	---	---	---	---	---	---	---	---	---

41. IWBAN - Inside Wire Bill Account Number

Identifies the billing account number for charges associated with inside wire.

USAGE: This field is not supported by Sprint LTD.

42. IWCON - Inside Wire Contact

Identifies the name of the person to be contacted for inside wire.

USAGE: This field is not supported by Sprint LTD.

43. TEL NO - Telephone Number

Identifies the telephone number.

NOTE 1: This appearance of TEL NO is for the inside wire contact.

USAGE: This field is not supported by Sprint LTD.

3.5 END USER BILL SECTION

44. EAN - Existing Account Number

Identifies the end user's existing account number.

USAGE: This field is not supported by Sprint LTD.

45. EATN - Existing Account Telephone Number

Identifies the end user's existing account telephone number.

USAGE: This field is not supported by Sprint LTD.

46. FBI - Final Bill Information Indicator

Indicates whether a final bill should be sent to either the existing billing address or a different address.

Interface	Field Name
IRES	FINAL BILL Checkbox
FTP	Not Applicable

VALID ENTRIES:

- D = Different
- E = Existing

NOTE 1: When the valid entry is “D”, the BILLNM, STREET, CITY, STATE and ZIP fields must be populated.

NOTE 2: This field is to be used to provide a final Sprint LTD bill to the end user when the customer is requesting a migration.

NOTE 3: This field does not indicate the final billing address for the customer’s end user.

USAGE: See usage strip below.

ACTIVITIES												
R E Q U E S T T Y P E		N	C	D	T	V	W	S	B	L	P	
	A	P	P	P	P	O	P	P	P	P	P	P
	B/LNP	P	P	P	P	O	P	P	P	P	P	P
	B/INP	P	P	P	P	O	P	P	P	P	P	P
	C/LNP	P	P	P	P	O	P	P	P	P	P	P
	C/INP	P	P	P	P	O	P	P	P	P	P	P
	D	P	P	O	P	P	P	P	P	P	P	P
	E	P	P	P	P	O	O	P	P	P	P	P
	F	P	P	P	P	O	O	P	P	P	P	P
	J	P	P	P	P	P	P	P	P	P	P	P
	K	P	P	P	P	O	O	P	P	P	P	P
	M	P	P	P	P	O	P	P	P	P	P	P
	N	P	P	P	P	O	O	P	P	P	P	P
	P	P	P	P	P	O	O	P	P	P	P	P

DATA CHARACTERISTICS: 1 alpha character

EXAMPLE: D

48. SBILLNM - Secondary Bill Name

Identifies the name of a department or group within the designated BILLNM field entry.

USAGE: This field is not supported by Sprint LTD.

49. STREET – Street Address

Identifies the street address.

Interface	Field Name
IRES	ADDRESS 1
FTP	ADDRESS1

NOTE 1: This instance of the STREET field is used for the billing address.

USAGE: See usage strip below.

ACTIVITIES												
R E Q U E S T T Y P E		N	C	D	T	V	W	S	B	L	P	
	A	P	P	P	P	C	P	P	P	P	P	P
	B/LNP	P	P	P	P	C	P	P	P	P	P	
	B/INP	P	P	P	P	C	P	P	P	P	P	
	C/LNP	P	P	P	P	C	P	P	P	P	P	
	C/INP	P	P	P	P	C	P	P	P	P	P	
	D	P	P	C	P	P	P	P	P	P	P	
	E	P	P	P	P	C	C	P	P	P	P	
	F	P	P	P	P	C	C	P	P	P	P	
	J	P	P	P	P	P	P	P	P	P	P	
	K	P	P	P	P	C	C	P	P	P	P	
	M	P	P	P	P	C	P	P	P	P	P	
	N	P	P	P	P	C	C	P	P	P	P	
	P	P	P	P	P	C	C	P	P	P	P	

NOTE 1: Required when the FBI field is “D”, otherwise prohibited.

NOTE 2: For usage related to FTP, refer to Sprint FTP SIBR and supporting documentation.

DATA CHARACTERISTICS: 30 alphanumeric characters

EXAMPLE:

1	2	5		E		M	A	I	N		S	T
R	E	E	T									

50. FLOOR – Floor

Identifies the floor.

Interface	Field Name
IRES	ADDRESS 2
FTP	ADDRESS2

NOTE 1: This instance of the FLOOR field is used for the billing address.

USAGE: See usage strip below.

ACTIVITIES												
R E Q U E S T T Y P E		N	C	D	T	V	W	S	B	L	P	
	A	P	P	P	P	C	P	P	P	P	P	P
	B/LNP	P	P	P	P	C	P	P	P	P	P	
	B/INP	P	P	P	P	C	P	P	P	P	P	
	C/LNP	P	P	P	P	C	P	P	P	P	P	
	C/INP	P	P	P	P	C	P	P	P	P	P	
	D	P	P	C	P	P	P	P	P	P	P	
	E	P	P	P	P	C	C	P	P	P	P	
	F	P	P	P	P	C	C	P	P	P	P	
	J	P	P	P	P	P	P	P	P	P	P	
	K	P	P	P	P	C	C	P	P	P	P	
	M	P	P	P	P	C	P	P	P	P	P	
	N	P	P	P	P	C	C	P	P	P	P	
	P	P	P	P	P	C	C	P	P	P	P	

NOTE 1: For usage related to FTP, refer to Sprint FTP SIBR and supporting documentation.

NOTE 2: Optional when the FBI field is “D”, otherwise prohibited.

DATA CHARACTERISTICS: 30 alphanumeric characters

EXAMPLE: | F | L | O | O | R | | 3 | 2 | | |

51. ROOM/MAIL STOP - Room/Mail Stop

Identifies the room or mail stop.

Interface	Field Name
IRES	ADDRESS 3
FTP	ADDRESS3

NOTE 1: This instance of the ROOM/MAIL STOP field is used for the billing address.

USAGE: See usage strip below.

ACTIVITIES												
R E Q U E S T T Y P E		N	C	D	T	V	W	S	B	L	P	
	A	P	P	P	P	C	P	P	P	P	P	P
	B/LNP	P	P	P	P	C	P	P	P	P	P	
	B/INP	P	P	P	P	C	P	P	P	P	P	
	C/LNP	P	P	P	P	C	P	P	P	P	P	
	C/INP	P	P	P	P	C	P	P	P	P	P	
	D	P	P	C	P	P	P	P	P	P	P	
	E	P	P	P	P	C	C	P	P	P	P	
	F	P	P	P	P	C	C	P	P	P	P	
	J	P	P	P	P	P	P	P	P	P	P	
	K	P	P	P	P	C	C	P	P	P	P	
	M	P	P	P	P	C	P	P	P	P	P	
	N	P	P	P	P	C	C	P	P	P	P	
	P	P	P	P	P	C	C	P	P	P	P	

NOTE 1: For usage related to FTP, refer to Sprint FTP SIBR and supporting documentation.

NOTE 2: Optional when the FBI field is “D”, otherwise prohibited.

DATA CHARACTERISTICS: 30 alphanumeric characters

EXAMPLE: | K | S | O | P | H | D | 0 | 1 | - | 5 | B | 8 | 0 | 5 |

52. CITY - City

Identifies the city, village, township, etc.

Interface	Field Name
IRES	CITY
FTP	BCITY

NOTE 1: This instance of the CITY field is used for the billing address.

USAGE: See usage strip below.

ACTIVITIES												
R E Q U E S T T Y P E		N	C	D	T	V	W	S	B	L	P	
	A	P	P	P	P	C	P	P	P	P	P	P
	B/LNP	P	P	P	P	C	P	P	P	P	P	
	B/INP	P	P	P	P	C	P	P	P	P	P	
	C/LNP	P	P	P	P	C	P	P	P	P	P	
	C/INP	P	P	P	P	C	P	P	P	P	P	
	D	P	P	C	P	P	P	P	P	P	P	
	E	P	P	P	P	C	C	P	P	P	P	
	F	P	P	P	P	C	C	P	P	P	P	
	J	P	P	P	P	P	P	P	P	P	P	
	K	P	P	P	P	C	C	P	P	P	P	
	M	P	P	P	P	C	P	P	P	P	P	
	N	P	P	P	P	C	C	P	P	P	P	
	P	P	P	P	P	C	C	P	P	P	P	

NOTE 1: For usage related to FTP, refer to Sprint FTP SIBR and supporting documentation.

NOTE 2: Required when the FBI field is “D”, otherwise prohibited.

DATA CHARACTERISTICS: 25 alphanumeric characters

EXAMPLE:

O	V	E	R	L	A	N	D		P	A	R	K			

53. STATE - State/Province

Identifies the abbreviation for the state or province.

Interface	Field Name
IRES	STATE
FTP	BSTATE

NOTE 1: This instance of the STATE field is used for the billing address.

NOTE 2: Recommended abbreviations are contained in the United States Postal Service Publication 28, Postal Addressing Standards.

USAGE: See usage strip below.

ACTIVITIES												
R E Q U E S T T Y P E		N	C	D	T	V	W	S	B	L	P	
	A	P	P	P	P	C	P	P	P	P	P	P
	B/LNP	P	P	P	P	C	P	P	P	P	P	P
	B/INP	P	P	P	P	C	P	P	P	P	P	P
	C/LNP	P	P	P	P	C	P	P	P	P	P	P
	C/INP	P	P	P	P	C	P	P	P	P	P	P
	D	P	P	C	P	P	P	P	P	P	P	P
	E	P	P	P	P	C	C	P	P	P	P	P
	F	P	P	P	P	C	C	P	P	P	P	P
	J	P	P	P	P	P	P	P	P	P	P	P
	K	P	P	P	P	C	C	P	P	P	P	P
	M	P	P	P	P	C	P	P	P	P	P	P
N	P	P	P	P	C	C	P	P	P	P	P	
P	P	P	P	P	C	C	P	P	P	P	P	

NOTE 1: For usage related to FTP, refer to Sprint FTP SIBR and supporting documentation.

NOTE 2: Required when the FBI field is “D”, otherwise prohibited.

DATA CHARACTERISTICS: 2 alpha characters

EXAMPLE:

N	J
---	---

54. ZIP - ZIP/Postal Code

Identifies the ZIP code, ZIP code + extension or postal code.

Interface	Field Name
IRES	ZIP
FTP	BZIPCODE

NOTE 1: This instance of the ZIP field is used for the billing address.

USAGE: See usage strip below

ACTIVITIES												
R E Q U E S T T Y P E		N	C	D	T	V	W	S	B	L	P	
	A	P	P	P	P	C	P	P	P	P	P	P
	B/LNP	P	P	P	P	C	P	P	P	P	P	
	B/INP	P	P	P	P	C	P	P	P	P	P	
	C/LNP	P	P	P	P	C	P	P	P	P	P	
	C/INP	P	P	P	P	C	P	P	P	P	P	
	D	P	P	C	P	P	P	P	P	P	P	
	E	P	P	P	P	C	C	P	P	P	P	
	F	P	P	P	P	C	C	P	P	P	P	
	J	P	P	P	P	P	P	P	P	P	P	
	K	P	P	P	P	C	C	P	P	P	P	
	M	P	P	P	P	C	P	P	P	P	P	
	N	P	P	P	P	C	C	P	P	P	P	
	P	P	P	P	P	C	C	P	P	P	P	

NOTE 1: For usage related to FTP, refer to Sprint FTP SIBR and supporting documentation.

NOTE 2: Required when the FBI field is “D”, otherwise prohibited.

DATA CHARACTERISTICS: 12 alphanumeric characters

EXAMPLES: | 0 | 7 | 0 | 3 | 9 | | | | | | | |

| 0 | 8 | 8 | 5 | 4 | - | 1 | 2 | 3 | 4 | 3 | 4 |

| M | 5 | A | | 1 | X | 7 | | | | | |

55. BILLCON - Billing Contact

Identifies the name of the person or office to be contacted on billing matters.

USAGE: This field is not supported by Sprint LTD.

56. TEL NO - Telephone Number

Identifies the telephone number.

NOTE 1: This appearance of TEL NO is for the billing contact.

USAGE: This field is not supported by Sprint LTD.

57. SSN - Social Security Number

Identifies the social security number of the end user in the BILLNM field.

USAGE: This field is not supported by Sprint LTD.

58. TAX ID – Tax ID Number

Identifies the federal tax ID number of the end user.

USAGE: This field is not supported by Sprint LTD.

3.6 END USER BILLING DETAILS

59. ETEL NO – End User Telephone Number

Identifies the telephone number the customer is billing their end user for.

USAGE: This field is not supported by Sprint LTD.

60. EBILLNM – End User Bill Name

Identifies the name of the person, office or company to whom the customer renders their end user's bill.

USAGE: This field is not supported by Sprint LTD.

61. ESTREET – End User Billing Street Address

Identifies the address where the customer renders their end user's bill.

USAGE: This field is not supported by Sprint LTD.

62. EFLOOR– End User Billing Floor

Identifies the floor where the customer renders their end user's bill.

USAGE: This field is not supported by Sprint LTD.

63. EROOM/MAIL STOP – End User Room/Mail Stop

Identifies the room, suite or mail stop where the customer renders their end user's bill.

USAGE: This field is not supported by Sprint LTD.

64. ECITY – End User City

Identifies the city, village, township, etc. where the customer renders their end user's bill.

USAGE: This field is not supported by Sprint LTD.

65. ESTATE – End User State/Province

Identifies the abbreviation for the state or province where the customer renders their end user bill.

USAGE: This field is not supported by Sprint LTD.

66. EZIP – End User ZIP / Postal Code

Identifies the ZIP code, ZIP code + extension or postal code where the customer renders their end user's bill.

USAGE: This field is not supported by Sprint LTD.

3.7 END USER DISCONNECT INFORMATION

67. DNUM - Disconnect Line Number

Identifies the line or trunk as a unique number and each additional occurrence as a unique number.

Interface	Field Name
IRES	DNUM
FTP	Not Applicable

NOTE 1: The DNUM is customer assigned for manual requests and is returned on the Local Response (LR) Form to the ordering customer.

NOTE 2: Once DNUM is generated manually, it may be changed by Sprint LTD.

USAGE: See usage strip below.

ACTIVITIES												
R E Q U E S T T Y P E		N	C	D	T	V	W	S	B	L	P	
	A	P	P	P	P	C	P	P	P	P	P	P
	B/LNP	P	P	P	P	C	P	P	P	P	P	
	B/INP	P	P	P	P	C	P	P	P	P	P	
	C/LNP	P	P	P	P	C	P	P	P	P	P	
	C/INP	P	P	P	P	C	P	P	P	P	P	
	D	P	P	P	P	P	P	P	P	P	P	
	E	P	P	C	P	C	P	P	P	P	P	
	F	P	P	C	P	C	P	P	P	P	P	
	J	P	P	P	P	P	P	P	P	P	P	
	K	P	P	C	P	C	P	P	P	P	P	
	M	P	P	C	P	C	P	P	P	P	P	
	N	P	P	C	P	C	P	P	P	P	P	
P	P	P	C	P	C	P	P	P	P	P		

NOTE 1: Field is auto-populated in IRES based on telephone numbers preordered.

NOTE 2: Field is required when disconnecting a working telephone number.

NOTE 3: Required when DQTY field is populated.

DATA CHARACTERISTICS: 4 numeric characters

EXAMPLE:

0	0	0	1
---	---	---	---

68. DISC NBR - Disconnect Telephone Number

Identifies the end user telephone number to be disconnected.

Interface	Field Name
IRES	DISC NO
FTP	DISCNBR

NOTE 1: Indicates the telephone number affecting call transfer information.

USAGE: See usage strip below.

ACTIVITIES												
R E Q U E S T T Y P E		N	C	D	T	V	W	S	B	L	P	
	A	P	P	P	P	C	P	P	P	P	P	P
	B/LNP	P	P	P	P	C	P	P	P	P	P	
	B/INP	P	P	P	P	C	P	P	P	P	P	
	C/LNP	P	P	P	P	C	P	P	P	P	P	
	C/INP	P	P	P	P	C	P	P	P	P	P	
	D	P	P	P	P	P	P	P	P	P	P	
	E	P	P	C	P	C	P	P	P	P	P	
	F	P	P	C	P	C	P	P	P	P	P	
	J	P	P	P	P	P	P	P	P	P	P	
	K	P	P	C	P	C	P	P	P	P	P	
	M	P	P	C	P	C	P	P	P	P	P	
	N	P	P	C	P	C	P	P	P	P	P	
P	P	P	C	P	C	P	P	P	P	P		

NOTE 1: This field is auto-populated in IRES.

NOTE 2: Required with DQTY is populated, otherwise prohibited.

NOTE 3: For usage related to FTP, refer to Sprint FTP SIBR and supporting documentation.

DATA CHARACTERISTICS: 10 numeric characters (excluding 2 preprinted hyphens)

EXAMPLE:

2	0	1
---	---	---

 -

6	9	9
---	---	---

 -

1	2	3	4
---	---	---	---

69. DISC ECCKT - Disconnect ECCKT

Identifies the end user ECCKT to be disconnected.

NOTE 1: Sprint LTD does not provide call transfer/intercept for ECCKTs disconnected.

NOTE 2: When disconnecting ECCKTS the LNA value will be “D.”

USAGE: This field is not supported by Sprint LTD.

70. TERS - Terminal Numbers

Identifies a non-lead line in a multiline hunt group or consecutive range of terminal numbers.

NOTE 1: Indicates the telephone number affecting call transfer information.

USAGE: This field is not supported by Sprint LTD.

71. TC OPT - Transfer of Call Options

Identifies the type of transfer of call option the end user has requested.

Interface	Field Name
IRES	TC OPT
FTP	TCOPT

VALID ENTRIES:

Custom code identifier

N = None

S = Standard

T = Split transfer of calls

O = Operator referral

NOTE 1: “T” and “O” are not supported by Sprint LTD.

USAGE: See usage strip below.

ACTIVITIES												
R E Q U E S T T Y P E		N	C	D	T	V	W	S	B	L	P	
	A	P	P	P	P	C	P	P	P	P	P	P
	B/LNP	P	P	P	P	C	P	P	P	P	P	
	B/INP	P	P	P	P	C	P	P	P	P	P	
	C/LNP	P	P	P	P	C	P	P	P	P	P	
	C/INP	P	P	P	P	C	P	P	P	P	P	
	D	P	P	P	P	P	P	P	P	P	P	
	E	P	P	C	P	C	P	P	P	P	P	
	F	P	P	C	P	C	P	P	P	P	P	
	J	P	P	P	P	P	P	P	P	P	P	
	K	P	P	C	P	C	P	P	P	P	P	
	M	P	P	C	P	C	P	P	P	P	P	
	N	P	P	C	P	C	P	P	P	P	P	
	P	P	P	C	P	C	P	P	P	P	P	

NOTE 1: For usage related to FTP, refer to Sprint FTP SIBR and supporting documentation.

NOTE 2: Required when DNUM field is populated, otherwise prohibited.

DATA CHARACTERISTICS: 1 alpha characters

EXAMPLES:

S		
---	--	--

N		
---	--	--

72. TC TO PRI - Transfer of Calls To Primary Number

Identifies the telephone number to which calls are to be referred.

Interface	Field Name
IRES	TC TO PRI
FTP	TCTOPRI

USAGE: See usage strip below.

ACTIVITIES												
R E Q U E S T T Y P E		N	C	D	T	V	W	S	B	L	P	
	A	P	P	P	P	C	P	P	P	P	P	P
	B/LNP	P	P	P	P	C	P	P	P	P	P	P
	B/INP	P	P	P	P	C	P	P	P	P	P	P
	C/LNP	P	P	P	P	C	P	P	P	P	P	P
	C/INP	P	P	P	P	C	P	P	P	P	P	P
	D	P	P	P	P	P	P	P	P	P	P	P
	E	P	P	C	P	C	P	P	P	P	P	P
	F	P	P	C	P	C	P	P	P	P	P	P
	J	P	P	P	P	P	P	P	P	P	P	P
	K	P	P	C	P	C	P	P	P	P	P	P
	M	P	P	C	P	C	P	P	P	P	P	P
	N	P	P	C	P	C	P	P	P	P	P	P
P	P	P	C	P	C	P	P	P	P	P	P	

NOTE 1: For usage related to FTP, refer to Sprint FTP SIBR and supporting documentation.

NOTE 2: Required when TC OPT = S, otherwise prohibited.

DATA CHARACTERISTICS: 10 numeric characters (excluding 2 preprinted hyphens)

EXAMPLE: | 2 | 0 | 1 | - | 6 | 9 | 9 | - | 1 | 2 | 3 | 4 |

73. TC TO SEC - Transfer of Calls To Secondary Number

Identifies the secondary telephone number to which calls are to be referred.

USAGE: This field is not supported by Sprint LTD.

74. TCID - Transfer of Calls To Identifier

Identifies the sequence of telephone numbers and names associated with split transfer of calls.

USAGE: This field is not supported by Sprint LTD.

75. TC NAME - Transfer of Calls To Name

Identifies the name(s) associated with TC TO PRI and TC TO SEC fields to which calls are to be referred when split transfer of calls is requested.

USAGE: This field is not supported by Sprint LTD.

76. TC PER - Transfer of Calls Period

Indicates the requested date that the transfer of calls, specified in the TC TO PRI field, is to be removed and the standard recorded announcement is to be provided.

Interface	Field Name
IRES	TC PER
FTP	TCPER

NOTE 1: Standard period of transfer for Sprint LTD is 90 days for residential end users, with the exception of the state of Nevada, which is 30 days.

NOTE 2: Standard period of transfer for business end users is 365 days.

NOTE 3: Days are defined as calendar days, i.e. including weekends.

VALID ENTRIES:

U.S. Standard

Two digit month (01-12)

Two digit day (01-31)

Two digit century (00-99)

Two digit year (00-99)

USAGE: See usage strip below.

ACTIVITIES												
R E Q U E S T T Y P E		N	C	D	T	V	W	S	B	L	P	
	A	P	P	P	P	C	P	P	P	P	P	P
	B/LNP	P	P	P	P	C	P	P	P	P	P	
	B/INP	P	P	P	P	C	P	P	P	P	P	
	C/LNP	P	P	P	P	C	P	P	P	P	P	
	C/INP	P	P	P	P	C	P	P	P	P	P	
	D	P	P	P	P	P	P	P	P	P	P	
	E	P	P	C	P	C	P	P	P	P	P	
	F	P	P	C	P	C	P	P	P	P	P	
	J	P	P	P	P	P	P	P	P	P	P	
	K	P	P	C	P	C	P	P	P	P	P	
	M	P	P	C	P	C	P	P	P	P	P	
	N	P	P	C	P	C	P	P	P	P	P	
P	P	P	C	P	C	P	P	P	P	P		

NOTE 1: For usage related to FTP, refer to Sprint FTP SIBR and supporting documentation.

NOTE 2: Required when the TC TO PRI field is populated, otherwise prohibited.

NOTE 3: Field is auto-populated in IRES.

DATA CHARACTERISTICS: 10 alphanumeric characters (including 2 hyphens)

EXAMPLES:

0	8	-	1	0	-	1	9	9	7
---	---	---	---	---	---	---	---	---	---

