

Table of Contents

12.1	INTRODUCTION _____	4
12.2	DIRECTORY LISTING ADMINISTRATIVE SECTION _____	5
1.	CCNA - Customer Carrier Name Abbreviation _____	5
2.	PON - Purchase Order Number _____	6
3.	VER - Version Identification _____	7
4.	ATN - Account Telephone Number _____	8
5.	AN - Account Number _____	9
6.	SC1 - Service Center 1 _____	10
7.	SC2 - Service Center 2 _____	11
8.	DLQTY - Directory Listings Quantity _____	12
9.	PG_of_ - Page _ of _ _____	13
12.3	LISTING CONTROL SECTION _____	14
10.	LACT - Listing Activity Indicator _____	14
11.	ALI - Alphanumeric Listing Identifier Code _____	17
12.	RTY - Record Type _____	18
13.	LTY - Listing Type _____	20
14.	EOS - End User's Other Service _____	22
15.	STYC - Style Code _____	23
16.	TOA - Type of Account _____	24
17.	DOI - Degree of Indent _____	26
18.	WPP - White Page Products _____	27
19.	LOCNUM - Location Number _____	28
20.	DLNUM - Directory Listing Reference Number _____	29
21.	MTN - Main Telephone Number _____	30
22.	PPTN - Previous Provider Telephone Number _____	31
23.	DDQTY - Number of Delivery Segments _____	32
24.	LTXQTY - Number of Listing Text Segments _____	33
25.	ERL - End User Retain Listing _____	34
26.	OLTN - Out Listing Telephone Number _____	36
12.4	LISTING INDICATORS SECTION _____	38
27.	DML - Direct Mail List _____	38
28.	NOSL - No Solicitation Indicator _____	39
29.	TMKT - Telemarketing _____	40
30.	BRO - Business/Residence Placement Override _____	41
31.	ADV - Advance to Directory Indicator _____	42
32.	OCD - Order Completion Date _____	43
33.	STR - Street Address Directory _____	44
34.	DLNM - Dual Name Listing _____	45
35.	PROF - Professional Identifier _____	46
36.	DIRIDL - Directory Identifier _____	47
37.	DIRNAME - Directory Name _____	48
38.	DIRSUB - Directory Subsection _____	49
39.	LID1 - Scoping ZIP _____	50
40.	LID2 - Additional Scoping Information _____	51
41.	OMSD - Omit From Secondary Directory _____	52
12.5	LISTING INSTRUCTION SECTION _____	53

42.	LTN - Listed Telephone Number _____	53
43.	NSTN – Non-Standard Telephone Number _____	54
44.	SHTN – SLU Header Telephone Number _____	55
45.	OMTN - Omit Telephone Number (TN) _____	56
46.	LTNE – Listing Telephone Number Environment _____	57
47.	LEX - Local Exchange _____	58
48.	DNA - Do Not Abbreviate _____	59
49.	LNPL - Letter Name Placement _____	60
50.	LNLN - Listed Name Last _____	61
51.	LNFN - Listed Name First _____	63
52.	HS – Header Status _____	65
53.	DES - Designation _____	66
54.	TL – Title of Lineage _____	67
55.	TITLE1 – Title of Address 1 _____	68
56.	TITLE2 – Title of Address 2 _____	69
57.	TLD – Title of Lineage for Dual Name _____	70
58.	TITLE1D – Title of Address 1 for Dual Name _____	71
59.	TITLE2D – Title of Address 2 for Dual Name _____	72
60.	NICK – Listing Nickname _____	73
61.	PLA – Place Listing As _____	74
62.	LTXNUM – Line of Text Reference Number _____	76
63.	LXTY – Listing Text Type _____	77
64.	LPHRASE - Listing Phrase _____	78
65.	LTEXT - Line of Text _____	80
66.	SO – Sequence Override _____	81
67.	FAINFO – File After Information _____	82
68.	FATN – File After Telephone Number _____	83
69.	ACA – Alternate Call Authorization _____	84
70.	ADI - Address Indicator _____	85
71.	LAPR - Listed Address Number Prefix _____	86
72.	LANO - Listed Address Number _____	87
73.	LASF - Listed Address Number Suffix _____	88
74.	LASD - Listed Address Street Directional Prefix _____	89
75.	LASN - Listed Address Street Name _____	91
76.	LATH - Listed Address Street Type _____	92
77.	LASS - Listed Address Street Directional Suffix _____	93
78.	LALO - Listed Address Location _____	95
79.	LALOC - Listed Address Locality _____	96
80.	LAST - Listed Address State/Province _____	97
81.	LAZC - Listed Address ZIP/Postal Code _____	98
12.6	CAPTION/SLU INDENT SECTION _____	99
82.	LVL - Level of Indent _____	99
83.	PLS - Prior Level Status _____	100
84.	PLINFO - Prior Level Information _____	101
85.	PLTN – Prior Level Telephone Number _____	102
86.	PLSO – Prior Level Sequence Override _____	103
87.	PLFAINFO – Prior Level File After Information _____	104
88.	PLFATN – Prior File After Telephone Number _____	105
12.7	DELIVERY ADDRESS/INFORMATION SECTION _____	106
89.	DELNUM - Delivery Reference Number _____	106
90.	DACT - Delivery Activity _____	107

Directory Listing – Section 12

91.	DATY - Delivery Address Type _____	108
92.	NAME - End User Name _____	109
93.	DDAPR - Delivery Address Number Prefix _____	110
94.	DDANO - Delivery Address Number _____	111
95.	DDASF - Delivery Address Number Suffix _____	112
96.	DDASD - Delivery Address Street Directional Prefix _____	113
97.	DDASN - Delivery Address Street Name _____	115
98.	DDATH - Delivery Address Street Type _____	117
99.	DDASS - Delivery Address Street Directional Suffix _____	118
100.	LD1 - Location Designator 1 _____	120
101.	LV1 - Location Value 1 _____	121
102.	LD2 - Location Designator 2 _____	122
103.	LV2 - Location Value 2 _____	123
104.	LD3 - Location Designator 3 _____	124
105.	LV3 - Location Value 3 _____	125
106.	AAI - Additional Address Information _____	126
107.	DDADLO – Delivery Description Location _____	127
108.	CITY – City _____	128
109.	STATE - State/Province _____	129
110.	ZIP - ZIP/Postal Code _____	130
111.	DIRQTY - Number of Directory Type Segments _____	131
112.	DIRTYP - Directory ID Type _____	132
113.	DIRQTYA - Number of Directories for Annual Delivery _____	133
114.	DIRQTYNC - Number of Directories Delivered on New Connect _____	134
115.	DIRID - Directory ID for Directory Delivery _____	135
116.	DIRDEL - Directory Delivery Name _____	136
12.8	ADVERTISING SECTION _____	137
117.	EA - Existing Advertising _____	137
118.	ADVCONT - Advertising Contact _____	138
119.	ADVCONT TN – Advertising Contact Telephone Number _____	139
120.	SIC – Standard Industry Classification _____	140
121.	YPH – Yellow Page Heading Code _____	141
122.	YPHV – Yellow Page Heading Verbiage _____	142
123.	REMARKS - Remarks _____	143
124.	SOE REMARKS – SOE Remarks _____	144

Directory Listing

12.1 INTRODUCTION

1. The Directory Listing (DL) Form is prepared by the customer and is forwarded to Sprint LTD. This form provides the administrative, listing and directory delivery information associated with the customer's request. It is always associated with an LSR Form. See General Information at the beginning of this document for appropriate request type and activity combinations.
2. All information required for ordering listings is provided in the various fields contained within the DL Form. The Listing Control Section provides entries for the type of activity and listing involved, the type of account for which the listing is being requested, etc. The Listing Instruction Section provides specific listing details. The Delivery Section contains information pertaining to the quantity and address for directory delivery. The Advertising Section contains information for the Yellow Pages.
3. When Activity is W, Sprint LTD will migrate all listings associated with the ATNs for a request “AS IS.”
4. When Activity is D, Sprint LTD will remove all listings associated with the ATNs for the request, with the exception of REQTYP D and J.

12.2 DIRECTORY LISTING ADMINISTRATIVE SECTION

1. CCNA - Customer Carrier Name Abbreviation

Identifies the COMMON LANGUAGE IAC code for the customer.

USAGE: This field is not supported by Sprint LTD.

2. PON - Purchase Order Number

Identifies the customer's unique purchase order or requisition number that authorizes the issuance of this request or supplement.

Interface	Field Name
IRES	PON
FTP	PON

NOTE 1: The purchase order number can not be reused.

USAGE: See usage strip below.

ACTIVITIES												
R E Q U E S T T Y P E		N	C	D	T	V	W	S	B	L	P	
	A	R	R	P	R	R	P	P	P	P	P	R
	B/LNP	P	P	P	P	R	P	P	P	P	P	P
	B/INP	P	P	P	P	R	P	P	P	P	P	P
	C/LNP	P	P	P	P	R	P	P	P	P	P	P
	C/INP	P	P	P	P	R	P	P	P	P	P	P
	D	P	P	R	P	P	P	P	P	P	P	P
	E	R	R	P	R	R	P	R	R	R	R	P
	F	R	R	P	R	R	P	R	R	R	R	P
	J	R	R	P	P	P	P	P	P	P	P	P
	K	R	R	P	R	R	P	R	R	R	R	P
	M	R	R	P	R	R	P	R	R	R	P	P
N	R	R	P	R	R	P	R	R	R	R	P	
P	R	R	P	R	R	P	R	R	R	R	P	

NOTE 1: For usage related to FTP, refer to Sprint FTP SIBR and supporting documentation.

DATA CHARACTERISTICS: 16 alphanumeric characters

EXAMPLE:

8	2	4	Z	9											
---	---	---	---	---	--	--	--	--	--	--	--	--	--	--	--

3. VER - Version Identification

Identifies the customer’s version number.

Interface	Field Name
IRES	VER
FTP	Not applicable

USAGE: See usage strip below.

ACTIVITIES												
R E Q U E S T T Y P E		N	C	D	T	V	W	S	B	L	P	
	A	R	R	P	R	R	P	P	P	P	P	P
	B/LNP	P	P	P	P	R	P	P	P	P	P	
	B/INP	P	P	P	P	R	P	P	P	P	P	
	C/LNP	P	P	P	P	R	P	P	P	P	P	
	C/INP	P	P	P	P	R	P	P	P	P	P	
	D	P	P	R	P	P	P	P	P	P	P	
	E	R	R	P	R	R	P	P	P	P	P	
	F	R	R	P	R	R	P	P	P	P	P	
	J	R	R	P	P	P	P	P	P	P	P	
	K	R	R	P	R	R	P	P	P	P	P	
	M	R	R	P	R	R	P	P	P	P	P	
	N	R	R	P	R	R	P	P	P	P	P	
P	R	R	P	R	R	P	P	P	P	P		

NOTE 1: The VER is auto-populated by IRES.

NOTE 2: IRES will increment the VER field by 1 when a SUP is submitted.

DATA CHARACTERISTICS: 2 numeric characters

EXAMPLES: | 1 | 2 |

| 8 | |

4. ATN - Account Telephone Number

Identifies the account telephone number assigned by the NSP.

Interface	Field Name
IRES	TEL NO
FTP	TN

NOTE 1: This field describes all telephone numbers associated with the AN field.

NOTE 2: All numbers requesting migration must be supplied.

NOTE 3: When processing manually, each telephone number must be listed on a separate form.

USAGE: See usage strip below.

ACTIVITIES												
R E Q U E S T T Y P E		N	C	D	T	V	W	S	B	L	P	
	A	R	R	P	R	R	P	P	P	P	P	P
	B/LNP	P	P	P	P	R	P	P	P	P	P	
	B/INP	P	P	P	P	R	P	P	P	P	P	
	C/LNP	P	P	P	P	R	P	P	P	P	P	
	C/INP	P	P	P	P	R	P	P	P	P	P	
	D	P	P	R	P	P	P	P	P	P	P	
	E	R	R	P	R	R	P	P	P	P	P	
	F	R	R	P	R	R	P	P	P	P	P	
	J	R	R	P	P	P	P	P	P	P	P	
	K	R	R	P	R	R	P	P	P	P	P	
	M	R	R	P	R	R	P	P	P	P	P	
	N	R	R	P	R	R	P	P	P	P	P	
P	R	R	P	R	R	P	P	P	P	P		

NOTE 1: For usage related to FTP, refer to Sprint FTP SIBR and supporting documentation

NOTE 2: Field will be auto-populated in IRES based on preorder information.

DATA CHARACTERISTICS: 10 numeric characters (excluding 2 preprinted hyphens)

EXAMPLE: | 2 | 0 | 1 | - | 5 | 5 | 5 | - | 1 | 2 | 1 | 2 |

5. AN - Account Number

Identifies the main account number that may be provided by the NSP.

Interface	Field Name
IRES	Not Applicable
FTP	Not Applicable

NOTE 1: This field is the Sprint LTD end users main telephone number assigned by Sprint LTD and represents an account that has not been migrated to another customer.

NOTE 2: This field is used to recognize the main telephone number that must be preordered in order to obtain all other associated telephone numbers.

USAGE: See usage strip below.

ACTIVITIES												
R E Q U E S T T Y P E		N	C	D	T	V	W	S	B	L	P	
	A	R	R	P	R	R	P	P	P	P	P	P
	B/LNP	P	P	P	P	R	P	P	P	P	P	
	B/INP	P	P	P	P	R	P	P	P	P	P	
	C/LNP	P	P	P	P	R	P	P	P	P	P	
	C/INP	P	P	P	P	R	P	P	P	P	P	
	D	P	P	R	P	P	P	P	P	P	P	
	E	R	R	P	R	R	P	P	P	P	P	
	F	R	R	P	R	R	P	P	P	P	P	
	J	R	R	P	P	P	P	P	P	P	P	
	K	R	R	P	R	R	P	P	P	P	P	
	M	R	R	P	R	R	P	P	P	P	P	
	N	R	R	P	R	R	P	P	P	P	P	
P	R	R	P	R	R	P	P	P	P	P		

NOTE 1: Field is only supported for manual processing.

NOTE 2: When REQ TYPE = A and 2nd TOS = R, this field is required, otherwise prohibited.

DATA CHARACTERISTICS: 10 numeric characters (excluding 2 preprinted hyphens)

EXAMPLE: | 2 | 0 | 1 | - | 5 | 5 | 5 | - | 1 | 2 | 1 | 2 |

6. SC1 - Service Center 1

Identifies the code used to represent the organization, which processes a customer's request for service.

USAGE: This field is not supported by Sprint LTD.

7. SC2 - Service Center 2

Identifies the code used to represent the organization, which processes a customer's request for Directory Assistance (DA) listings.

USAGE: This field is not supported by Sprint LTD.

8. DLQTY - Directory Listings Quantity

Identifies the number of directory listings for this request.

Interface	Field Name
IRES	DIR QTY
FTP	DLQTY

USAGE: See usage strip below.

ACTIVITIES												
R E Q U E S T T Y P E		N	C	D	T	V	W	S	B	L	P	
	A	C	C	P	C	C	P	P	P	P	P	P
	B/LNP	P	P	P	P	C	P	P	P	P	P	P
	B/INP	P	P	P	P	C	P	P	P	P	P	P
	C/LNP	P	P	P	P	C	P	P	P	P	P	P
	C/INP	P	P	P	P	C	P	P	P	P	P	P
	D	P	P	C	P	P	P	P	P	P	P	P
	E	C	C	P	C	C	P	P	P	P	P	P
	F	C	C	P	C	C	P	P	P	P	P	P
	J	C	C	P	P	P	P	P	P	P	P	P
	K	C	C	P	C	C	P	P	P	P	P	P
	M	C	C	P	C	C	P	P	P	P	P	P
	N	C	C	P	C	C	P	P	P	P	P	P
P	C	C	P	C	C	P	P	P	P	P	P	

NOTE 1: Optional when the ACT field is “N”, “C”, “D”, “T”, or “V” and a Directory Request is included within the local service request, otherwise prohibited.

NOTE 2: For usage related to FTP, refer to Sprint FTP SIBR and supporting documentation

DATA CHARACTERISTICS: 3 numeric characters

EXAMPLE:

	1	2
--	---	---

9. PG_of_ - Page _ of _

Identifies the page number and total number of pages contained in this request.

Interface	Field Name
IRES	Not Applicable
FTP	Not Applicable

USAGE: See usage strip below.

ACTIVITIES												
R E Q U E S T T Y P E		N	C	D	T	V	W	S	B	L	P	
	A	R	R	P	R	R	P	P	P	P	P	P
	B/LNP	P	P	P	P	R	P	P	P	P	P	P
	B/INP	P	P	P	P	R	P	P	P	P	P	P
	C/LNP	P	P	P	P	R	P	P	P	P	P	P
	C/INP	P	P	P	P	R	P	P	P	P	P	P
	D	P	P	R	P	P	P	P	P	P	P	P
	E	R	R	P	R	R	P	R	R	R	R	P
	F	R	R	P	R	R	P	R	R	R	R	P
	J	R	R	P	P	P	P	P	P	P	P	P
	K	R	R	P	R	R	P	R	R	R	R	P
	M	R	R	P	R	R	P	R	R	R	P	P
	N	R	R	P	R	R	P	R	R	R	R	P
P	R	R	P	R	R	P	R	R	R	R	P	

DATA CHARACTERISTICS: 4 numeric characters

EXAMPLE: PG 1 of 2

12.3 LISTING CONTROL SECTION

10. LACT - Listing Activity Indicator

Identifies the activity involved for this listing request.

Interface	Field Name
IRES	LACT
FTP	LACT

VALID ENTRIES:

- N = New listing
- D = Delete listing
- I = Change listing (new data to be inserted)/Inward Additions
- O = Change listing (old data)/Outward additions
- Z = No change to listing
- C = Change
- X = Telephone Number Change
- V = Convert with Changes
- W = Convert as is
- T = Move
- R = Cancel LTN
- K = SUP 1 Cancel LTN

NOTE 1: LACT of “Z” is not supported by Sprint LTD.

NOTE 2: LACT of “R” and “K” are only supported by IRES responses.

NOTE 3: LACT of “R” and “K” are not supported manually or through FTP.

NOTE 4: “O” and “T” are only supported for FTP.

USAGE: See usage strip below.

ACTIVITIES												
R E Q U E S T T Y P E		N	C	D	T	V	W	S	B	L	P	
	A	R	R	R	R	R	P	P	P	P	P	P
	B/LNP	P	P	R	P	R	P	P	P	P	P	P
	B/INP	P	P	R	P	R	P	P	P	P	P	P
	C/LNP	P	P	P	P	R	P	P	P	P	P	P
	C/INP	P	P	R	P	R	P	P	P	P	P	P
	D	P	P	R	P	P	P	P	P	P	P	P
	E	R	R	R	R	R	P	P	P	P	P	P
	F	R	R	P	R	R	P	P	P	P	P	P
	J	R	R	R	P	P	P	P	P	P	P	P
	K	R	R	R	R	R	P	P	P	P	P	P
	M	R	R	R	R	R	P	P	P	P	P	P
	N	R	R	R	R	R	P	P	P	P	P	P
	P	R	R	R	R	R	P	P	P	P	P	P

- NOTE 1:** For usage related to FTP, refer to Sprint FTP SIBR and supporting documentation.
- NOTE 2:** LACT=N is valid for Activity of N for all appropriate REQ TYPs.
- NOTE 3:** LACT=N is valid for ACT = V when REQ TYP=A,E,K,M,N,P
- NOTE 4:** LACT=N is valid for ACT=C when REQ TYP=J
- NOTE 5:** When REQ TYP = D and ACT = D, LACT = N is valid.
- NOTE 6:** LACT = T is valid for ACT=T for all appropriate REQ TYPs.
- NOTE 7:** LACT = C is valid when the ACT = C for all appropriate REQ TYPs.
- NOTE 8:** LACT = C is valid when REQ TYP = J and ACT = N.
- NOTE 9:** LACT = X is valid when REQ TYP = A,E,K,M,P, N and ACT = C.
- NOTE 10:** LACT = X is valid when REQ TYP = J and ACT = N.
- NOTE 11:** LACT = D is valid with ACT = D with all appropriate REQ TYPs.
- NOTE 12:** LACT = V is valid with ACT = V with all appropriate REQ TYPs.

NOTE 13: LACT = W is valid with ACT = W and V with all appropriate REQTPs.

DATA CHARACTERISTICS: 1 alpha character

EXAMPLE:

N

11. ALI - Alphanumeric Listing Identifier Code

Identifier assigned to uniquely identify each listing for a main listing number from a customer.

Interface	Field Name
IRES	FID (Inquiry Only)
FTP	ALI

NOTE 1: Allows for multiple listings for the same main listing number from a single customer.

NOTE 2: Unique for the life of the listing and spans requests.

NOTE 3: Used to relate listing request to confirmation and error detail.

NOTE 4: The ALI is assigned by Sprint LTD.

USAGE: Field only supported by FTP.

ACTIVITIES												
R E Q U E S T T Y P E		N	C	D	T	V	W	S	B	L	P	
	A	P	P	P	P	P	P	P	P	P	P	P
	B/LNP	P	P	P	P	P	P	P	P	P	P	P
	B/INP	P	P	P	P	P	P	P	P	P	P	P
	C/LNP	P	P	P	P	P	P	P	P	P	P	P
	C/INP	P	P	P	P	P	P	P	P	P	P	P
	D	P	P	P	P	P	P	P	P	P	P	P
	E	P	P	P	P	P	P	P	P	P	P	P
	F	P	P	P	P	P	P	P	P	P	P	P
	J	P	P	P	P	P	P	P	P	P	P	P
	K	P	P	P	P	P	P	P	P	P	P	P
	M	P	P	P	P	P	P	P	P	P	P	P
	N	P	P	P	P	P	P	P	P	P	P	P
P	P	P	P	P	P	P	P	P	P	P	P	

NOTE 1: For usage related to FTP, refer to Sprint FTP SIBR and supporting documentation.

NOTE 2: Inquiry only for IRES.

NOTE 3: This field is not supported for manual processing.

DATA CHARACTERISTICS: 6 alphanumeric characters

EXAMPLE: | A | 4 | 4 | 4 | | |

12. RTY - Record Type

Identifies the type of listing with respect to pricing and tariffs.

Interface	Field Name
IRES	Listing Type
FTP	RTY

NOTE 1: A cross-reference listing specifies the referral name. The LTXTY field must contain the value of “CR” and the LTEXT field contains the name being referenced. The OMTN and ADI fields must be populated if the address and/or telephone number is to be omitted.

VALID ENTRIES:

First Character (Area)

- F = Foreign
- L = Local
- S = Secondary listing

NOTE 1: The first character is not supported by Sprint LTD.

Second & Third Characters (Type of Listing)

- AL = Additional listing
- AM = Additional main
- AS = Answer service
- AU = Alternate user listing
- CM = Client main
- CR = Cross-reference listing
- EN = Enterprise
- ML = Main listing
- AX = Auxiliary Listing
- AC = Alternate Call
- JU = Joint User
- FL = Foreign Listing
- TX = Additional Line of Text

NOTE 1: AM, AS, AU, CM, EN, and ML are not supported by Sprint LTD.

USAGE: See usage strip below.

ACTIVITIES												
R E Q U E S T T Y P E		N	C	D	T	V	W	S	B	L	P	
	A	R	O	P	P	C	P	P	P	P	P	P
	B/LNP	P	P	P	P	C	P	P	P	P	P	
	B/INP	P	P	P	P	C	P	P	P	P	P	
	C/LNP	P	P	P	P	O	P	P	P	P	P	
	C/INP	P	P	P	P	O	P	P	P	P	P	
	D	P	P	C	P	P	P	P	P	P	P	
	E	R	C	P	P	C	P	P	P	P	P	
	F	R	C	P	P	C	P	P	P	P	P	
	J	C	C	P	P	P	P	P	P	P	P	
	K	R	C	P	P	C	P	P	P	P	P	
	M	R	C	P	P	C	P	P	P	P	P	
	N	R	C	P	P	C	P	P	P	P	P	
	P	R	C	P	P	C	P	P	P	P	P	

NOTE 1: For usage related to FTP, refer to Sprint FTP SIBR and supporting documentation.

NOTE 2: Required when LACT = N, otherwise optional with the exception of LACT = D or W, which are prohibited.

DATA CHARACTERISTICS: 2 alpha characters

EXAMPLE:

F	L
---	---

13. LTY - Listing Type

Identifies the type of listing with respect to publication and Directory Assistance (DA) appearance rules.

Interface	Field Name
IRES	Non-Listed, Non-Published
FTP	LTY

VALID ENTRIES:

- 1 = Listed - appears in DA and the directory
- 2 = Non-listed - appears only in DA
- 3 = Non-published - does not appear in the directory and telephone number does not appear in DA (Operator will respond that number is non-published)
- 4 = Non-published emergency - does not appear in the directory, end user may be contacted in an emergency
- 5 = Non-published special - does not appear in the directory nor DA, end user never wants to be contacted (combination 2 & 3) (Operator will respond that number does not appear in DA)
- 6 = Omit DA - listing only appears in the published directory
- 7 = No appearance - primary telephone number has no listing in the directory or DA, but additional station numbers may be listed
- 8 = Temporary listing - appears only in DA for a short interval

NOTE 1: Sprint LTD does not support options 4, 6, 7 or 8.

USAGE: See usage strip below.

ACTIVITIES												
R E Q U E S T T Y P E		N	C	D	T	V	W	S	B	L	P	
	A	R	O	P	P	C	P	P	P	P	P	P
	B/LNP	P	P	P	P	C	P	P	P	P	P	
	B/INP	P	P	P	P	C	P	P	P	P	P	
	C/LNP	P	P	P	P	O	P	P	P	P	P	
	C/INP	P	P	P	P	O	P	P	P	P	P	
	D	P	P	C	P	P	P	P	P	P	P	
	E	R	C	P	P	C	P	P	P	P	P	
	F	R	C	P	P	C	P	P	P	P	P	
	J	C	C	P	P	P	P	P	P	P	P	
	K	R	C	P	P	C	P	P	P	P	P	
	M	R	C	P	P	C	P	P	P	P	P	
	N	R	C	P	P	C	P	P	P	P	P	
	P	R	C	P	P	C	P	P	P	P	P	

NOTE 1: For usage related to FTP, refer to Sprint FTP SIBR and supporting documentation.

NOTE 2: Required when LACT = N or I, otherwise optional with the exception of LACT = W, O, D which are prohibited.

DATA CHARACTERISTICS: 1 numeric character

EXAMPLE: 2

14. EOS - End User's Other Service

Identifies an end user's listed or non-published service.

USAGE: This field is not supported by Sprint LTD.

15. STYC - Style Code

Identifies whether the listing is a straight line, Straight Line Under (SLU) header, caption header, etc.

Interface	Field Name
IRES	Not Applicable
FTP	Not Applicable

VALID ENTRIES:

- CH = Caption header
- CI = Caption indent
- CS = Caption sub-header (SCAP)
- SH = SLU header
- SI = SLU indent
- SL = Straight line

NOTE 1: “CH” and “CS” are not valid entries for this section.

NOTE 2: SH & SI are not supported by Sprint LTD.

USAGE: See usage strip below.

ACTIVITIES												
R E Q U E S T T Y P E		N	C	D	T	V	W	S	B	L	P	
	A	R	R	O	R	R	P	P	P	P	P	P
	B/LNP	P	P	P	P	R	P	P	P	P	P	
	B/INP	P	P	O	P	R	P	P	P	P	P	
	C/LNP	P	P	P	P	R	P	P	P	P	P	
	C/INP	P	P	O	P	R	P	P	P	P	P	
	D	P	P	C	P	P	P	P	P	P	P	
	E	R	R	O	R	R	P	P	P	P	P	
	F	R	R	O	R	R	P	P	P	P	P	
	J	R	R	P	P	P	P	P	P	P	P	
	K	R	R	O	R	R	P	P	P	P	P	
	M	R	R	O	R	R	P	P	P	P	P	
	N	R	R	O	R	R	P	P	P	P	P	
P	R	R	O	R	R	P	P	P	P	P		

NOTE 1: When REQTYP = D and LACT =N, field is required, otherwise optional.

DATA CHARACTERISTICS: 2 alpha characters

EXAMPLE: | S | L |

16. TOA - Type of Account

Identifies the type of account for this listing.

Interface	Field Name
IRES	Not Applicable
FTP	TOA

NOTE 1: Determines placement in split directories and directory assistance.

NOTE 2: IRES will auto-populate based on TOS and/or LTOS value.

VALID ENTRIES:

- B = Business
- C = County government
- F = Federal government
- L = Local or city government
- R = Residence
- S = State government
- BP = Business class, person name
- MI = Military
- PO = Port
- RE = Regional
- RP = Residence class, business name
- SC = School
- SD = Special district
- TR = Tribal
- TW = Township

NOTE 1: Only the values of B and R are supported by Sprint LTD.

USAGE: See usage strip below.

ACTIVITIES												
R E Q U E S T T Y P E		N	C	D	T	V	W	S	B	L	P	
	A	R	O	P	P	C	P	P	P	P	P	P
	B/LNP	P	P	P	P	C	P	P	P	P	P	
	B/INP	P	P	P	P	C	P	P	P	P	P	
	C/LNP	P	P	P	P	O	P	P	P	P	P	
	C/INP	P	P	P	P	O	P	P	P	P	P	
	D	P	P	C	P	P	P	P	P	P	P	
	E	R	C	P	P	C	P	P	P	P	P	
	F	R	C	P	P	C	P	P	P	P	P	
	J	C	C	P	P	P	P	P	P	P	P	
	K	R	C	P	P	C	P	P	P	P	P	
	M	R	C	P	P	C	P	P	P	P	P	
	N	R	C	P	P	C	P	P	P	P	P	
	P	R	C	P	P	C	P	P	P	P	P	

NOTE 1: For usage related to FTP, refer to Sprint FTP SIBR and supporting documentation.

NOTE 2: Required when LACT = N, otherwise optional with the exception of LACT = D or W, which are prohibited.

DATA CHARACTERISTICS: 2 alpha characters

EXAMPLE:

F	
---	--

17. DOI - Degree of Indent

Identifies the degree of indentation for this listing.

Interface	Field Name
IRES	INDENT LEVEL
FTP	DOI

VALID ENTRIES:

0-7

NOTE 1: Straight line listings and caption headers are always zero (0).

NOTE 2: Caption indents and caption sub-headers must be greater than zero (0).

USAGE: See usage strip below.

ACTIVITIES												
R E Q U E S T T Y P E		N	C	D	T	V	W	S	B	L	P	
	A	O	O	P	P	O	P	P	P	P	P	P
	B/LNP	P	P	P	P	O	P	P	P	P	P	
	B/INP	P	P	P	P	O	P	P	P	P	P	
	C/LNP	P	P	P	P	O	P	P	P	P	P	
	C/INP	P	P	P	P	O	P	P	P	P	P	
	D	P	P	O	P	P	P	P	P	P	P	
	E	C	C	P	C	C	P	P	P	P	P	
	F	O	O	P	P	O	P	P	P	P	P	
	J	O	O	P	P	P	P	P	P	P	P	
	K	R	O	P	P	O	P	P	P	P	P	
	M	C	C	P	C	C	P	P	P	P	P	
	N	R	O	P	P	O	P	P	P	P	P	
P	C	C	P	C	C	P	P	P	P	P		

NOTE 1: For usage related to FTP, refer to Sprint FTP SIBR and supporting documentation.

NOTE 2: Field is required when sending caption information, otherwise prohibited.

DATA CHARACTERISTICS: 1 numeric character

EXAMPLE:

1

18. WPP - White Page Products

Identifies information about the white page products, signature listings, personality logo and lines of distinction.

USAGE: This field is not supported by Sprint LTD.

19. LOCNUM - Location Number

Identifies the service location number for the service requested.

USAGE: This field is not supported by Sprint LTD.

20. DLNUM - Directory Listing Reference Number

Identifies each listing segment with a unique number.

Interface	Field Name
IRES	DLNUM
FTP	DLNUM

NOTE 1: The DLNUM is assigned by Sprint LTD.

NOTE 2: Once DLNUM is generated, it cannot be changed and is retained through completion of the request.

NOTE 3: The values are to be assigned consecutively and must be unique throughout the request at the PON field level.

NOTE 4: IRES will auto-populate this field based on REQ/ACT type.

USAGE: See usage strip below.

ACTIVITIES												
R E Q U E S T T Y P E		N	C	D	T	V	W	S	B	L	P	
	A	R	R	R	R	R	P	P	P	P	P	P
	B/LNP	P	P	R	P	R	P	P	P	P	P	P
	B/INP	P	P	R	P	R	P	P	P	P	P	P
	C/LNP	P	P	P	P	R	P	P	P	P	P	P
	C/INP	P	P	R	P	R	P	P	P	P	P	P
	D	P	P	R	P	P	P	P	P	P	P	P
	E	R	R	R	R	R	P	P	P	P	P	P
	F	R	R	P	R	R	P	P	P	P	P	P
	J	R	R	R	P	P	P	P	P	P	P	P
	K	R	R	R	R	R	P	P	P	P	P	P
	M	R	R	R	R	R	P	P	P	P	P	P
	N	R	R	R	R	R	P	P	P	P	P	P
P	R	R	R	R	R	P	P	P	P	P	P	

NOTE 1: For usage related to FTP, refer to Sprint FTP SIBR and supporting documentation.

DATA CHARACTERISTICS: 4 numeric characters

EXAMPLE:

0	0	2	3
---	---	---	---

21. MTN - Main Telephone Number

Identifies the main listing number of the end user.

USAGE: This field is not supported by Sprint LTD.

22. PPTN - Previous Provider Telephone Number

Identifies the end user's previous listed telephone number if the user is changing providers and telephone numbers.

USAGE: This field is not supported by Sprint LTD.

23. DDQTY - Number of Delivery Segments

Identifies the number of delivery address/information segments.

Interface	Field Name
IRES	DEL ADDRESS QTY
FTP	DIRQTY

NOTE 1: This field is used to indicate that directories are to be delivered to multiple addresses or to an address that is different from the service address.

USAGE: See usage strip below.

ACTIVITIES												
R E Q U E S T T Y P E		N	C	D	T	V	W	S	B	L	P	
	A	O	O	P	P	O	P	P	P	P	P	P
	B/LNP	P	P	P	P	O	P	P	P	P	P	
	B/INP	P	P	P	P	O	P	P	P	P	P	
	C/LNP	P	P	P	P	O	P	P	P	P	P	
	C/INP	P	P	P	P	O	P	P	P	P	P	
	D	P	P	O	P	P	P	P	P	P	P	
	E	O	O	P	P	O	P	P	P	P	P	
	F	O	O	P	P	O	P	P	P	P	P	
	J	O	O	P	P	P	P	P	P	P	P	
	K	R	O	P	P	O	P	P	P	P	P	
	M	R	O	P	P	O	P	P	P	P	P	
	N	R	O	P	P	O	P	P	P	P	P	
P	R	O	P	P	O	P	P	P	P	P		

NOTE 1: Required when any delivery address/information segments are different from the service address or when directories are to be delivered to multiple addresses, otherwise optional.

NOTE 2: For usage related to FTP, refer to Sprint FTP SIBR and supporting documentation.

DATA CHARACTERISTICS: 2 numeric characters

EXAMPLE:

	2
--	---

24. LTXQTY - Number of Listing Text Segments

Identifies the number of listing text segments on this listing.

USAGE: This field is not supported by Sprint LTD.

25. ERL – End User Retain Listing

Indicates whether the directory listing associated with the lines converted should be retained “as is”.

Interface	Field Name
IRES	EU RET LIST
FTP	Not Applicable (systematically populated)

NOTE 1: This is a Sprint proprietary field and not supported by Industry.

VALID ENTRIES:

- Y = Yes (retain listing)
- N = No (do not retain listing)
- A = Add new listing

USAGE: See usage strip below.

ACTIVITIES											
REQ U E S T T Y P E		N	C	D	T	V	W	S	B	L	P
	A	P	O	P	P	P	P	P	P	P	P
	B/LNP	P	P	P	P	C	P	P	P	P	P
	B/INP	P	P	P	P	C	P	P	P	P	P
	C/LNP	P	P	P	P	C	P	P	P	P	P
	C/INP	P	P	P	P	C	P	P	P	P	P
	D	P	P	O	P	P	P	P	P	P	P
	E	P	O	P	P	O	P	P	P	P	P
	F	P	P	P	P	P	P	P	P	P	P
	J	P	P	P	P	P	P	P	P	P	P
	K	P	O	P	P	O	P	P	P	P	P
	M	P	O	P	P	O	P	P	P	P	P
N	P	O	P	P	O	P	P	P	P	P	
P	P	O	P	P	O	P	P	P	P	P	

NOTE 1: When REQTYTYP = B or C and ACT = V, if LACT = N, ERL must be N.

NOTE 2: When REQTYTYP = B or C and ACT = V, if LACT = W, ERL must be Y.

NOTE 3: When REQTYTYP = B or C and ACT = V, if LACT = N, ERL must be A.

NOTE 4: When REQ TYP=A, ACT = V and LACT = N, the ERL field will be prohibited.

NOTE 5: For FTP, the ERL field will be populated systematically based on the LACT provided.

DATA CHARACTERISTICS: 2 numeric characters

EXAMPLE:

	2
--	---

26. OLTN – Out Listing Telephone Number

Identifies the existing Listing Telephone Number being changed in the directory.

Interface	Field Name
IRES	OLTN
FTP	OLTN

NOTE 1: This is a Sprint proprietary field and not supported by Industry.

USAGE: See usage strip below.

ACTIVITIES												
R E Q U E S T T Y P E		N	C	D	T	V	W	S	B	L	P	
	A	P	C	P	C	P	P	P	P	P	P	P
	B/LNP	P	P	P	P	P	P	P	P	P	P	
	B/INP	P	P	P	P	P	P	P	P	P	P	
	C/LNP	P	P	P	P	P	P	P	P	P	P	
	C/INP	P	P	P	P	P	P	P	P	P	P	
	D	P	P	P	P	P	P	P	P	P	P	
	E	P	C	P	C	C	P	P	P	P	P	
	F	P	P	P	P	P	P	P	P	P	P	
	J	C	C	P	P	C	P	P	P	P	P	
	K	P	C	P	C	C	P	P	P	P	P	
	M	P	C	P	C	C	P	P	P	P	P	
	N	P	C	P	C	C	P	P	P	P	P	
P	P	C	P	C	C	P	P	P	P	P		

NOTE 1: When REQ TYP = J and ACT = N and LACT = X, this field is required.

NOTE 2: When REQ TYP = E, K, N, M or P and ACT = C with LACT = X, this field is required.

NOTE 3: When the REQ TYP = E, K, N, M or P and ACT = T or V with end user moving, this field is conditional (required when moving to a different rate center).

NOTE 4: When the REQ TYP = A and the ACT = C and LACT = X, this field is required. When LACT = T, this field is conditional (required when moving outside the rate center).

NOTE 5: For usage related to FTP, refer to Sprint FTP SIBR and supporting documentation.

DATA CHARACTERISTICS: 12 alpha numeric characters with 2 pre-printed hyphens

EXAMPLE:

7	0	2	-	1	2	3	-	4	5	6	7		
---	---	---	---	---	---	---	---	---	---	---	---	--	--

12.4 LISTING INDICATORS SECTION

27. DML - Direct Mail List

Indicates whether this listing is to be omitted from any direct mail lists.

USAGE: This field is not supported by Sprint LTD.

28. NOSL - No Solicitation Indicator

Identifies that this listing is not to be used for solicitation purposes.

USAGE: This field is not supported by Sprint LTD.

29. TMKT - Telemarketing

Indicates that this listing is to be omitted from any telemarketing lists.

USAGE: This field is not supported by Sprint LTD.

30. BRO - Business/Residence Placement Override

Identifies an override of the normal placement of business or residence listings.

Interface	Field Name
IRES	Not Applicable
FTP	BRO

NOTE 1: Overrides placement that would normally happen based on the value of the TOA field.

VALID ENTRIES:

- A = Place listing in both business and residence sections in directory and DA
- B = Place listing only in the business section in directory and DA
- R = Place listing only in the residence section in directory and DA

NOTE 1: B and R are not supported by Sprint LTD.

USAGE: This field is only supported by FTP.

NOTE 1: For usage related to FTP, refer to Sprint FTP SIBR and supporting documentation.

DATA CHARACTERISTICS: 1 alpha character

EXAMPLE:

A

31. ADV - Advance to Directory Indicator

Indicates a request that the listing be advanced to the directory publisher in order to meet a book close.

USAGE: This field is not supported by Sprint LTD.

32. OCD – Order Completion Date

Identifies the date provisioning is completed and listing information can be released to directory assistance and white pages systems for a post complete request.

USAGE: This field is not supported by Sprint LTD.

33. STR - Street Address Directory

Identifies whether this listing is to be omitted from the street address (reverse) directory.

USAGE: This field is not supported by Sprint LTD.

34. DLNM - Dual Name Listing

Indicates that this listing contains multiple first names and that both should appear in directory assistance.

USAGE: This field is not supported by Sprint LTD.

35. PROF - Professional Identifier

Indicates that this is a professional listing.

USAGE: This field is not supported by Sprint LTD.

36. DIRIDL - Directory Identifier

Identifies the directory in which to place the listing.

USAGE: This field is not supported by Sprint LTD.

37. DIRNAME - Directory Name

Identifies the name of a directory in which to place the listing.

Interface	Field Name
IRES	DIRECTORY SECTION
FTP	DIRNAME

VALID ENTRIES:

Directory name

USAGE: See usage strip below.

ACTIVITIES												
R E Q U E S T T Y P E		N	C	D	T	V	W	S	B	L	P	
	A	C	C	P	C	C	P	P	P	P	P	P
	B/LNP	P	P	P	P	C	P	P	P	P	P	
	B/INP	P	P	P	P	C	P	P	P	P	P	
	C/LNP	P	P	P	P	C	P	P	P	P	P	
	C/INP	P	P	P	P	C	P	P	P	P	P	
	D	P	P	C	P	P	P	P	P	P	P	
	E	C	C	P	C	C	P	P	P	P	P	
	F	C	C	P	C	C	P	P	P	P	P	
	J	C	C	P	P	P	P	P	P	P	P	
	K	R	C	P	C	C	P	P	P	P	P	
	M	C	C	P	C	C	P	P	P	P	P	
	N	R	C	P	C	C	P	P	P	P	P	
P	C	C	P	C	C	P	P	P	P	P		

NOTE 1: Required when RTY field is populated with FL, otherwise prohibited.

DATA CHARACTERISTICS: 35 alphanumeric characters

EXAMPLE: |G|r|a|n|d| |J|u|n|c|t|i|o|n| |N|E| |
 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |

38. DIRSUB - Directory Subsection

Identifies the subsection of a directory in which to place the listing.

USAGE: This field is not supported by Sprint LTD.

39. LID1 - Scoping ZIP

Identifies the ZIP code or postal code that will aid in identifying the directory in which to place the listing.

USAGE: This field is not supported by Sprint LTD.

40. LID2 - Additional Scoping Information

Identifies additional descriptive scoping information required to identify the directory in which to place the listing, e.g., Tax Area Rate (TAR) code.

USAGE: This field is not supported by Sprint LTD.

41. OMSD - Omit From Secondary Directory

Indicates in which secondary directory or directories this listing is not to appear.

USAGE: This field is not supported by Sprint LTD.

12.5 LISTING INSTRUCTION SECTION

42. LTN - Listed Telephone Number

Identifies the telephone number that may be included in the directory and/or quoted in Directory Assistance (DA).

Interface	Field Name
IRES	LISTING TN
FTP	LTN

NOTE 1: IRES could auto-populate this field based on REQ/ACT type.

USAGE: See usage strip below.

ACTIVITIES												
R E Q U E S T T Y P E		N	C	D	T	V	W	S	B	L	P	
	A	R	R	R	R	R	P	P	P	P	P	P
	B/LNP	P	P	R	P	R	P	P	P	P	P	
	B/INP	P	P	R	P	R	P	P	P	P	P	
	C/LNP	P	P	P	P	R	P	P	P	P	P	
	C/INP	P	P	R	P	R	P	P	P	P	P	
	D	P	P	R	P	P	P	P	P	P	P	
	E	O	C	O	O	O	P	P	P	P	P	
	F	R	R	P	R	R	P	P	P	P	P	
	J	R	R	R	P	P	P	P	P	P	P	
	K	R	R	R	R	R	P	P	P	P	P	
	M	O	C	O	O	O	P	P	P	P	P	
	N	R	R	R	R	R	P	P	P	P	P	
P	R	R	R	R	R	P	P	P	P	P		

NOTE 1: For usage related to FTP, refer to Sprint FTP SIBR and supporting documentation.

DATA CHARACTERISTICS: 10 numeric characters (excluding 2 preprinted hyphens)

EXAMPLE:

2	0	1
---	---	---

 -

9	8	1
---	---	---

 -

3	5	0	0
---	---	---	---

43. NSTN – Non-Standard Telephone Number

Identifies a telephone number which is not in the standard North American Numbering Plan format, e.g., vanity numbers, Enterprise, 911.

USAGE: This field is not supported by Sprint LTD.

44. SHTN – SLU Header Telephone Number

Identifies a telephone number associated with a SLU header.

USAGE: This field is not supported by Sprint LTD.

45. OMTN - Omit Telephone Number (TN)

Indicates whether or not a telephone number is to be omitted from Directory Assistance and published in directories.

USAGE: This field is not supported by Sprint LTD.

46. LTNE – Listing Telephone Number Environment

Indicates the service type associated with the telephone number for this listing.

USAGE: This field is not supported by Sprint LTD.

47. LEX - Local Exchange

Indicates the provider's local NPA/NXX.

USAGE: This field is not supported by Sprint LTD.

48. DNA - Do Not Abbreviate

Indicates data in supplied fields must not be abbreviated.

USAGE: This field is not supported by Sprint LTD.

49. LNPL - Letter Name Placement

Identifies the alphabetic placement of the listing based on the LNLN field.

Interface	Field Name
IRES	PUNCTUATION INTEGER
FTP	Not Applicable

NOTE 1: Listing placement will default to word placement unless "L" (letter placement) is specified. LNLN = "ABC" with letter placement would file as A B C. LNLN = "ABC" without letter placement would file as "Abc". Both would print as ABC.

USAGE: See usage strip below.

ACTIVITIES												
R E Q U E S T T Y P E		N	C	D	T	V	W	S	B	L	P	
	A	O	O	P	P	O	P	P	P	P	P	P
	B/LNP	P	P	P	P	O	P	P	P	P	P	P
	B/INP	P	P	P	P	O	P	P	P	P	P	P
	C/LNP	P	P	P	P	O	P	P	P	P	P	P
	C/INP	P	P	P	P	O	P	P	P	P	P	P
	D	P	P	O	P	P	P	P	P	P	P	P
	E	O	O	P	P	O	P	P	P	P	P	P
	F	O	O	P	P	O	P	P	P	P	P	P
	J	O	O	P	P	P	P	P	P	P	P	P
	K	R	O	P	P	O	P	P	P	P	P	P
	M	R	O	P	P	O	P	P	P	P	P	P
	N	R	O	P	P	O	P	P	P	P	P	P
P	R	O	P	P	O	P	P	P	P	P	P	

DATA CHARACTERISTICS: 1 numeric character

EXAMPLE:

3

50. LNLN - Listed Name Last

Indicates the first word for business listings or the complete last name for residence listings.

Interface	Field Name
IRES	LISTING NAME – Straight Line LISTING TEXT – Caption
FTP	LNLN

NOTE 1: Identifies the name for business for FTP and manual processing.

NOTE 2: For residence listings it identifies the last name for FTP and manual processing.

USAGE: See usage strip below.

ACTIVITIES											
R E Q U E S T T Y P E		N	C	D	T	V	W	S	B	L	P
	A	R	R	R	R	R	P	P	P	P	P
	B/LNP	P	P	R	P	R	P	P	P	P	P
	B/INP	P	P	R	P	R	P	P	P	P	P
	C/LNP	P	P	P	P	R	P	P	P	P	P
	C/INP	P	P	R	P	R	P	P	P	P	P
	D	P	P	R	P	P	P	P	P	P	P
	E	R	R	P	R	R	P	P	P	P	P
	F	R	R	P	R	R	P	P	P	P	P
	J	R	R	R	P	P	P	P	P	P	P
	K	R	R	R	R	R	P	P	P	P	P
	M	R	R	P	R	R	P	P	P	P	P
	N	R	R	R	R	R	P	P	P	P	P
P	R	R	P	R	R	P	P	P	P	P	

NOTE 1: For usage related to FTP, refer to Sprint FTP SIBR and supporting documentation.

51. LNFN - Listed Name First

Indicates all except the first word for business listings or all of the first name or names and middle name/initials for residence listings.

Interface	Field Name
IRES	LISTING NAME – Straight Line LISTING TEXT – Caption
FTP	LNFN

NOTE 1: Identifies the continuation of the name for business for FTP and manual processing.

NOTE 2: For residence listings it identifies the first name(s), middle name(s) and initials for FTP and manual processing.

USAGE: See usage strip below.

ACTIVITIES												
R E Q U E S T T Y P E		N	C	D	T	V	W	S	B	L	P	
	A	C	C	C	C	C	C	P	P	P	P	P
	B/LNP	P	P	C	P	C	P	P	P	P	P	
	B/INP	P	P	C	P	C	P	P	P	P	P	
	C/LNP	P	P	P	P	C	P	P	P	P	P	
	C/INP	P	P	C	P	C	P	P	P	P	P	
	D	P	P	C	P	P	P	P	P	P	P	
	E	C	C	P	C	C	P	P	P	P	P	
	F	C	C	P	C	C	P	P	P	P	P	
	J	C	C	C	P	P	P	P	P	P	P	
	K	C	C	C	C	C	P	P	P	P	P	
	M	C	C	P	C	C	P	P	P	P	P	
	N	C	C	C	C	C	P	P	P	P	P	
P	C	C	P	C	C	P	P	P	P	P		

NOTE 1: For usage related to FTP, refer to Sprint FTP SIBR and supporting documentation.

NOTE 2: Optional when type of account is business, otherwise required.

52. HS – Header Status

Indicates whether the caption or SLU header is new or is a recap of an existing header.

USAGE: This field is not supported by Sprint LTD.

54. TL – Title of Lineage

Indicates a phrase used to designate lineage of a listed person, e.g., Jr, Sr, III, etc.

USAGE: This field is not supported by Sprint LTD.

55. TITLE1 – Title of Address 1

Indicates a phrase used to address a listed person, e.g., Mr, Dr, Rev, Ms.

USAGE: This field is not supported by Sprint LTD.

56. TITLE2 – Title of Address 2

Indicates additional phrases used to further identify the individual, e.g., degrees, military rank.

USAGE: This field is not supported by Sprint LTD.

57. TLD – Title of Lineage for Dual Name

Indicates a phrase used to designate lineage for the second name of a dual name listing, e.g., Jr, Sr, III, etc.

USAGE: This field is not supported by Sprint LTD.

58. TITLE1D – Title of Address 1 for Dual Name

Indicates a phrase used to address the second name of a dual name listing, e.g., Mr, Dr, Rev, Ms.

USAGE: This field is not supported by Sprint LTD.

59. TITLE2D – Title of Address 2 for Dual Name

Indicates additional phrases used to further identify the second name of the dual name listing, e.g., degrees, military rank.

USAGE: This field is not supported by Sprint LTD.

60. NICK – Listing Nickname

Indicates the listed person's nickname.

USAGE: This field is not supported by Sprint LTD.

61. PLA – Place Listing As

Identifies the special filing words that should be used instead of the listed name if the customer wishes to override the normal alphabetizing.

Interface	Field Name
IRES	PLACE AS
FTP	PLA

NOTE 1: This is used, in particular, for words that are numeric, e.g., 1040 Tax could file as either One Zero Forty Tax, Ten Forty Tax, or One Zero Four Zero Tax.

USAGE: See usage strip below.

ACTIVITIES												
R E Q U E S T T Y P E		N	C	D	T	V	W	S	B	L	P	
	A	O	O	P	O	C	P	P	P	P	P	P
	B/LNP	P	P	P	P	C	P	P	P	P	P	P
	B/INP	P	P	P	P	C	P	P	P	P	P	P
	C/LNP	P	P	P	P	C	P	P	P	P	P	P
	C/INP	P	P	P	P	C	P	P	P	P	P	P
	D	P	P	C	P	P	P	P	P	P	P	P
	E	O	O	P	O	C	P	P	P	P	P	P
	F	O	O	P	O	C	P	P	P	P	P	P
	J	O	O	P	P	P	P	P	P	P	P	P
	K	O	O	P	O	C	P	P	P	P	P	P
	M	O	O	P	O	C	P	P	P	P	P	P
	N	O	O	P	O	C	P	P	P	P	P	P
P	O	O	P	O	C	P	P	P	P	P	P	

NOTE 1: For usage related to FTP, refer to Sprint FTP SIBR and supporting documentation.

NOTE 2: Prohibited when LACT = D or W, otherwise optional.

62. LTXNUM – Line of Text Reference Number

Identifies each line of information with a unique number.

Interface	Field Name
IRES	SEQ
FTP	LACT

NOTE 1: The LTXNUM is automatically assigned in IRES.

NOTE 2: The LTXNUM is not supported for manual processing.

USAGE: See usage strip below.

ACTIVITIES												
R E Q U E S T T Y P E		N	C	D	T	V	W	S	B	L	P	
	A	O	O	P	O	C	P	P	P	P	P	P
	B/LNP	P	P	P	P	C	P	P	P	P	P	
	B/INP	P	P	P	P	C	P	P	P	P	P	
	C/LNP	P	P	P	P	C	P	P	P	P	P	
	C/INP	P	P	P	P	C	P	P	P	P	P	
	D	P	P	C	P	P	P	P	P	P	P	
	E	C	C	P	C	C	P	P	P	P	P	
	F	O	O	P	O	C	P	P	P	P	P	
	J	O	O	P	P	P	P	P	P	P	P	
	K	O	O	P	O	C	P	P	P	P	P	
	M	C	C	P	C	C	P	P	P	P	P	
	N	O	O	P	O	C	P	P	P	P	P	
P	C	C	P	C	C	P	P	P	P	P		

NOTE 1: Required when the LTEXT field is populated, otherwise optional.

NOTE 2: When LACT = D or W, field is prohibited, otherwise optional.

NOTE 3: For usage related to FTP, refer to Sprint FTP SIBR and supporting documentation.

DATA CHARACTERISTICS: 4 numeric characters

EXAMPLE:

			1
--	--	--	---

63. LTXTY – Listing Text Type

Identifies the type of the associated text that will appear in the directory to assist the end user.

USAGE: This field is not supported by Sprint LTD.

64. LPHRASE - Listing Phrase

Identifies a predefined phrase associated with a listing.

Interface	Field Name
IRES	TDD
FTP	LPHRASE

VALID ENTRIES:

- 1 = TDD (Telecommunication Device for the Deaf) only
- 2 = TTY (Teletypewriter) only
- 3 = TTY-TDD only
- 4 = TDD-TTY only
- 5 = Voice and TTY
- 6 = Voice and TDD
- 7 = TTY and voice
- 8 = TDD and voice
- 9 = TT (Text Telephone) only
- 10 = TT and voice
- 11 = Voice and TT
- A0-Z9 = Company specific defined phrase

NOTE 1: Sprint LTD only supports values 1, 2 and 6.

USAGE: See usage strip below.

ACTIVITIES												
R E Q U E S T T Y P E		N	C	D	T	V	W	S	B	L	P	
	A	O	O	P	O	C	P	P	P	P	P	P
	B/LNP	P	P	P	P	C	P	P	P	P	P	
	B/INP	P	P	P	P	C	P	P	P	P	P	
	C/LNP	P	P	P	P	C	P	P	P	P	P	
	C/INP	P	P	P	P	C	P	P	P	P	P	
	D	P	P	C	P	P	P	P	P	P	P	
	E	O	O	P	O	C	P	P	P	P	P	
	F	O	O	P	O	C	P	P	P	P	P	
	J	O	O	P	P	P	P	P	P	P	P	
	K	O	O	P	O	C	P	P	P	P	P	
	M	O	O	P	O	C	P	P	P	P	P	
N	O	O	P	O	C	P	P	P	P	P		
P	O	O	P	O	C	P	P	P	P	P		

NOTE 1: When LACT = D or W, field is prohibited, otherwise optional.

NOTE 2: For usage related to FTP, refer to Sprint FTP SIBR and supporting documentation.

DATA CHARACTERISTICS: 2 alphanumeric characters

EXAMPLE:

2	2
---	---

66. SO – Sequence Override

Indicates that normal sequencing for the indent should be overridden.

USAGE: This field is not supported by Sprint LTD.

67. FAINFO – File After Information

Indicates the information that the indent will follow within the caption set or SLU set at the same degree of indent.

USAGE: This field is not supported by Sprint LTD.

68. FATN – File After Telephone Number

Indicates a telephone number on the file after indent.

USAGE: This field is not supported by Sprint LTD.

69. ACA – Alternate Call Authorization

Indicates authorization has been obtained to list the alternate call number, when the requester is not the Local Service Provider owning the telephone number listing.

USAGE: This field is not supported by Sprint LTD.

70. ADI - Address Indicator

Identifies that listing address elements should be omitted from Directory Assistance (DA) and published directories.

Interface	Field Name
IRES	OAD
FTP	ADI

NOTE 1: This field should only be used when omitting the entire address from DA and published directories.

VALID ENTRIES:

Y = Omit address in DA and directory

USAGE: See usage strip below.

ACTIVITIES												
R E Q U E S T T Y P E		N	C	D	T	V	W	S	B	L	P	
	A	C	C	P	C	C	P	P	P	P	P	P
	B/LNP	P	P	P	P	C	P	P	P	P	P	
	B/INP	P	P	P	P	C	P	P	P	P	P	
	C/LNP	P	P	P	P	C	P	P	P	P	P	
	C/INP	P	P	P	P	C	P	P	P	P	P	
	D	P	P	C	P	P	P	P	P	P	P	
	E	C	C	P	C	C	P	P	P	P	P	
	F	C	C	P	C	C	P	P	P	P	P	
	J	C	C	P	P	P	P	P	P	P	P	
	K	C	C	P	C	C	P	P	P	P	P	
	M	C	C	P	C	C	P	P	P	P	P	
	N	C	C	P	C	C	P	P	P	P	P	
P	C	C	P	C	C	P	P	P	P	P		

NOTE 1: Required when positions two (2) and three (3) of the RTY field are “CR”, otherwise optional.

NOTE 2: When LACT = D or W, field is prohibited, otherwise optional.

NOTE 3: For usage related to FTP, refer to Sprint FTP SIBR and supporting documentation.

DATA CHARACTERISTICS: 1 alpha character

EXAMPLE:

Y

71. LAPR - Listed Address Number Prefix

Identifies the prefix for the address number of the listed address.

USAGE: This field is not supported by Sprint LTD.

72. LANO - Listed Address Number

Identifies the number of the listed address.

Interface	Field Name
IRES	Not Applicable
FTP	Not Applicable

NOTE 1: This field is only supported for manual processing.

USAGE: See usage strip below.

ACTIVITIES												
R E Q U E S T T Y P E		N	C	D	T	V	W	S	B	L	P	
	A	C	C	C	C	C	C	P	P	P	P	P
	B/LNP	P	P	C	P	C	P	P	P	P	P	
	B/INP	P	P	C	P	C	P	P	P	P	P	
	C/LNP	P	P	P	P	C	P	P	P	P	P	
	C/INP	P	P	C	P	C	P	P	P	P	P	
	D	P	P	C	P	P	P	P	P	P	P	
	E	C	C	C	C	C	C	P	P	P	P	
	F	C	C	C	C	C	C	P	P	P	P	
	J	C	C	C	P	P	P	P	P	P	P	
	K	C	C	C	C	C	C	P	P	P	P	
	M	C	C	C	C	C	C	P	P	P	P	
	N	C	C	C	C	C	C	P	P	P	P	
	P	C	C	C	C	C	C	P	P	P	P	

NOTE 1: Required when the LASN field is populated, otherwise prohibited.

DATA CHARACTERISTICS: 10 alphanumeric characters

EXAMPLE:

4	5	0							
---	---	---	--	--	--	--	--	--	--

NOTE 1: Where 450 is the address number for the following address example: 25W 450 1/2 SW Camino Ramon Lane NW, Suite 23.

73. LASF - Listed Address Number Suffix

Identifies the suffix for the address number of the listed address.

Interface	Field Name
IRES	Not Applicable
FTP	Not Applicable

NOTE 1: This field is only supported for manual processing.

USAGE: See usage strip below.

ACTIVITIES												
R E Q U E S T T Y P E		N	C	D	T	V	W	S	B	L	P	
	A	C	C	C	C	C	C	P	P	P	P	P
	B/LNP	P	P	C	P	C	P	P	P	P	P	
	B/INP	P	P	C	P	C	P	P	P	P	P	
	C/LNP	P	P	P	P	C	P	P	P	P	P	
	C/INP	P	P	C	P	C	P	P	P	P	P	
	D	P	P	C	P	P	P	P	P	P	P	
	E	C	C	C	C	C	C	P	P	P	P	
	F	C	C	P	C	C	C	P	P	P	P	
	J	C	C	C	P	P	P	P	P	P	P	
	K	C	C	C	C	C	C	P	P	P	P	
	M	C	C	C	C	C	C	P	P	P	P	
	N	C	C	C	C	C	C	P	P	P	P	
	P	C	C	C	C	C	C	P	P	P	P	

NOTE 1: Optional when the LANO field is populated, otherwise prohibited.

DATA CHARACTERISTICS: 4 alphanumeric characters

EXAMPLE:

1	/	2	
---	---	---	--

NOTE 1: Where 1/2 is the address number suffix for the following address example: 25W 450 1/2 SW Camino Ramon Lane NW, Suite 23.

74. LASD - Listed Address Street Directional Prefix

Identifies the street directional prefix for the listed address.

Interface	Field Name
IRES	Not Applicable
FTP	Not Applicable

NOTE 1: This field is only supported for manual processing.

VALID ENTRIES:

- N = North
- S = South
- E = East
- W = West
- NE = Northeast
- NW = Northwest
- SE = Southeast
- SW = Southwest

USAGE: See usage strip below.

ACTIVITIES												
R E Q U E S T T Y P E		N	C	D	T	V	W	S	B	L	P	
	A	C	C	C	C	C	C	P	P	P	P	P
	B/LNP	P	P	C	P	C	P	P	P	P	P	P
	B/INP	P	P	C	P	C	P	P	P	P	P	P
	C/LNP	P	P	P	P	C	P	P	P	P	P	P
	C/INP	P	P	C	P	C	P	P	P	P	P	P
	D	P	P	C	P	P	P	P	P	P	P	P
	E	C	C	C	C	C	C	P	P	P	P	P
	F	C	C	P	C	C	C	P	P	P	P	P
	J	C	C	C	P	P	P	P	P	P	P	P
	K	C	C	C	C	C	C	P	P	P	P	P
	M	C	C	C	C	C	C	P	P	P	P	P
	N	C	C	C	C	C	C	P	P	P	P	P
P	C	C	C	C	C	C	P	P	P	P	P	

NOTE 1: Optional when the LASN field is populated, otherwise prohibited.

DATA CHARACTERISTICS: 2 alpha characters

EXAMPLE:

S	W
---	---

NOTE 1: Where SW is the street directional prefix for the following address example: 25W 450 1/2 SW Camino Ramon Lane NW, Suite 23.

75. LASN - Listed Address Street Name

Identifies the street name of the listed address.

Interface	Field Name
IRES	Not Applicable
FTP	Not Applicable

NOTE 1: This field is only supported for manual processing.

USAGE: See usage strip below.

ACTIVITIES												
R E Q U E S T T Y P E		N	C	D	T	V	W	S	B	L	P	
	A	O	O	O	O	O	O	P	P	P	P	P
	B/LNP	P	P	O	P	O	P	P	P	P	P	
	B/INP	P	P	O	P	O	P	P	P	P	P	
	C/LNP	P	P	P	P	O	P	P	P	P	P	
	C/INP	P	P	O	P	O	P	P	P	P	P	
	D	P	P	O	P	P	P	P	P	P	P	
	E	O	O	O	O	O	O	P	P	P	P	
	F	O	O	P	O	O	P	P	P	P	P	
	J	O	O	O	P	P	P	P	P	P	P	
	K	O	O	O	O	O	O	P	P	P	P	
	M	O	O	O	O	O	O	P	P	P	P	
	N	O	O	O	O	O	O	P	P	P	P	
	P	O	O	O	O	O	O	P	P	P	P	

DATA CHARACTERISTICS: 60 alphanumeric characters

EXAMPLES:

C	a	m	i	n	o	R	a	m	o	n										

NOTE 1: Where Camino Ramon is the address street name for the following address example: 25W 450 1/2 SW Camino Ramon Lane NW, Suite 23.

76. LATH - Listed Address Street Type

Identifies the thoroughfare portion of the street name of the listed address.

NOTE 1: Recommended abbreviations are contained in the United States Postal Service Publication 28, Postal Addressing Standards, Street Suffix Abbreviations Section.

Interface	Field Name
IRES	Not Applicable
FTP	Not Applicable

NOTE 1: This field is only supported for manual processing.

USAGE: See usage strip below.

ACTIVITIES												
R E Q U E S T T Y P E		N	C	D	T	V	W	S	B	L	P	
	A	C	C	C	C	C	C	P	P	P	P	P
	B/LNP	P	P	C	P	C	P	P	P	P	P	
	B/INP	P	P	C	P	C	P	P	P	P	P	
	C/LNP	P	P	P	P	C	P	P	P	P	P	
	C/INP	P	P	C	P	C	P	P	P	P	P	
	D	P	P	C	P	P	P	P	P	P	P	
	E	C	C	C	C	C	C	P	P	P	P	
	F	C	C	P	C	C	C	P	P	P	P	
	J	C	C	C	P	P	P	P	P	P	P	
	K	C	C	C	C	C	C	P	P	P	P	
	M	C	C	C	C	C	C	P	P	P	P	
	N	C	C	C	C	C	C	P	P	P	P	
P	C	C	C	C	C	C	P	P	P	P		

NOTE 1: Optional when the LASN field is populated, otherwise prohibited.

DATA CHARACTERISTICS: 10 alphanumeric characters

EXAMPLE: | L | N | | | | | | | | |

NOTE 1: Where LN is the address street name type for the following address example: 25W 450 1/2 SW Camino Ramon Lane NW, Suite 23.

77. LASS - Listed Address Street Directional Suffix

Identifies the street directional suffix for the listed address.

Interface	Field Name
IRES	Not Applicable
FTP	Not Applicable

NOTE 1: This field is only supported for manual processing.

VALID ENTRIES:

- N = North
- S = South
- E = East
- W = West
- NE = Northeast
- NW = Northwest
- SE = Southeast
- SW = Southwest

USAGE: See usage strip below.

ACTIVITIES												
R E Q U E S T T Y P E		N	C	D	T	V	W	S	B	L	P	
	A	C	C	C	C	C	C	P	P	P	P	P
	B/LNP	P	P	C	P	C	P	P	P	P	P	
	B/INP	P	P	C	P	C	P	P	P	P	P	
	C/LNP	P	P	P	P	C	P	P	P	P	P	
	C/INP	P	P	C	P	C	P	P	P	P	P	
	D	P	P	C	P	P	P	P	P	P	P	
	E	C	C	C	C	C	C	P	P	P	P	
	F	C	C	P	C	C	C	P	P	P	P	
	J	C	C	C	P	P	P	P	P	P	P	
	K	C	C	C	C	C	C	P	P	P	P	
	M	C	C	C	C	C	C	P	P	P	P	
	N	C	C	C	C	C	C	P	P	P	P	
P	C	C	C	C	C	C	P	P	P	P		

NOTE 1: Optional when the LASN field is populated, otherwise prohibited.

DATA CHARACTERISTICS: 2 alpha characters

EXAMPLE:

N	W
---	---

NOTE 1: Where NW is the street directional suffix for the following address example: 25W 450 ½ SW Camino Ramon Lane NW, Suite 23.

80. LAST - Listed Address State/Province

Identifies the abbreviation for the state/province of the listed address.

NOTE 1: Recommended abbreviations are contained in the United States Postal Service Publication 28, Postal Addressing Standards.

Interface	Field Name
IRES	Not Applicable
FTP	Not Applicable

NOTE 1: This field is only supported for manual processing.

USAGE: See usage strip below.

ACTIVITIES												
R E Q U E S T T Y P E		N	C	D	T	V	W	S	B	L	P	
	A	O	O	O	O	O	P	P	P	P	P	P
	B/LNP	P	P	O	P	O	P	P	P	P	P	P
	B/INP	P	P	O	P	O	P	P	P	P	P	P
	C/LNP	P	P	P	P	O	P	P	P	P	P	P
	C/INP	P	P	O	P	O	P	P	P	P	P	P
	D	P	P	O	P	P	P	P	P	P	P	P
	E	O	O	O	O	O	P	P	P	P	P	P
	F	O	O	P	O	O	P	P	P	P	P	P
	J	O	O	O	P	P	P	P	P	P	P	P
	K	O	O	O	O	O	P	P	P	P	P	P
	M	O	O	O	O	O	P	P	P	P	P	P
	N	O	O	O	O	O	P	P	P	P	P	P
P	O	O	O	O	O	P	P	P	P	P	P	

DATA CHARACTERISTICS: 2 alpha characters

EXAMPLE: | C | A |

81. LAZC - Listed Address ZIP/Postal Code

Identifies the ZIP code, ZIP code + extension or postal code of the listed address.

Interface	Field Name
IRES	Not Applicable
FTP	Not Applicable

NOTE 1: This field is only supported for manual processing.

USAGE: See usage strip below.

ACTIVITIES												
R E Q U E S T T Y P E		N	C	D	T	V	W	S	B	L	P	
	A	O	O	O	O	O	P	P	P	P	P	P
	B/LNP	P	P	O	P	O	P	P	P	P	P	
	B/INP	P	P	O	P	O	P	P	P	P	P	
	C/LNP	P	P	P	P	O	P	P	P	P	P	
	C/INP	P	P	O	P	O	P	P	P	P	P	
	D	P	P	O	P	P	P	P	P	P	P	
	E	O	O	O	O	O	P	P	P	P	P	
	F	O	O	P	O	O	P	P	P	P	P	
	J	O	O	O	P	P	P	P	P	P	P	
	K	O	O	O	O	O	P	P	P	P	P	
	M	O	O	O	O	O	P	P	P	P	P	
N	O	O	O	O	O	P	P	P	P	P		
P	O	O	O	O	O	P	P	P	P	P		

DATA CHARACTERISTICS: 12 alphanumeric characters

EXAMPLES: | 0 | 7 | 0 | 3 | 9 | | | | | | | | |

| 9 | 4 | 5 | 8 | 3 | - | 4 | 1 | 8 | 2 | | | |

| M | 5 | A | | | 1 | X | 7 | | | | | |

12.6 CAPTION/SLU INDENT SECTION

82. LVL - Level of Indent

Identifies the degree of indent of the prior level being recapped or the degree of indent of the caption header/caption sub-header, or the degree of indent of the sequence information.

USAGE: This field is not supported by Sprint LTD.

83. PLS - Prior Level Status

Identifies whether the level is new or is a recap of an existing indent, caption header or caption sub-header supplied to define placement within the caption set.

USAGE: This field is not supported by Sprint LTD.

84. PLINFO - Prior Level Information

Identifies the information at this level of a caption sub-header, caption indent or SLU indent.

USAGE: This field is not supported by Sprint LTD.

85. PLTN – Prior Level Telephone Number

Identifies a telephone number associated with this level.

USAGE: This field is not supported by Sprint LTD.

86. PLSO – Prior Level Sequence Override

Identifies that normal sequencing in captions should be overridden for a new caption sub-header.

USAGE: This field is not supported by Sprint LTD.

87. PLFAINFO – Prior Level File After Information

Identifies the information that the new caption sub-header will follow within the caption set at the same degree of indent.

USAGE: This field is not supported by Sprint LTD.

88. PLFATN – Prior File After Telephone Number

Identifies a telephone number on the file after indent for the prior level.

USAGE: This field is not supported by Sprint LTD.

12.7 DELIVERY ADDRESS/INFORMATION SECTION

This section is used whenever specific delivery data needs to be supplied. It is required if anything other than negotiated defaults are needed.

89. DELNUM - Delivery Reference Number

Identifies the delivery segment with a unique number.

Interface	Field Name
IRES	DELNUM
FTP	Not Applicable

NOTE 1: This is a Sprint proprietary field and not supported by Industry.

NOTE 2: This field represents the address/information segment and each additional delivery address/information segment.

NOTE 3: The DELNUM is auto-populated in IRES.

NOTE 4: The values are to be assigned consecutively and must be unique throughout the request at the PON field level.

USAGE: See usage strip below.

ACTIVITIES												
R E Q U E S T T Y P E		N	C	D	T	V	W	S	B	L	P	
	A	R	R	R	R	R	R	P	P	P	P	P
	B/LNP	P	P	R	P	R	P	P	P	P	P	P
	B/INP	P	P	R	P	R	P	P	P	P	P	P
	C/LNP	P	P	P	P	R	P	P	P	P	P	P
	C/INP	P	P	R	P	R	P	P	P	P	P	P
	D	P	P	R	P	P	P	P	P	P	P	P
	E	R	R	R	R	R	R	P	P	P	P	P
	F	R	R	P	R	R	R	P	P	P	P	P
	J	R	R	R	P	P	P	P	P	P	P	P
	K	R	R	R	R	R	R	P	P	P	P	P
	M	R	R	R	R	R	R	P	P	P	P	P
	N	R	R	R	R	R	R	P	P	P	P	P
P	R	R	R	R	R	R	P	P	P	P	P	

NOTE 1: Required when the delivery section is populated.

DATA CHARACTERISTICS: 2 numeric characters

EXAMPLE:

0	0
---	---

90. DACT - Delivery Activity

Identifies the delivery activity for this request.

USAGE: This field is not supported by Sprint LTD.

91. DATY - Delivery Address Type

Identifies a delivery address segment as being valid for hand delivery, postal delivery or both.

USAGE: This field is not supported by Sprint LTD.

93. DDAPR - Delivery Address Number Prefix

Identifies the prefix for the address number of the directory delivery address.

USAGE: This field is not supported by Sprint LTD.

94. DDANO - Delivery Address Number

Identifies the number of the directory delivery address.

Interface	Field Name
IRES	HSN NO
FTP	DDANO

USAGE: See usage strip below.

ACTIVITIES												
R E Q U E S T T Y P E		N	C	D	T	V	W	S	B	L	P	
	A	R	O	P	R	R	P	P	P	P	P	P
	B/LNP	P	P	P	P	R	P	P	P	P	P	
	B/INP	P	P	P	P	R	P	P	P	P	P	
	C/LNP	P	P	P	P	R	P	P	P	P	P	
	C/INP	P	P	P	P	R	P	P	P	P	P	
	D	P	P	P	P	P	P	P	P	P	P	
	E	C	C	P	C	C	P	P	P	P	P	
	F	R	O	P	R	R	P	P	P	P	P	
	J	R	O	P	P	P	P	P	P	P	P	
	K	R	O	P	R	R	P	P	P	P	P	
	M	C	C	P	C	C	P	P	P	P	P	
N	R	O	P	R	R	P	P	P	P	P		
P	C	C	P	C	C	P	P	P	P	P		

NOTE 1: For usage related to FTP, refer to Sprint FTP SIBR and supporting documentation.

NOTE 2: Optional when the DDASN field is populated, otherwise prohibited

NOTE 3: Option when the DDASN field is populated, otherwise prohibited.

DATA CHARACTERISTICS: 10 alphanumeric characters

EXAMPLE: | 4 | 5 | 0 | | | | | | | |

NOTE 1: Where 450 is the address number for the following address example: 450 1/2 SW Camino Ramon Lane NW, Floor 12, Building 2, Suite 23A.

95. DDASF - Delivery Address Number Suffix

Identifies the suffix for the address number of the directory delivery address.

Interface	Field Name
IRES	FRAC
FTP	DDASF

USAGE: See usage strip below.

ACTIVITIES												
R E Q U E S T T Y P E		N	C	D	T	V	W	S	B	L	P	
	A	R	O	P	R	R	P	P	P	P	P	P
	B/LNP	P	P	P	P	R	P	P	P	P	P	P
	B/INP	P	P	P	P	R	P	P	P	P	P	P
	C/LNP	P	P	P	P	R	P	P	P	P	P	P
	C/INP	P	P	P	P	R	P	P	P	P	P	P
	D	P	P	P	P	P	P	P	P	P	P	P
	E	C	C	P	C	C	P	P	P	P	P	P
	F	R	O	P	R	R	P	P	P	P	P	P
	J	R	O	P	P	P	P	P	P	P	P	P
	K	R	O	P	R	R	P	P	P	P	P	P
	M	C	C	P	C	C	P	P	P	P	P	P
N	R	O	P	R	R	P	P	P	P	P	P	
P	C	C	P	C	C	P	P	P	P	P	P	

NOTE 1: For usage related to FTP, refer to Sprint FTP SIBR and supporting documentation.

NOTE 2: Optional when the DDANO field is populated, otherwise prohibited.

NOTE 3: Required with the delivery address is different than the service address.

DATA CHARACTERISTICS: 4 alphanumeric characters

EXAMPLE:

1	/	2	
---	---	---	--

NOTE 1: Where 1/2 is the address number suffix for the following address example: 450 1/2 SW Camino Ramon Lane NW, Floor 12, Building 2, Suite 23A.

96. DDASD - Delivery Address Street Directional Prefix

Identifies the street directional prefix for the directory delivery address.

Interface	Field Name
IRES	DIR
FTP	DDASD

VALID ENTRIES:

- N = North
- S = South
- E = East
- W = West
- NE = Northeast
- NW = Northwest
- SE = Southeast
- SW = Southwest

USAGE: See usage strip below.

ACTIVITIES												
R E Q U E S T T Y P E		N	C	D	T	V	W	S	B	L	P	
	A	R	O	P	R	R	P	P	P	P	P	P
	B/LNP	P	P	P	P	R	P	P	P	P	P	P
	B/INP	P	P	P	P	R	P	P	P	P	P	P
	C/LNP	P	P	P	P	R	P	P	P	P	P	P
	C/INP	P	P	P	P	R	P	P	P	P	P	P
	D	P	P	P	P	P	P	P	P	P	P	P
	E	C	C	P	C	C	P	P	P	P	P	P
	F	R	O	P	R	R	P	P	P	P	P	P
	J	R	O	P	P	P	P	P	P	P	P	P
	K	R	O	P	R	R	P	P	P	P	P	P
	M	C	C	P	C	C	P	P	P	P	P	P
N	R	O	P	R	R	P	P	P	P	P	P	
P	C	C	P	C	C	P	P	P	P	P	P	

NOTE 1: For usage related to FTP, refer to Sprint FTP SIBR and supporting documentation.

NOTE 2: Optional when the DDASN field is populated, otherwise prohibited.

NOTE 3: Required when the delivery address is different than the service address.ry

DATA CHARACTERISTICS: 2 alpha characters

EXAMPLE:

S	W
---	---

NOTE 1: Where SW is the street directional prefix for the following address example: 450 1/2 SW Camino Ramon Lane NW, Floor 12, Building 2, Suite 23A.

98. DDATH - Delivery Address Street Type

Identifies the thoroughfare portion of the street name of the delivery address.

Interface	Field Name
IRES	TYP
FTP	DDATH

NOTE 1: Recommended abbreviations are contained in the United States Postal Service Publication 28, Postal Addressing Standards, Street Suffix Abbreviations Section.

USAGE: See usage strip below.

ACTIVITIES												
R E Q U E S T T Y P E		N	C	D	T	V	W	S	B	L	P	
	A	R	O	P	R	R	P	P	P	P	P	P
	B/LNP	P	P	P	P	R	P	P	P	P	P	
	B/INP	P	P	P	P	R	P	P	P	P	P	
	C/LNP	P	P	P	P	R	P	P	P	P	P	
	C/INP	P	P	P	P	R	P	P	P	P	P	
	D	P	P	P	P	P	P	P	P	P	P	
	E	C	C	P	C	C	P	P	P	P	P	
	F	R	O	P	R	R	P	P	P	P	P	
	J	R	O	P	P	P	P	P	P	P	P	
	K	R	O	P	R	R	P	P	P	P	P	
	M	C	C	P	C	C	P	P	P	P	P	
	N	R	O	P	R	R	P	P	P	P	P	
P	C	C	P	C	C	P	P	P	P	P		

NOTE 1: For usage related to FTP, refer to Sprint FTP SIBR and supporting documentation.

NOTE 2: Optional when the DDASN field is populated, otherwise prohibited.

NOTE 3: Required when the delivery address is different than the service address.

DATA CHARACTERISTICS: 7 alphanumeric characters

EXAMPLE: | L | N | | | | |

NOTE 1: Where LN is the address street name type for the following address example: 25W450 1/2 SW Camino Ramon Lane NW, Floor 12, Building 2, Suite 23A.

99. DDASS - Delivery Address Street Directional Suffix

Identifies the street directional suffix for the directory delivery address.

Interface	Field Name
IRES	SUFFIX
FTP	DDASS

VALID ENTRIES:

- N = North
- S = South
- E = East
- W = West
- NE = Northeast
- NW = Northwest
- SE = Southeast
- SW = Southwest

USAGE: See usage strip below.

ACTIVITIES												
R E Q U E S T T Y P E		N	C	D	T	V	W	S	B	L	P	
	A	R	O	P	R	R	P	P	P	P	P	P
	B/LNP	P	P	P	P	R	P	P	P	P	P	P
	B/INP	P	P	P	P	R	P	P	P	P	P	P
	C/LNP	P	P	P	P	R	P	P	P	P	P	P
	C/INP	P	P	P	P	R	P	P	P	P	P	P
	D	P	P	P	P	P	P	P	P	P	P	P
	E	C	C	P	C	C	P	P	P	P	P	P
	F	R	O	P	R	R	P	P	P	P	P	P
	J	R	O	P	P	P	P	P	P	P	P	P
	K	R	O	P	R	R	P	P	P	P	P	P
	M	C	C	P	C	C	P	P	P	P	P	P
N	R	O	P	R	R	P	P	P	P	P	P	
P	C	C	P	C	C	P	P	P	P	P	P	

NOTE 1: For usage related to FTP, refer to Sprint FTP SIBR and supporting documentation.

NOTE 2: Required when the delivery address is different than the service address.

DATA CHARACTERISTICS: 2 alpha characters

EXAMPLE:

N	W
---	---

NOTE 1: Where NW is the street directional suffix for the following address example: 25W 450 1/2 SW Camino Ramon Lane NW, Floor 12, Building 2, Suite 23A.

100. LD1 - Location Designator 1

Identifies additional specific information related to the address (e.g., building, floor, room).

USAGE: This field is not supported by Sprint LTD.

101. LV1 - Location Value 1

Identifies the value associated with the first location designator of the address.

USAGE: This field is not supported by Sprint LTD.

102. LD2 - Location Designator 2

Identifies additional specific information related to the address (e.g., building, floor, room).

USAGE: This field is not supported by Sprint LTD.

103. LV2 - Location Value 2

Identifies the value associated with the second location designator of the address.

USAGE: This field is not supported by Sprint LTD.

104. LD3 - Location Designator 3

Identifies additional specific information related to the address (e.g., building, floor, room).

USAGE: This field is not supported by Sprint LTD.

105. LV3 - Location Value 3

Identifies the value associated with the third location designator of the address.

USAGE: This field is not supported by Sprint LTD.

109. STATE - State/Province

Identifies the abbreviation for the state or province.

Interface	Field Name
IRES	STATE
FTP	DDAST

NOTE 1: This instance of the STATE field is used for the directory delivery address.

NOTE 2: Recommended abbreviations are contained in the United States Postal Service Publication 28, Postal Addressing Standards.

USAGE: See usage strip below.

ACTIVITIES												
R E Q U E S T T Y P E		N	C	D	T	V	W	S	B	L	P	
	A	R	O	P	R	R	P	P	P	P	P	P
	B/LNP	P	P	P	P	R	P	P	P	P	P	P
	B/INP	P	P	P	P	R	P	P	P	P	P	P
	C/LNP	P	P	P	P	R	P	P	P	P	P	P
	C/INP	P	P	P	P	R	P	P	P	P	P	P
	D	P	P	P	P	P	P	P	P	P	P	P
	E	C	C	P	C	C	P	P	P	P	P	P
	F	R	O	P	R	R	P	P	P	P	P	P
	J	R	O	P	P	P	P	P	P	P	P	P
	K	R	O	P	R	R	P	P	P	P	P	P
	M	R	O	P	R	R	P	P	P	P	P	P
	N	R	O	P	R	R	P	P	P	P	P	P
P	R	O	P	R	R	P	P	P	P	P	P	

NOTE 1: For usage related to FTP, refer to Sprint FTP SIBR and supporting documentation.

NOTE 2: Required when the delivery address differs from the service address, otherwise optional.

DATA CHARACTERISTICS: 2 alpha characters

EXAMPLE:

C	A
---	---

110. ZIP - ZIP/Postal Code

Identifies the ZIP code, ZIP code + extension or postal code.

Interface	Field Name
IRES	ZIP
FTP	DDAZC

NOTE 1: This instance of the ZIP field is used for the directory delivery address.

USAGE: See usage strip below.

ACTIVITIES												
R E Q U E S T T Y P E		N	C	D	T	V	W	S	B	L	P	
	A	R	O	P	R	R	P	P	P	P	P	P
	B/LNP	P	P	P	P	R	P	P	P	P	P	
	B/INP	P	P	P	P	R	P	P	P	P	P	
	C/LNP	P	P	P	P	R	P	P	P	P	P	
	C/INP	P	P	P	P	R	P	P	P	P	P	
	D	P	P	P	P	P	P	P	P	P	P	
	E	C	C	P	C	C	P	P	P	P	P	
	F	R	O	P	R	R	P	P	P	P	P	
	J	R	O	P	P	P	P	P	P	P	P	
	K	R	O	P	R	R	P	P	P	P	P	
	M	R	O	P	R	R	P	P	P	P	P	
N	R	O	P	R	R	P	P	P	P	P		
P	R	O	P	R	R	P	P	P	P	P		

NOTE 1: Required when the delivery address differs from the service address, otherwise optional.

NOTE 2: For usage related to FTP, refer to Sprint FTP SIBR and supporting documentation.

DATA CHARACTERISTICS: 12 alphanumeric characters

EXAMPLES: | 0 | 7 | 0 | 3 | 9 | | | | | | | |

| 9 | 4 | 5 | 8 | 3 | - | 4 | 1 | 8 | 2 | | |

| M | 5 | A | | 1 | X | 7 | | | | | |

111. DIRQTY - Number of Directory Type Segments

Identifies the number of directory type segments in this delivery address section.

USAGE: This field is not supported by Sprint LTD.

112. DIRTYP - Directory ID Type

Identifies the type of the directory (e.g., white pages, yellow pages) to be delivered.

USAGE: This field is not supported by Sprint LTD.

113. DIRQTYA - Number of Directories for Annual Delivery

Identifies the number of directories to be delivered on an annual basis.

Interface	Field Name
IRES	WHITE ANNUAL YELLOW ANNUAL
FTP	DIRANW DIRANY

NOTE 1: This quantity refers to the directory type identified in the previous DIRTYP field.

NOTE 2: Sprint LTD separates the way directories are ordered, i.e. white versus yellow pages.

USAGE: See usage strip below.

ACTIVITIES												
R E Q U E S T T Y P E		N	C	D	T	V	W	S	B	L	P	
	A	O	O	P	O	O	P	P	P	P	P	P
	B/LNP	P	P	P	P	O	P	P	P	P	P	
	B/INP	P	P	P	P	O	P	P	P	P	P	
	C/LNP	P	P	P	P	O	P	P	P	P	P	
	C/INP	P	P	P	P	O	P	P	P	P	P	
	D	P	P	P	P	P	P	P	P	P	P	
	E	O	O	P	O	O	P	P	P	P	P	
	F	O	O	P	O	O	P	P	P	P	P	
	J	O	O	P	P	P	P	P	P	P	P	
	K	O	O	P	O	O	P	P	P	P	P	
	M	O	O	P	O	O	P	P	P	P	P	
	N	O	O	P	O	O	P	P	P	P	P	
	P	O	O	P	O	O	P	P	P	P	P	

NOTE 1: Required when the DIRTYP field is populated, otherwise prohibited.

NOTE 2: For usage related to FTP, refer to Sprint FTP SIBR and supporting documentation.

DATA CHARACTERISTICS: 4 numeric characters

EXAMPLE:

			2
--	--	--	---

114. DIRQTYNC - Number of Directories Delivered on New Connect

Identifies the number of directories to be delivered at the time of new connect.

Interface	Field Name
IRES	WHITE NEW YELLOW NEW
FTP	DIRNEWW DIRNEWY

NOTE 1: This quantity refers to the directory type identified in the previous DIRTYP field.

NOTE 2: Sprint LTD separates the way directories are ordered, i.e. white versus yellow pages.

USAGE: See usage strip below.

ACTIVITIES												
R E Q U E S T T Y P E		N	C	D	T	V	W	S	B	L	P	
	A	O	O	P	O	O	P	P	P	P	P	P
	B/LNP	P	P	P	P	O	P	P	P	P	P	
	B/INP	P	P	P	P	O	P	P	P	P	P	
	C/LNP	P	P	P	P	O	P	P	P	P	P	
	C/INP	P	P	P	P	O	P	P	P	P	P	
	D	P	P	P	P	P	P	P	P	P	P	
	E	O	O	P	O	O	P	P	P	P	P	
	F	O	O	P	O	O	P	P	P	P	P	
	J	O	O	P	P	P	P	P	P	P	P	
	K	O	O	P	O	O	P	P	P	P	P	
	M	O	O	P	O	O	P	P	P	P	P	
	N	O	O	P	O	O	P	P	P	P	P	
P	O	O	P	O	O	P	P	P	P	P		

NOTE 1: Optional when the ACT field on the LSR Form is "N" or "T" and the DIRTYP field is populated, otherwise prohibited. Sprint LTD's system is designed to default to 1.

NOTE 2: For usage related to FTP, refer to Sprint FTP SIBR and supporting documentation.

DATA CHARACTERISTICS: 4 numeric characters

EXAMPLE:

			1
--	--	--	---

115. DIRID - Directory ID for Directory Delivery

Identifies the directory code of the book to be delivered.

USAGE: This field is not supported by Sprint LTD.

116. DIRDEL - Directory Delivery Name

Identifies the name of a directory that a customer is requesting.

USAGE: This field is not supported by Sprint LTD.

12.8 ADVERTISING SECTION

117. EA - Existing Advertising

Identifies the end user's advertising status.

USAGE: This field is not supported by Sprint LTD.

118. ADVCONT - Advertising Contact

Identifies the name of the person to contact to discuss the advertising.

USAGE: This field is not supported by Sprint LTD.

119. ADVCONT TN – Advertising Contact Telephone Number

Identifies the telephone number of the advertising contact, including an extension if applicable.

USAGE: This field is not supported by Sprint LTD.

120. SIC – Standard Industry Classification

Identifies the primary function of an end user's business.

USAGE: This field is not supported by Sprint LTD.

121. YPH – Yellow Page Heading Code

Identifies the code for the heading under which a listing will appear in the yellow pages.

USAGE: This field is not supported by Sprint LTD.

122. YPHV – Yellow Page Heading Verbiage

Identifies the heading under which a listing will appear in the yellow pages.

Interface	Field Name
IRES	CLASSIFIED HEADING
FTP	YPHV

NOTE 1: Only applies if listing is a main or alternate-user (joint) business listing.

USAGE: See usage strip below.

ACTIVITIES												
R E Q U E S T T Y P E		N	C	D	T	V	W	S	B	L	P	
	A	C	O	P	P	C	P	P	P	P	P	P
	B/LNP	P	P	P	P	C	P	P	P	P	P	
	B/INP	P	P	P	P	C	P	P	P	P	P	
	C/LNP	P	P	P	P	O	P	P	P	P	P	
	C/INP	P	P	P	P	O	P	P	P	P	P	
	D	P	P	C	P	P	P	P	P	P	P	
	E	C	C	P	P	C	P	P	P	P	P	
	F	C	C	P	P	C	P	P	P	P	P	
	J	C	C	P	P	P	P	P	P	P	P	
	K	C	C	P	P	C	P	P	P	P	P	
	M	C	C	P	P	C	P	P	P	P	P	
	N	C	C	P	P	C	P	P	P	P	P	
	P	C	C	P	P	C	P	P	P	P	P	

NOTE 1: When TOA = B and LACT = N, field is required.

NOTE 2: When TOA = R, field is prohibited.

NOTE 3: When LACT = D or W, field is prohibited.

NOTE 4: For usage related to FTP, refer to Sprint FTP SIBR and supporting documentation.

DATA CHARACTERISTICS: 65 alphanumeric characters

EXAMPLE:

A	u	t	o	m	o	b	i	l	e	s	-	U	s	e	d		C	a	r
	D	e	a	l	e	r	s												

123. REMARKS - Remarks

Identifies a free flowing field that can be used to expand upon and clarify other data on this form.

Interface	Field Name
IRES	Remarks to Sprint
FTP	REMARKS

USAGE: See usage strip below.

ACTIVITIES											
R E Q U E S T T Y P E		N	C	D	T	V	W	S	B	L	P
	A	R	O	P	R	R	P	P	P	P	P
	B/LNP	P	P	P	P	R	P	P	P	P	P
	B/INP	P	P	P	P	R	P	P	P	P	P
	C/LNP	P	P	P	P	R	P	P	P	P	P
	C/INP	P	P	P	P	R	P	P	P	P	P
	D	P	P	P	P	P	P	P	P	P	P
	E	R	O	P	R	R	P	P	P	P	P
	F	R	O	P	R	R	P	P	P	P	P
	J	R	O	P	P	P	P	P	P	P	P
	K	R	O	P	R	R	P	P	P	P	P
	M	R	O	P	R	R	P	P	P	P	P
	N	R	O	P	R	R	P	P	P	P	P
P	R	O	P	R	R	P	P	P	P	P	

DATA CHARACTERISTICS: 160 alphanumeric characters

EXAMPLE:

T	H	I	S		I	S		A		R	E	S	I	D	E	N	C	E	
L	I	S	T	I	N	G		W	I	T	H		O	N	L	Y		A	
S	I	N	G	L	E		N	A	M	E									

124. SOE REMARKS – SOE Remarks

Identifies information that is to be written directly to the service order (SOE).

NOTE 1: This is Sprint LTD proprietary field and appears in IRES.

NOTE 2: This field is not supported by Sprint LTD.