

Table of Contents

15.	CSI GENERAL SECTION	5
15.1	INTRODUCTION _____	5
15.2	MATRIX DESCRIPTIONS _____	5
	CSI MATRIX _____	5
15.3	DEFINITIONS _____	8
1.	CCNA - Customer Carrier Name Abbreviation _____	8
2.	TXNUM – Transaction Number _____	9
3.	TXTYP - Transaction Type _____	10
4.	RVER - Release Version _____	11
5.	D/TSENT - Date and Time Sent _____	12
6.	LSCP - Local Service Provider Change Prohibited _____	13
7.	CC - Company Code _____	14
8.	AGAUTH - Agency Authorization Status _____	15
9.	DATED - Date of Agency Authorization _____	16
10.	AUTHNM - Authorization Name _____	17
11.	ATN - Account Telephone Number _____	18
12.	AN - Account Number _____	19
13.	AAN – Associated Account Number _____	20
14.	WTN - Working Telephone Number _____	21
15.	PPT – Ported/Pooled Type _____	22
16.	SVCCFG - Service Configuration _____	23
17.	TERS - Terminal Numbers _____	24
18.	CS - Class of Service _____	25
19.	TOS – Type of Service _____	26
20.	NAME - End User Name _____	27
21.	AFT - Address Format Type _____	28
22.	SAPR - Service Address Number Prefix _____	29
23.	SANO - Service Address Number _____	30
24.	SASF - Service Address Number Suffix _____	31
25.	SASD - Service Address Street Directional Prefix _____	32
26.	SASN - Service Address Street Name _____	33
27.	SATH - Service Address Street Type _____	34
28.	SASS - Service Address Street Directional Suffix _____	35
29.	LD1 - Location Designator 1 _____	36
30.	LV1 - Location Value 1 _____	37
31.	LD2 - Location Designator 2 _____	38
32.	LV2 - Location Value 2 _____	39
33.	LD3 - Location Designator 3 _____	40
34.	LV3 - Location Value 3 _____	41
35.	AAI - Additional Address Information _____	42
36.	CITY - City _____	43
37.	STATE - State/Province _____	44
38.	ZIP - ZIP/Postal Code _____	45
39.	CAI - Concatenated Address Information _____	46
40.	ORDN – Ordinance Number _____	47
41.	PIC - InterLATA Pre-subscription Indicator Code _____	48
42.	LPIC - IntraLATA Pre-subscription Indicator Code _____	49

CSI Inquiry – Section 15

43.	ECCKT - Exchange Company Circuit ID _____	50
44.	NC - Network Channel Code _____	51
45.	NCI - Network Channel Interface Code _____	52
46.	SECNCI - Secondary Network Channel Interface Code _____	53
47.	CHAN – Channel Code _____	54
48.	SPECEX – Special Exemptions _____	55
49.	FEATURE - Feature Codes _____	56
50.	FEATURE DETAIL - Feature Detail _____	57
51.	FQTY – Feature Quantity _____	58
52.	FUR – Feature Unit Rate _____	59
53.	PULSE – Type of Pulsing _____	60
54.	BLOCK - Block _____	61
55.	LST - Local Service Termination _____	62
56.	TKQ - Trunk Quantity _____	63
57.	TGN - Trunk Group Number _____	64
58.	DO - Digits Out _____	65
59.	RIN - Route Index Number _____	66
60.	LTLI - Lead Telephone Line Identifier _____	67
61.	TKID - Trunk Identifier _____	68
62.	HNTYP - Hunting Type Code _____	69
63.	HID - Hunt Group Identifier _____	70
64.	HTSEQ - Hunting Sequence _____	71
65.	RESPC - Response Code _____	72
66.	RESPD - Response Description _____	73
67.	PRESPC – Provider Response Code _____	74
68.	PRESPD – Provider Response Description _____	75
69.	FPI - Freeze PIC Indicator _____	76
70.	IPIC - International Pre-subscription Indicator Code _____	77
71.	TT - TTY or TDD Indicator _____	78
72.	SGNL - Signaling _____	79
73.	SSIG - Start Signaling _____	80
74.	BS - Bearer Service _____	81
75.	CAPP - Call Appearance _____	82
76.	CB - Common Block _____	83
77.	CSD - Circuit Switched Data _____	84
78.	CSDC - Circuit Switched Data Configuration _____	85
79.	CSV - Circuit Switched Voice _____	86
80.	CSVC - Circuit Switched Voice Configuration _____	87
81.	DCLS - Digital Subscriber Line Class of Service _____	88
82.	DISP - Display _____	89
83.	DPG - Dialing Plan Group _____	90
84.	DSNA - Digital Services Network Assignment _____	91
85.	DTN - Data Telephone Number _____	92
86.	ISPID - ISDN Service Profile Identification _____	93
87.	MAXB - Maximum B Channels _____	94
88.	MDPK - Maximum D Packet Users _____	95
89.	MTER - Maximum Terminals _____	96
90.	PN - Primary Number _____	97
91.	RP - Ring Preference _____	98
92.	ST - Switch Type _____	99
93.	TGID - Terminal Group Name _____	100
94.	TGS - Terminal Group Station Restriction _____	101
95.	TTYP - Terminal Type _____	102
96.	DDQTY - Number of Delivery Segments _____	103

CSI Inquiry – Section 15

97.	NAME - End User Name (Directory Delivery)	104
98.	DELADR - Delivery Address	105
99.	DATY - Delivery Address Type	106
100.	DDAPR - Delivery Address Number Prefix	107
101.	DDANO - Delivery Address Number	108
102.	DDASF - Delivery Address Number Suffix	109
103.	DDASD - Delivery Address Street Directional Prefix	110
104.	DDASN - Delivery Address Street Name	111
105.	DDATH - Delivery Address Street Type	112
106.	DDASS - Delivery Address Street Directional Suffix	113
107.	LD1 - Location Designator 1	114
108.	LV1 - Location Value 1	115
109.	LD2 - Location Designator 2	116
110.	LV2 - Location Value 2	117
111.	LD3 - Location Designator 3	118
112.	LV3 - Location Value 3	119
113.	CITY - City	120
114.	STATE - State/Province	121
115.	ZIP - ZIP/Postal Code	122
116.	DIRID - Directory ID for Directory Delivery	123
117.	DIRTYP - Directory ID Type	124
118.	DIRQTYA - Number of Directories for Annual Delivery	125
119.	RTY - Record Type	126
120.	LTY - Listing Type	127
121.	EOS - End User's Other Service	128
122.	STYC - Style Code	129
123.	TOA - Type of Account	130
124.	MTN – Main Telephone Number	131
125.	DOI – Degree of Indent	132
126.	LTN - Listed Telephone Number	133
127.	NSTN – Non-Standard Telephone Number	134
128.	OMTN - Omit Telephone Number (TN)	135
129.	LTNE – Listing Telephone Number Environment	136
130.	LISTNM - Listed Name	137
131.	LNLN – Listed Name Last	138
132.	LNFN - Listed Name First	139
133.	LNPL - Letter Name Placement	140
134.	PLA - Place Listing As	141
135.	DES - Designation	142
136.	TL - Title of Lineage	143
137.	TITLE1 - Title of Address 1	144
138.	TITLE2 - Title of Address 2	145
139.	TLD - Title of Lineage for Dual Name	146
140.	TITLE1D - Title of Address 1 for Dual Name	147
141.	TITLE2D - Title of Address 2 for Dual Name	148
142.	NICK - Listing Nickname	149
143.	DNA - Do Not Abbreviate	150
144.	LISTADR - Listed Address	151
145.	LAPR - Listed Address Number Prefix	152
146.	LANO - Listed Address Number	153
147.	LASF - Listed Address Number Suffix	154
148.	LASD - Listed Address Street Directional Prefix	155
149.	LASN - Listed Address Street Name	156
150.	LATH - Listed Address Street Type	157

CSI Inquiry – Section 15

151.	LASS - Listed Address Street Directional Suffix _____	158
152.	LALO - Listed Address Location _____	159
153.	LALOC - Listed Address Locality _____	160
154.	LAST - Listed Address State/Province _____	161
155.	LAZC - Listed Address ZIP/Postal Code _____	162
156.	LXTY - Listing Text Type _____	163
157.	LTXNUM - Line of Text Reference Number _____	164
158.	LPHRASE - Listing Phrase _____	165
159.	LTEXT - Listing Text _____	166
160.	SIC - Standard Industrial Classification _____	167
161.	YPH - Yellow Page Heading Code _____	168
162.	YPHV - Yellow Page Heading Verbiage _____	169
163.	ADI - Address Indicator _____	170
164.	DIRIDL - Directory Identifier _____	171
165.	DIRSUB - Directory Subsection _____	172
166.	DIRNAME - Directory Name _____	173
167.	DML - Direct Mail List _____	174
168.	NOSL - No Solicitation Indicator _____	175
169.	TMKT - Telemarketing _____	176
170.	DLNM - Dual Name Listing _____	177
171.	BRO - Business/Residence Placement Override _____	178
172.	PROF - Professional Identifier _____	179
173.	WPP - White Page Products _____	180
174.	STR - Street Address Directory _____	181
175.	OMSD - Omit From Secondary Directory _____	182
176.	ALI - Alphanumeric Listing Identifier Code _____	183
177.	SC1 - Service Center 1 _____	184
178.	SC2 - Service Center 2 _____	185

15. CSI GENERAL SECTION

15.1 INTRODUCTION

1. This section describes the inputs and outputs associated with a customer service inquiry activity. This section contains the necessary data entries for customer service information. This portion of the document will provide information specific to a working telephone number or circuit.

15.2 MATRIX DESCRIPTIONS

CSI MATRIX

All Customer Service Inquiry (CSI) information and service details are provided in the various fields contained within the CSI Matrix.

NOTE 1: Valid entries and combinations are generic and may have different interpretations in different jurisdictions.

The CSI Guidelines incorporate the following requirements:

- Inquiry - sent by the customer to Sprint LTD.
- Response - sent by Sprint LTD to the customer.

NOTE 1: The specific inquiry/response fields per transaction are based on Sprint LTD requirements; therefore, use of either the field or valid entries within the field is based on Sprint LTD requirements.

NOTE 2: The response fields are not intended to be an echo back of information provided in the inquiry fields but may be populated when the information is different from that received on the inquiry.

Field Name	Description	CSI	
		I = Inquiry	R= Response →
AGAUTH	Agency Authorization Status	X	
ALI	Alphanumeric Listing Identifier Code		X
ATN	Account Telephone Number	X	
CC	Company Code	X	X
CITY	City (Service Address)		X
D/TSENT	Date And Time Sent	X	X
DES	Designation		X
DIRNAME	Directory Name		X
DOI	Degree of Indent		X
ECCKT	Exchange Company Circuit ID	X	X
FEATURE	Feature Codes		X
FEATURE DETAIL	Feature Detail		X
FUR	Feature Unit Rate		X
LALOC	Listed Address Locality		X
LANO	Listed Address Number		X
LASD	Listed Address Street Directional Prefix		X
LASF	Listed Address Number Suffix		X
LASN	Listed Address Street Name		X
LASS	Listed Address Street Directional Suffix		X
LATH	Listed Address Street Type		X
LD1	Location Designator 1 (Service Address)		X
LD2	Location Designator 2 (Service Address)		X
LD3	Location Designator 3 (Service Address)		X
LISTADR	Listed Address		X
LISTNM	Listed Name		X
LNFN	Listed Name First		X
LNLN	Listed Name Last		X
LPIC	IntraLATA Pre-subscription Indicator Code		X
LSCP	Local Service Provider Change Prohibited		X
LTN	Listed Telephone Number		X
LTY	Listing Type		X
LV1	Location Value 1 (Service Address)		X
LV2	Location Value 2 (Service Address)		X
LV3	Location Value 3 (Service Address)		X
NAME	End User Name		X
PIC	InterLATA Pre-subscription Indicator Code		X
PLA	Place Listing As		X
SANO	Service Address Number		X
SASD	Service Address Street Directional Prefix		X
SASF	Service Address Number Suffix		X
SASN	Service Address Street Name		X
SASS	Service Address Street Directional Suffix		X
SATH	Service Address Street Type		X
STATE	State/Province (Service Address)		X
SVCCFG	Service Configuration		X

CSI MATRIX (CONTINUED)

Field Name	Description	CSI	
		I	R
	I = Inquiry/R= Response➔		
TOA	Type of Account		X
TXNUM	Transaction Number	X	X
TXTYP	Transaction Type	X	
ZIP	ZIP/Postal Code (Service Address)		X

15.3 DEFINITIONS

1. **CCNA - Customer Carrier Name Abbreviation**

Identifies the COMMON LANGUAGE® IAC CODE for the customer.

NOTE 1: This field is not supported by Sprint LTD.

2. TXNUM – Transaction Number

Identifies the customer provided tracking number to link the inquiry with the response.

Interface	Field Name
IRES	Not Applicable
FTP	Not Applicable

NOTE 1: The TXNUM may be reused after a predetermined time.

NOTE 2: This field may be used for all inquiries and all responses.

NOTE 3: This field will only supported for manual processing.

DATA CHARACTERISTICS: 16 alphanumeric characters

EXAMPLE:

8	2	4	Z	9															
---	---	---	---	---	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--

3. TXTYP - Transaction Type

Identifies the type of transaction.

Interface	Field Name
IRES	Not Applicable
FTP	Not Applicable

NOTE 1: This field may be used for inquiries.

VALID ENTRIES:

- A = Address validation
- B = Telephone number inquiry
- C = Service and feature availability
- D = Appointment availability
- E = Customer Service Information (CSI)
- F = Loss alert with request for transition information
- G = Loss alert with no request for transition information
- H = Loop qualification
- J = Code inquiry
- L = PIC company codes inquiry
- M = CSI including listings (“E” and “T”)
- S = Service configuration inquiry
- T = Listing(s) for telephone number
- U = Service order list
- V = Service order detail
- W = Service order activities

NOTE 1: “E”, “M” and “T” are the only valid entries for this section.

NOTE 2: This field is only supported for manual processing.

DATA CHARACTERISTICS: 1 alpha character

EXAMPLE: E

4. RVER - Release Version

Identifies the provider's version of a release the customer is using.

NOTE 1: This field is not supported by Sprint LTD.

5. D/TSENT - Date and Time Sent

Identifies the date and time the transaction is sent.

Interface	Field Name
IRES	Not Applicable
FTP	Not Applicable

NOTE 1: This field may be used for inquiries and responses.

VALID ENTRIES:

U.S. Standard

- Two digit month (01-12)
- Two digit day (01-31)
- Two digit century (00-99)
- Two digit year (00-99)
- Two digit hour (01-12)
- Two digit minute (00-59)
- AM or PM

NOTE 1: This field is only supported for manual processing.

DATA CHARACTERISTICS: 17 alphanumeric characters (including 3 hyphens)

EXAMPLES: | 0 | 5 | - | 2 | 2 | - | 1 | 9 | 9 | 6 | - | 1 | 1 | 1 | 5 | A | M |

6. LSCP - Local Service Provider Change Prohibited

Identifies that the end user has requested the option of prohibiting the change of their current service provider or removing the option.

Interface	Field Name
IRES	S&E CODE
FTP	Not Applicable

NOTE 1: This field indicates that the entire account is frozen.

DATA CHARACTERISTICS: 1 alpha character

EXAMPLE:

A

7. CC - Company Code

Identifies the exchange carrier initiating the request.

Interface	Field Name
IRES	CC
FTP	Not Applicable

NOTE 1: This field may be used for inquiries and responses.

NOTE 2: The format and structure of this field is defined by ANSI in document T1.251, Identification of Telecommunications Service Provider Codes for the North American Telecommunications System.

VALID ENTRIES:

- **COMMON LANGUAGE EC Code** – A four alpha character code, which identifies providers in North America, maintained by Telcordia Technologies.
- **COMMON LANGUAGE EC Code** – A two alpha character code, which identifies the former Bell companies maintained by Telcordia Technologies.
- **Company Code** – A four alphanumeric character code, which identifies providers in the United States and certain U.S. territories, maintained by NECA.

NOTE 1: Valid EC codes are outlined in Telcordia Technologies document BR 751-100-112.

NOTE 2: Valid company codes are available from NECA.

DATA CHARACTERISTICS: 4 alphanumeric characters

EXAMPLE:

1	2	A	3
---	---	---	---

8. AGAUTH - Agency Authorization Status

Indicates that the customer is acting as an end user's agent and has authorization on file.

Interface	Field Name
IRES	LOA Check Box
FTP	Not Applicable

NOTE 1: This field may be used for inquiries.

VALID ENTRIES:

Y = Authorization on file

DATA CHARACTERISTICS: 1 alpha character

EXAMPLE:

9. DATED - Date of Agency Authorization

Identifies the date appearing on the agency authorization.

NOTE 1: This field is not supported by Sprint LTD.

10. AUTHNM - Authorization Name

Identifies the end user who signed the authorization.

NOTE 1: This field is not supported by Sprint LTD.

11. ATN - Account Telephone Number

Identifies the account telephone number assigned by the NSP.

Interface	Field Name
IRES	WTN
FTP	Not Applicable

NOTE 1: This field may be used for inquiries, when the ECCKT field is not populated.

NOTE 2: This field may also be used for responses.

VALID ENTRIES:

Account telephone number
 N = New account telephone number requested

NOTE 1: “N” is not a valid entry for this section.

DATA CHARACTERISTICS: 10 numeric characters (excluding 2 preprinted hyphens)

EXAMPLE:

2	0	1
---	---	---

 -

2	2	1
---	---	---

 -

5	5	5	5
---	---	---	---

12. AN - Account Number

Identifies the main account number assigned by the NSP.

NOTE 1: This field is not supported by Sprint LTD.

13. AAN – Associated Account Number

Identifies related accounts for the same end user at the same or different address(s).

NOTE 1: This field is not supported by Sprint LTD.

14. WTN - Working Telephone Number

Identifies the working telephone number at the end user's location.

NOTE 1: This field is not supported by Sprint LTD.

15. PPT – Ported/Pooled Type

Indicates that the telephone number has been internally ported or pooled.

NOTE 1: This field is not supported by Sprint LTD.

16. SVCCFG - Service Configuration

Identifies how existing service is provided to the end user.

Interface	Field Name
IRES	S&E CODE, DESCRIPTION
FTP	Not Applicable

NOTE 1: Multiple iterations of this field may be provided as needed on responses.

DATA CHARACTERISTICS: 1 alpha character

EXAMPLE:

17. TERS - Terminal Numbers

Identifies the number for a non-lead line in a multiline hunt group or consecutive range of terminal numbers.

NOTE 1: This field is not supported by Sprint LTD.

18. CS - Class of Service

Identifies the classification of the service.

NOTE 1: This field is not supported by Sprint LTD.

19. TOS – Type of Service

Identifies the type of service.

NOTE 1: This field is not supported by Sprint LTD.

NOTE 2: The type of service identifies the end user account as business, residential or government.

21. AFT - Address Format Type

Identifies the format of the address being supplied.

NOTE 1: This field is not supported by Sprint LTD.

22. SAPR - Service Address Number Prefix

Identifies the prefix for the address number of the service address.

NOTE 1: This field is not supported by Sprint LTD.

23. SANO - Service Address Number

Identifies the number of the service address.

Interface	Field Name
IRES	HOUSE NO
FTP	Not Applicable

NOTE 1: This field may contain a provider assigned house number.

NOTE 2: This field may be used for inquiries and responses.

DATA CHARACTERISTICS: 10 alphanumeric characters

EXAMPLE:

4	5	0							
---	---	---	--	--	--	--	--	--	--

NOTE 1: Where 450 is the address number for the following address example: 450 1/2 SW Camino Ramon Lane NW, Floor 12, Bldg 2, Suite 23A.

24. SASF - Service Address Number Suffix

Identifies the suffix for the address number of the service address.

Interface	Field Name
IRES	FRAC
FTP	Not Applicable

NOTE 1: This field may be used for inquiries and responses.

DATA CHARACTERISTICS: 4 alphanumeric characters

EXAMPLE:

1	/	2	
---	---	---	--

NOTE 1: Where 1/2 is the address number suffix for the following address example: 25W 450 1/2 SW Camino Ramon Lane NW, Floor 12, Bldg 2, Suite 23A.

25. SASD - Service Address Street Directional Prefix

Identifies the street directional prefix for the service address.

Interface	Field Name
IRES	DIR
FTP	Not Applicable

NOTE 1: This field may be used for inquiries and responses.

VALID ENTRIES:

- N = North
- S = South
- E = East
- W = West
- NE = Northeast
- NW = Northwest
- SE = Southeast
- SW = Southwest

DATA CHARACTERISTICS: 2 alpha characters

EXAMPLE: | S | W |

NOTE 1: Where SW is the street directional prefix for the following address example: 25W 450 1/2 SW Camino Ramon Lane NW, Floor 12, Bldg 2, Suite 23A.

27. SATH - Service Address Street Type

Identifies the thoroughfare portion of the street name of the service address.

Interface	Field Name
IRES	TYP
FTP	Not Applicable

NOTE 1: Recommended abbreviations are contained in the United States Postal Service Publication 28, Postal Addressing Standards, Street Suffix Abbreviations Section.

NOTE 2: This field may be used for inquiries and responses.

DATA CHARACTERISTICS: 7 alphanumeric characters

EXAMPLE:

L	N					
---	---	--	--	--	--	--

NOTE 1: Where LN is the address street name type for the following address example: 25W 450 1/2 SW Camino Ramon Lane NW, Floor 12, Wing 2, Suite 23A.

28. SASS - Service Address Street Directional Suffix

Identifies the street directional suffix for the service address.

Interface	Field Name
IRES	SUFFIX
FTP	Not Applicable

NOTE 1: This field may be used for inquiries and responses.

VALID ENTRIES:

- N = North
- S = South
- E = East
- W = West
- NE = Northeast
- NW = Northwest
- SE = Southeast
- SW = Southwest

DATA CHARACTERISTICS: 2 alpha characters

EXAMPLE: | N | W |

NOTE 1: Where NW is the street directional suffix for the following address example: 25W 450 1/2 SW Camino Ramon Lane NW, Floor 12, Bldg 2, Suite 23A.

29. LD1 - Location Designator 1

Identifies additional specific information related to the address (e.g., building, floor, room).

Interface	Field Name
IRES	Not Applicable
FTP	Not Applicable

NOTE 1: This instance of the LD1 field is used for the service address.

NOTE 2: Recommended abbreviations are contained in United States Postal Service Publication 28, Postal Addressing Standards, Secondary Unit Designators Section.

NOTE 3: LD1 must be paired with LV1

NOTE 4: This field is not supported for IRES or FTP.

DATA CHARACTERISTICS: 4 alpha characters

EXAMPLE:

F	L		
---	---	--	--

NOTE 1: Where FL is the first location designator for the following address example: 25W 450 1/2 SW Camino Ramon Lane NW, Floor 12, Bldg 2, Suite 23A.

30. LV1 - Location Value 1

Identifies the value associated with the first location designator of the address.

Interface	Field Name
IRES	ROOM/UNIT
FTP	Not Applicable

NOTE 1: This instance of the LV1 field is used for the service address.

DATA CHARACTERISTICS: 10 alphanumeric characters

EXAMPLE:

1	2								
---	---	--	--	--	--	--	--	--	--

NOTE 1: Where 12 is the first location value for the following address
 example: 25W 450 1/2 SW Camino Ramon Lane NW, Floor 12,
 Bldg 2, Suite 23A.

31. LD2 - Location Designator 2

Identifies additional specific information related to the address (e.g., building, floor, room).

Interface	Field Name
IRES	Not Applicable
FTP	Not Applicable

NOTE 1: This instance of the LD2 field is used for the service address.

NOTE 2: Recommended abbreviations are contained in United States Postal Service Publication 28, Postal Addressing Standards, Secondary Unit Designators Section.

NOTE 3: LD2 must be paired with LV2.

NOTE 4: This field is not supported for IRES or FTP.

DATA CHARACTERISTICS: 4 alpha characters

EXAMPLE: | W | I | N | G |

NOTE 1: Where WING is the second location designator for the following address example: 25W 450 1/2 SW Camino Ramon Lane NW, Floor 12, Bldg 2, Suite 23A.

32. LV2 - Location Value 2

Identifies the value associated with the second location designator of the address.

Interface	Field Name
IRES	BUILDING
FTP	Not Applicable

NOTE 1: This instance of the LV2 field is used for the service address.

DATA CHARACTERISTICS: 10 alphanumeric characters

EXAMPLE:

2									
---	--	--	--	--	--	--	--	--	--

NOTE 1: Where 2 is the second location value for the following address
 example: 25W 450 1/2 SW Camino Ramon Lane NW, Floor 12,
 Bldg 2, Suite 23A.

33. LD3 - Location Designator 3

Identifies additional specific information related to the address (e.g., building, floor, room).

Interface	Field Name
IRES	Not Applicable
FTP	Not Applicable

NOTE 1: This instance of the LD3 field is used for the service address.

NOTE 2: Recommended abbreviations are contained in United States Postal Service Publication 28, Postal Addressing Standards, Secondary Unit Designators Section.

NOTE 3: LD3 must be paired with LV3

NOTE 4: This field is not supported by IRES or FTP.

DATA CHARACTERISTICS: 4 alpha characters

EXAMPLE:

S	T	E	
---	---	---	--

NOTE 1: Where STE is the third location designator for the following address example: 25W 450 1/2 SW Camino Ramon Lane NW, Floor 12, Bldg 2, Suite 23A.

34. LV3 - Location Value 3

Identifies the value associated with the third location designator of the address.

Interface	Field Name
IRES	FLOOR
FTP	Not Applicable

NOTE 1: This instance of the LV3 field is used for the service address.

DATA CHARACTERISTICS: 10 alphanumeric characters

EXAMPLE:

2	3	A							
---	---	---	--	--	--	--	--	--	--

NOTE 1: Where 23A is the third location value for the following address example: 25W 450 1/2 SW Camino Ramon Lane NW, Floor 12, Bldg 2, Suite 23A.

35. AAI - Additional Address Information

Identifies additional location information about the address.

NOTE 1: This field is not supported by Sprint LTD.

36. CITY - City

Identifies the city, village, township, etc.

Interface	Field Name
IRES	CITY
FTP	Not Applicable

NOTE 1: This instance of the CITY field is used for the service address.

NOTE 2: This field may be used for responses.

DATA CHARACTERISTICS: 32 alphanumeric characters

EXAMPLE:

P	I	S	C	A	T	A	W	A	Y																														

37. STATE - State/Province

Identifies the abbreviation for the state or province.

Interface	Field Name
IRES	STATE
FTP	Not Applicable

NOTE 1: This instance of the STATE field is used for the service address.

NOTE 2: Recommended abbreviations are contained in the United States Postal Service Publication 28, Postal Addressing Standards.

NOTE 3: This field may be used for inquiries and responses.

DATA CHARACTERISTICS: 2 alpha characters

EXAMPLE:

N	J
---	---

38. ZIP - ZIP/Postal Code

Identifies the ZIP code, ZIP code + extension or postal code.

Interface	Field Name
IRES	ZIP
FTP	Not Applicable

NOTE 1: This field may be used for responses.

DATA CHARACTERISTICS: 12 alphanumeric characters

EXAMPLES: | 0 | 7 | 0 | 3 | 9 | | | | | | | | | |

| 0 | 8 | 8 | 5 | 4 | - | 1 | 2 | 3 | 4 | | | | |

| M | 5 | A | | 1 | X | 7 | | | | | | | |

39. CAI - Concatenated Address Information

Identifies a free flowing field that is used to represent non-parsed address information.

NOTE 1: This field is not supported by Sprint LTD.

40. ORDN – Ordinance Number

Identifies a unique serial number assigned for a service address by a city, county, or state government agency.

NOTE 1: This field is not supported by Sprint LTD.

41. PIC - InterLATA Pre-subscription Indicator Code

Identifies the Pre-subscription Indicator Code (PIC) of the carrier the customer has selected for InterLATA traffic.

Interface	Field Name
IRES	CURRENT PIC
FTP	Not Applicable

NOTE 1: This field may be used for responses.

VALID ENTRIES:

Valid PIC code
NONE

NOTE 1: “Valid PIC code” and “NONE” are the only valid entries for this section.

NOTE 2: NONE - Customer does not want to pre-subscribe.

DATA CHARACTERISTICS: 4 alphanumeric characters

EXAMPLE:

0	2	8	8
---	---	---	---

42. LPIC - IntraLATA Pre-subscription Indicator Code

Identifies the Pre-subscription Indicator Code (PIC) of the carrier the customer has selected for IntraLATA traffic.

Interface	Field Name
IRES	CURRENT LPIC
FTP	Not Applicable

NOTE 1: This field may be used for responses.

VALID ENTRIES:

Valid PIC code
NONE

NOTE 1: “Valid PIC code” and “NONE” are the only valid entries for this section.

NOTE 2: NONE - Customer does not want to pre-subscribe.

DATA CHARACTERISTICS: 4 alphanumeric characters

EXAMPLE:

0	2	8	8
---	---	---	---

43. ECCKT - Exchange Company Circuit ID

Identifies a provider's circuit identification.

Interface	Field Name
IRES	ECCKT
FTP	Not Applicable

The format of the field is defined by the provider.

NOTE 1:

NOTE 2: All components within the ID should be delimited by either virgules or periods.

NOTE 3: The layout of the field may be defined by the COMMON LANGUAGE standards.

NOTE 4: When a component of CLT, CLS and CLF is purposely omitted, the component should still be delimited and compressed to eliminate any spaces.

NOTE 5: If all positions in a component of CLT, CLS and CLF are not populated, the component should be compressed to eliminate any spaces.

NOTE 6: This field may be used for inquiries and responses.

VALID ENTRIES:

SERIAL NUMBER FORMAT:

Prefix/service code and modifier/serial number/suffix code/AP code/segment name (if applicable)

This format may be up to 27 characters in length.

EXAMPLE: 77.UCFS.123456..CTRL

DATA CHARACTERISTICS: 41 alphanumeric characters

44. NC - Network Channel Code

Identifies the network channel code for the circuit(s) involved. The network channel code describes the channel being requested.

NOTE 1: This field is not supported by Sprint LTD.

45. NCI - Network Channel Interface Code

Identifies the electrical conditions on the circuit at the ACTL/primary location.

NOTE 1: This field is not supported by Sprint LTD.

46. SECNCI - Secondary Network Channel Interface Code

Identifies the electrical conditions on the circuit at the Secondary Access Customer Terminal Location (SACTL) or end user location.

NOTE 1: This field is not supported by Sprint LTD.

47. CHAN – Channel Code

Identifies the type of channel associated with this request.

NOTE 1: This field is not supported by Sprint LTD.

48. SPECEX – Special Exemptions

Identifies the special exemptions that are associated with the end user's account.

NOTE 1: This field is not supported by Sprint LTD.

49. FEATURE - Feature Codes

Identifies the type of feature associated with the line.

Interface	Field Name
IRES	EXISTING SERVICES & FEATURES S&E CODES
FTP	Not Applicable

NOTE 1: Codes for feature identification may include USOCs, FIDs, TCIF maintained EDI codes or ISDN Ordering Codes (IOCs).

NOTE 2: This field may be used for responses.

NOTE 3: Multiple iterations of this field may be provided.

DATA CHARACTERISTICS: 6 alphanumeric characters

EXAMPLE:

I	C	A			
---	---	---	--	--	--

51. FQTY – Feature Quantity

Identifies the quantity of the feature.

NOTE 1: This field is not supported by Sprint LTD.

52. FUR – Feature Unit Rate

Identifies the unit cost of the feature.

Interface	Field Name
IRES	EXISTING SERVICES & FEATURES RETAIL RATE or CLEC RATE
FTP	Not Applicable

NOTE 1: This field may be used for responses.

NOTE 2: Multiple iterations of this field may be provided.

NOTE 3: When multiple iterations of this field are returned, each occurrence will be associated with a specific FEATURE field.

DATA CHARACTERISTICS: 5 numeric characters (excluding one preprinted decimal)

EXAMPLE:

1	1	4
---	---	---

 .

0	0
---	---

53. PULSE – Type of Pulsing

Identifies the type of pulsing.

NOTE 1: This field is not supported by Sprint LTD.

54. BLOCK - Block

Identifies the type of blocking on the telephone number.

Interface	Field Name
IRES	Refer to FEATURE field
FTP	Not Applicable

55. LST - Local Service Termination

Identifies the CLLI Code of the end office switch from which service is being provided.

NOTE 1: This field is not supported by Sprint LTD.

56. TKQ - Trunk Quantity

Identifies the quantity of trunks.

NOTE 1: This field is not supported by Sprint LTD.

57. TGN - Trunk Group Number

Identifies the trunk group number that has been assigned by the provider.

NOTE 1: This field is not supported by Sprint LTD.

58. DO - Digits Out

Indicates the number of digits out pulsed from the central office to the customer's equipment.

NOTE 1: This field is not supported by Sprint LTD.

59. RIN - Route Index Number

Identifies the route index number assigned to the trunk group by the provider.

NOTE 1: This field is not supported by Sprint LTD.

60. LTLI - Lead Telephone Line Identifier

Identifies the lead telephone line identifier.

NOTE 1: This field is not supported by Sprint LTD.

61. TKID - Trunk Identifier

Identifies the trunk ID of the existing service.

NOTE 1: This field is not supported by Sprint LTD.

62. HNTYP - Hunting Type Code

Identifies the type of hunting involved.

NOTE 1: This field is not supported by Sprint LTD.

63. HID - Hunt Group Identifier

Identifies the hunt group.

NOTE 1: This field is not supported by Sprint LTD.

64. HTSEQ - Hunting Sequence

Identifies the hunting sequence or range of hunt sequence.

NOTE 1: This field is not supported by Sprint LTD.

65. RESPC - Response Code

Identifies a code on the response transaction that represents what occurred on the associated inquiry transaction.

NOTE 1: This field is not supported by Sprint LTD.

66. RESPD - Response Description

Identifies the text used to clarify the response for the associated inquiry transaction.

NOTE 1: This field is not supported by Sprint LTD.

67. PRESPC – Provider Response Code

Identifies a provider specific code on the response transaction that represents what occurred on the associated inquiry transaction.

NOTE 1: This field is not supported by Sprint LTD.

68. PRESPD – Provider Response Description

Identifies the provider's text used to clarify the response for the associated inquiry transaction.

NOTE 1: This field is not supported by Sprint LTD.

69. FPI - Freeze PIC Indicator

Identifies a request that PIC activity on the Working Telephone Number (WTN) be restricted.

NOTE 1: This field is not supported by Sprint LTD.

70. IPIC - International Pre-subscription Indicator Code

Identifies the Pre-subscription Indicator Code (PIC) of the carrier the customer has selected for international traffic.

NOTE 1: This field is not supported by Sprint LTD.

71. TT - TTY or TDD Indicator

Identifies a Teletypewriter (TTY) or Telecommunication Device for the Deaf (TDD) service.

NOTE 1: This field is not supported by Sprint LTD.

72. SGNL - Signaling

Identifies the type of signaling requested.

NOTE 1: This field is not supported by Sprint LTD.

73. SSIG - Start Signaling

Identifies the type of start signaling requested.

NOTE 1: This field is not supported by Sprint LTD.

74. BS - Bearer Service

Identifies the activated ISDN BRI B1 and B2 channels.

NOTE 1: This field is not supported by Sprint LTD.

75. CAPP - Call Appearance

Identifies the call appearance(s) on the ISDN set.

NOTE 1: This field is not supported by Sprint LTD.

76. CB - Common Block

Identifies the name/number of the CENTREX and the name/number of the grouping (customer common block).

NOTE 1: This field is not supported by Sprint LTD.

77. CSD - Circuit Switched Data

Identifies the number of ISDN BRI B channels available for data.

NOTE 1: This field is not supported by Sprint LTD.

78. CSDC - Circuit Switched Data Configuration

Identifies the quantity of ISDN BRI B channels that will allow or deny access to an individual ISDN user.

NOTE 1: This field is not supported by Sprint LTD.

79. CSV - Circuit Switched Voice

Identifies that B channels are restricted to voice.

NOTE 1: This field is not supported by Sprint LTD.

80. CSVC - Circuit Switched Voice Configuration

Identifies which B channel will be used for voice.

NOTE 1: This field is not supported by Sprint LTD.

81. DCLS - Digital Subscriber Line Class of Service

Identifies the ISDN BRI line class of service.

NOTE 1: This field is not supported by Sprint LTD.

82. DISP - Display

Identifies display functionality on the ISDN set.

NOTE 1: This field is not supported by Sprint LTD.

83. DPG - Dialing Plan Group

Identifies the dialing plan name for a specific CENTREX.

NOTE 1: This field is not supported by Sprint LTD.

84. DSNA - Digital Services Network Assignment

Identifies the circuit number associated with the ISDN BRI.

NOTE 1: This field is not supported by Sprint LTD.

85. DTN - Data Telephone Number

Identifies the packet telephone number associated with the ISDN.

NOTE 1: This field is not supported by Sprint LTD.

86. ISPID - ISDN Service Profile Identification

Provides a code that must be programmed into the ISDN BRI Customer Premises Equipment (CPE).

NOTE 1: This field is not supported by Sprint LTD.

87. MAXB - Maximum B Channels

Identifies the number of B channels per ISDN BRI.

NOTE 1: This field is not supported by Sprint LTD.

88. MDPK - Maximum D Packet Users

Identifies the maximum number of users allowed packet switching on a D channel.

NOTE 1: This field is not supported by Sprint LTD.

89. MTER - Maximum Terminals

Identifies the maximum number of terminals capable of working on an ISDN BRI channel.

NOTE 1: This field is not supported by Sprint LTD.

90. PN - Primary Number

Identifies a shared telephone number when the number in the TNS field will appear as a secondary line on an ISDN set.

NOTE 1: This field is not supported by Sprint LTD.

91. RP - Ring Preference

Identifies the attribute associated with the call appearance of the ISDN set.

NOTE 1: This field is not supported by Sprint LTD.

92. ST - Switch Type

Indicates the type of Local Serving Office (LSO) switch that is used to provide the ISDN BRI.

NOTE 1: This field is not supported by Sprint LTD.

93. TGID - Terminal Group Name

Identifies the terminal group name used to provision CENTREX like lines.

NOTE 1: This field is not supported by Sprint LTD.

94. TGS - Terminal Group Station Restriction

Identifies the station restriction assigned to a station line.

NOTE 1: This field is not supported by Sprint LTD.

95. TTYP - Terminal Type

Identifies the terminal associated with the ISDN.

NOTE 1: This field is not supported by Sprint LTD.

96. DDQTY - Number of Delivery Segments

Identifies the number of delivery address/information segments.

NOTE 1: This field is not supported by Sprint LTD.

97. NAME - End User Name (Directory Delivery)

Identifies the name of the end user.

NOTE 1: Name is used to specify to whom the directory needs to be delivered.

NOTE 2: Name in this field is not intended to be used for directory listings or directory assistance.

NOTE 3: This field is not supported by Sprint LTD.

98. DELADR - Delivery Address

Identifies the address for delivery of directories.

NOTE 1: This element is used when the delivery address is not available parsed into the individual data elements.

NOTE 2: This field is not supported by Sprint LTD.

99. DATY - Delivery Address Type

Identifies a delivery address segment as being valid for hand delivery, postal delivery or both.

NOTE 1: This only indicates the validity of an address for a particular delivery method and cannot be used to request a specific delivery method.

NOTE 2: This field is not supported by Sprint LTD.

100. DDAPR - Delivery Address Number Prefix

Identifies the prefix for the address number of the directory delivery address.

NOTE 1: This field is not supported by Sprint LTD.

101. DDANO - Delivery Address Number

Identifies the number of the directory delivery address.

NOTE 1: This field is not supported by Sprint LTD.

102. DDASF - Delivery Address Number Suffix

Identifies the suffix for the address number of the directory delivery address.

NOTE 1: This field is not supported by Sprint LTD.

103. DDASD - Delivery Address Street Directional Prefix

Identifies the street directional prefix of the directory delivery address.

NOTE 1: This field is not supported by Sprint LTD.

104. DDASN - Delivery Address Street Name

Identifies the street name of the directory delivery address.

NOTE 1: This field may be used when the delivery address differs from the service address.

NOTE 2: This field is not supported by Sprint LTD.

105. DDATH - Delivery Address Street Type

Identifies the thoroughfare portion of the street name of the delivery address.

NOTE 1: This field is not supported by Sprint LTD.

106. DDASS - Delivery Address Street Directional Suffix

Identifies the street directional suffix for the directory delivery address.

NOTE 1: This field is not supported by Sprint LTD.

107. LD1 - Location Designator 1

Identifies additional specific information related to the address (e.g., building, floor, room).

NOTE 1: This instance of the LD1 field is used for the directory delivery address.

NOTE 2: This field is not supported by Sprint LTD.

108. LV1 - Location Value 1

Identifies the value associated with the first location designator of the address.

NOTE 1: This instance of the LV1 field is used for the directory delivery address.

NOTE 2: This field is not supported by Sprint LTD.

109. LD2 - Location Designator 2

Identifies additional specific information related to the address (e.g., building, floor, room).

NOTE 1: This instance of the LD2 field is used for the directory delivery address.

NOTE 2: This field is not supported by Sprint LTD.

110. LV2 - Location Value 2

Identifies the value associated with the second location designator of the address.

NOTE 1: This instance of the LV2 field is used for the directory delivery address.

NOTE 2: This field is not supported by Sprint LTD.

111. LD3 - Location Designator 3

Identifies additional specific information related to the address (e.g., building, floor, room).

NOTE 1: This instance of the LD3 field is used for the directory delivery address.

NOTE 2: This field is not supported by Sprint LTD.

112. LV3 - Location Value 3

Identifies the value associated with the third location designator of the address.

NOTE 1: This instance of the LV3 field is used for the directory delivery address.

NOTE 2: This field is not supported by Sprint LTD.

113. CITY - City

Identifies the city, village, township, etc.

NOTE 1: This instance of the CITY field is used for the directory delivery address.

NOTE 2: This field is not supported by Sprint LTD.

114. STATE - State/Province

Identifies the abbreviation for the state or province.

NOTE 1: This instance of the STATE field is used for the directory delivery address.

NOTE 2: This field is not supported by Sprint LTD.

115. ZIP - ZIP/Postal Code

Identifies the ZIP code, ZIP code + extension or postal code.

NOTE 1: This instance of the ZIP field is used for the directory delivery address.

NOTE 2: This field is not supported by Sprint LTD.

116. DIRID - Directory ID for Directory Delivery

Identifies the directory code of the book to be delivered.

NOTE 1: This field is not supported by Sprint LTD.

117. DIRTYP - Directory ID Type

Identifies the type of the directory (e.g., white pages, yellow pages) to be delivered.

NOTE 1: This field is not supported by Sprint LTD.

118. DIRQTYA - Number of Directories for Annual Delivery

Identifies the number of directories to be delivered on an annual basis.

NOTE 1: This field is not supported by Sprint LTD.

119. RTY - Record Type

Identifies the type of listing with respect to pricing and tariffs.

NOTE 1: This field is not supported by Sprint LTD.

120. LTY - Listing Type

Identifies the type of listing with respect to publication and Directory Assistance (DA) appearance rules.

Interface	Field Name
IRES	Non-Listed, Non-Published
FTP	Not Applicable

NOTE 1: This field may be used for responses.

VALID ENTRIES:

- 1 = Listed - appears in DA and the directory
- 2 = Non-listed - appears only in DA
- 3 = Non-published - does not appear in the directory and telephone number does not appear in DA
- 4 = Non-published emergency - does not appear in the directory, end user may be contacted in an emergency
- 5 = Non-published special - does not appear in the directory nor DA, end user never wants to be contacted
- 6 = Omit DA - listing only appears in the published directory
- 7 = No appearance - primary telephone number has no listing in the directory or DA, but additional station numbers may be listed
- 8 = Temporary listing - appears only in DA for a short interval

NOTE 1: Sprint LTD does not support options 4, 6, 7 or 8.

DATA CHARACTERISTICS: 1 numeric character

EXAMPLE: 2

121. EOS - End User's Other Service

Identifies an end user's listed or non-published service.

NOTE 1: This field is not supported by Sprint LTD.

122. STYC - Style Code

Identifies whether the listing is a straight line, Straight Line Under (SLU) header, caption header, etc.

NOTE 1: This field is not supported by Sprint LTD.

123. TOA - Type of Account

Identifies the type of account for this listing.

Interface	Field Name
IRES	TYPE OF SERVICE
FTP	Not Applicable

NOTE 1: Determines placement in split directories and directory assistance.

NOTE 2: This field may be used for responses.

VALID ENTRIES:

- B = Business
- C = County government
- F = Federal government
- L = Local or city government
- R = Residence
- S = State government
- BP = Business class, person name
- MI = Military
- PO = Port
- RE = Regional
- RP = Residence class, business name
- SC = School
- SD = Special district
- TR = Tribal
- TW = Township

NOTE 1: Only the values of B and R are supported by Sprint LTD.

DATA CHARACTERISTICS: 2 alpha characters

EXAMPLE:

F	
---	--

124. MTN – Main Telephone Number

Identifies the main listing number of the end user.

NOTE 1: This field is not supported by Sprint LTD.

125. DOI – Degree of Indent

Identifies the degree of indentation for this listing.

Interface	Field Name
IRES	CH.SEQ.
FTP	Not Applicable

VALID ENTRIES:

0 - 7

NOTE 1: Straight line listings, SLU headers and caption headers are always zero (0).

NOTE 2: SLU indents, caption indents and caption sub-headers must be greater than zero (0).

NOTE 3: This field is used for responses.

DATA CHARACTERISTICS: 1 numeric character

EXAMPLE:

0

126. LTN - Listed Telephone Number

Identifies the telephone number that may be included in the directory and/or quoted in Directory Assistance (DA).

Interface	Field Name
IRES	REQUESTED TELEPHONE #
FTP	Not Applicable

NOTE 1: This field may be used for responses.

DATA CHARACTERISTICS: 10 numeric characters

EXAMPLE:

2	0	1	9	8	1	3	5	0	0
---	---	---	---	---	---	---	---	---	---

127. NSTN – Non-Standard Telephone Number

Identifies a telephone number which is not in the standard North American Numbering Plan format, e.g., vanity numbers, Enterprise, 911.

NOTE 1: This field is not supported by Sprint LTD.

128. OMTN - Omit Telephone Number (TN)

Indicates whether or not a telephone number is to be omitted from the listing.

NOTE 1: This field is not supported by Sprint LTD.

129. LTNE – Listing Telephone Number Environment

Identifies the service type associated with the telephone number for this listing.

NOTE 1: This is not supported by Sprint LTD.

133. LNPL - Letter Name Placement

Identifies the alphabetic placement of the listing based on the LNLN field.

NOTE 1: This field is not supported by Sprint LTD.

136. TL - Title of Lineage

Indicates a phrase used to designate lineage of a listed person, e.g., Jr, Sr, III, etc.

NOTE 1: Used for listed name or first name in a dual name listing.

NOTE 2: This field is not supported by Sprint LTD.

137. TITLE1 - Title of Address 1

Indicates a phrase used to address a listed person, e.g., Mr, Dr, Rev, Ms.

NOTE 1: This field is not supported by Sprint LTD.

138. TITLE2 - Title of Address 2

Indicates additional phrases used to further identify the individual, e.g., degrees, military rank.

NOTE 1: This field is not supported by Sprint LTD.

139. TLD - Title of Lineage for Dual Name

Indicates a phrase used to designate lineage for the second name of a dual name listing, e.g., Jr, Sr, III, etc.

NOTE 1: This field is not supported by Sprint LTD.

140. TITLE1D - Title of Address 1 for Dual Name

Indicates a phrase used to address the second name of a dual name listing, e.g., Mr, Dr, Rev, Ms.

NOTE 1: This field is not supported by Sprint LTD.

141. TITLE2D - Title of Address 2 for Dual Name

Indicates additional phrases used to further identify the second name of a dual name listing, e.g., degrees, military rank.

NOTE 1: This field is not supported by Sprint LTD.

142. NICK - Listing Nickname

Indicates the listed person's nickname.

NOTE 1: This field is not supported by Sprint LTD.

143. DNA - Do Not Abbreviate

Indicates data in supplied fields must not be abbreviated.

NOTE 1: This field is not supported by Sprint LTD.

144. LISTADR - Listed Address

Identifies the entire address as it is to be listed.

Interface	Field Name
IRES	LISTING
FTP	Not Applicable

NOTE 1: This element is supplied if the separate elements are not available.

NOTE 2: This field may be used for responses.

DATA CHARACTERISTICS: 150 alphanumeric characters

EXAMPLE:

2	5	W	4	5	0	1	/	2	S	W	C	a	m	i	n	o	R	a	m
o	n	L	a	n	e	N	W	S	u	i	t	e	2	3	C	o	n	c	o
r	d																		

145. LAPR - Listed Address Number Prefix

Identifies the prefix for the address number of the listed address.

NOTE 1: This field is not supported by Sprint LTD.

146. LANO - Listed Address Number

Identifies the number of the listed address.

Interface	Field Name
IRES	LISTING
FTP	Not Applicable

NOTE 1: This field may be used for responses.

DATA CHARACTERISTICS: 10 alphanumeric characters

EXAMPLE:

4	5	0							
---	---	---	--	--	--	--	--	--	--

147. LASF - Listed Address Number Suffix

Identifies the suffix for the address number of the listed address.

Interface	Field Name
IRES	LISTING
FTP	Not Applicable

NOTE 1: This field may be used for responses.

DATA CHARACTERISTICS: 4 alphanumeric characters.

EXAMPLE:

1	/	2	
---	---	---	--

148. LASD - Listed Address Street Directional Prefix

Identifies the street directional prefix for the listed address.

Interface	Field Name
IRES	LISTING
FTP	Not Applicable

NOTE 1: This field may be used for responses.

VALID ENTRIES:

- N = North
- S = South
- E = East
- W = West
- NE = Northeast
- NW = Northwest
- SE = Southeast
- SW = Southwest

DATA CHARACTERISTICS: 2 alpha characters

EXAMPLE:

S	W
---	---

150. LATH - Listed Address Street Type

Identifies the thoroughfare portion of the street name of the listed address.

Interface	Field Name
IRES	LISTING
FTP	Not Applicable

NOTE 1: This field may be used for responses.

DATA CHARACTERISTICS: 10 alphanumeric characters

EXAMPLE:

L	N								
---	---	--	--	--	--	--	--	--	--

151. LASS - Listed Address Street Directional Suffix

Identifies the street directional suffix for the listed address.

Interface	Field Name
IRES	LISTING
FTP	Not Applicable

NOTE 1: This field may be used for responses.

VALID ENTRIES:

- N = North
- S = South
- E = East
- W = West
- NE = Northeast
- NW = Northwest
- SE = Southeast
- SW = Southwest

DATA CHARACTERISTICS: 2 alpha characters

EXAMPLE:

N	W
---	---

152. LALO - Listed Address Location

Identifies additional location information about the listed address, such as an apartment number, floor, room, suite, etc.

NOTE 1: This field is not supported by Sprint LTD.

154. LAST - Listed Address State/Province

Identifies the abbreviation for the state/province of the listed address.

NOTE 1: This field is not supported by Sprint LTD.

155. LAZC - Listed Address ZIP/Postal Code

Identifies the ZIP code, ZIP code + extension or postal code of the listed address.

NOTE 1: This field is not supported by Sprint LTD.

156. LTXTY - Listing Text Type

Identifies the type of the associated text that will appear in the directory to assist the end user.

NOTE 2: This field is not supported by Sprint LTD.

157. LTXNUM - Line of Text Reference Number

Identifies each line of information with a unique number.

NOTE 1: This field is not supported by Sprint LTD.

158. LPHRASE - Listing Phrase

Identifies predefined phrase associated with a listing.

NOTE 1: This field is not supported by Sprint LTD.

159. LTEXT - Listing Text

Identifies the descriptive or informative text that will appear in the directory to assist the end user.

NOTE 1: This field is not supported by Sprint LTD.

160. SIC - Standard Industrial Classification

Identifies the primary function of an end user's business.

NOTE 1: This field is not supported by Sprint LTD.

161. YPH - Yellow Page Heading Code

Identifies the code for the heading under which a listing will appear in the yellow pages.

NOTE 1: This field is not supported by Sprint LTD.

162. YPHV - Yellow Page Heading Verbiage

Identifies the heading under which a business listing will appear in the yellow pages.

NOTE 1: This field is not supported by Sprint LTD.

163. ADI - Address Indicator

Identifies that listing address elements should be omitted from Directory Assistance (DA) and published directories.

NOTE 1: This field is not supported by Sprint LTD.

164. DIRIDL - Directory Identifier

Identifies the directory in which to place the listing.

NOTE 1: This field is not supported by Sprint LTD.

165. DIRSUB - Directory Subsection

Identifies the subsection of a directory in which to place the listing.

NOTE 1: This field is not supported by Sprint LTD.

166. DIRNAME - Directory Name

Identifies the name of a directory in which to place a listing.

Interface	Field Name
IRES	DIRECTORY NAME
FTP	Not Applicable

NOTE 1: This field may be used for responses.

VALID ENTRIES:

Directory name

DATA CHARACTERISTICS: 35 alphanumeric characters

EXAMPLE: |G|r|a|n|d| |J|u|n|c|t|i|o|n| |N|E| |
 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |

167. DML - Direct Mail List

Identifies whether this listing is to be omitted from any direct mail lists.

NOTE 1: This field is not supported by Sprint LTD.

168. NOSL - No Solicitation Indicator

Identifies that this listing is not to be used for solicitation purposes.

NOTE 1: This field is not supported by Sprint LTD.

169. TMKT - Telemarketing

Indicates that this listing is to be omitted from any telemarketing lists.

NOTE 1: This field is not supported by Sprint LTD.

170. DLNM - Dual Name Listing

Indicates that this listing contains multiple first names and that both should appear in directory assistance.

NOTE 1: This field is not supported by Sprint LTD.

171. BRO - Business/Residence Placement Override

Identifies an override of the normal placement of business or residence listings.

NOTE 1: This field is not supported by Sprint LTD.

172. PROF - Professional Identifier

Indicates that this is a professional listing.

NOTE 1: This field is not supported by Sprint LTD.

173. WPP - White Page Products

Identifies information about the white page products, signature listings, personality logo and lines of distinction.

NOTE 1: This field is not supported by Sprint LTD.

174. STR - Street Address Directory

Identifies whether this listing is to be omitted from the street address (reverse) directory.

NOTE 1: This field is not supported by Sprint LTD.

175. OMSD - Omit From Secondary Directory

Indicates in which secondary directory or directories this listing is not to appear.

NOTE 1: This field is not supported by Sprint LTD.

176. ALI - Alphanumeric Listing Identifier Code

Identifier assigned to uniquely identify each listing for a main listing number from a customer.

Interface	Field Name
IRES	FID
FTP	Not Applicable

NOTE 1: Allows for multiple listings for the same main listing number from a single customer.

NOTE 2: Unique for the life of the listing and spans requests.

NOTE 3: This field may be used for responses.

DATA CHARACTERISTICS: 6 alphanumeric characters

EXAMPLE:

A	4	4	4		
---	---	---	---	--	--

177. SC1 - Service Center 1

Identifies the code used to represent the organization, which processes a customer's request for service.

NOTE 1: This field is not supported by Sprint LTD.

178. SC2 - Service Center 2

Identifies the code used to represent the organization, which processes a customer's request for Directory Assistance (DA) listings.

NOTE 1: This field is not supported by Sprint LTD.